


DANGER – POISON – PRECAUTIONS ☠

<p>DON'T SWALLOW</p> 	<p>CAN KILL YOU IF SWALLOWED</p> <p>This product can kill you if swallowed even in small amounts. Spray must may be fatal if swallowed.</p>
<p>DON'T TOUCH</p> 	<p>CAN KILL YOU BY SKIN CONTACT</p> <p>This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing. Liquid goes through clothes.</p>
<p>DON'T BREATHE</p> 	<p>CAN KILL YOU IF BREATHED</p> <p>This product can kill you if vapors, spray, mist or dust are breathed.</p>

POISONOUS TO FISH & WILDLIFE: Toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where run-off is likely to occur.

OCCIDENTAL CHEMICAL COMPANY

A DIVISION OF OCCIDENTAL PETROLEUM CORPORATION

P O BOX 198 • LATHROP, CALIFORNIA 95330 • PHONE (209) 858-2511

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one, other than an officer of Seller, is authorized to make any other warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.

POISON

See Side Panels
for Antidote &
Precautions

STOP — READ THE LABEL

DANGER

Keep Out of
Reach of
Children



NOT FOR HOME USE

METHYL PARATHION TOXAPHENE 3-6

ACTIVE INGREDIENTS:

0,0-Dimethyl 0-p-nitrophenyl phosphorothioate	20.0
Toxaphene (Technical Chlorinate Camphor (67-60% Chlorine)	50.0
Xylene	16.0

INERT INGREDIENTS:	6.0
TOTAL	<u>92.0</u>

Emulsifiable concentrate containing 1 lb. of Meth 3 Parathion and 6 lbs. of Toxaphene per gallon.

W
LIVE

(1) Wear w
ber boots
Safety gog
rator appr
Mines for
heavy duty

Keep all c
ren away f
is danger

Do not rub
you feel s
get help r
cran), clin
Explain th
to parath
After first
Treatment
come, take

IMPORTANT:
wash them
wash hand
water befo

AFTER WO
and shoes.
Wear only
Do not we
protective
ment with
Respirator
replaced
cluded with

PC

Parathion
rapidly en
on skin st
with this
mediate
prompt med

Some of th
serving are
cramps, w
point pup
breathing,
ing of eye
and nose,

POISON

STOP

READ THE LABEL

DANGER

See Side Panels
for Antidote &
Precautions



Keep Out of
Reach of
Children

NOT FOR HOME USE

METHYL PARATHION TOXAPHENE 3-6

ACTIVE INGREDIENTS:

1,1-Dimethyl 0-p-nitrophenyl	
phosphorothioate	20.0
Toxaphene (Technical Chlorinated Camphene	
7-60% Chlorine)	52.0
Xylene	16.0
INERT INGREDIENTS:	6.0
	<hr/>
	100.0

Unsulfiable concentrate containing 1 lb. of Parathion and 6 lbs. of Toxaphene

NEVERLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING:

- (1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hand. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital — immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

Parathion is a very dangerous poison. It rapidly enters the body on contact with the skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or foaming at mouth and nose, muscle paralysis and coma.



Call a doctor (physician), clinic or hospital immediately.



Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote — administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

State Agricultural Experiment Station, reporting treated areas.

See attached label for proper disposal.

For more information, contact your local health department.

You Get Results With

BEST®

METHYL PARATHION TOXAPHENE 3-4

Read This Label Carefully



ACTIVE INGREDIENTS:

Methyl Parathion 3.0%
Toxaphene 4.0%
TOTAL 7.0%

INERT INGREDIENTS:

TOTAL 100.0%

EPA Reg. No. 1-195-00
EPA Reg. No. 1-195-01

DIRECTIONS FOR DILUTION

FIELD & VEGETABLE CROPS

DECIDUOUS ORCHARDS

DIRECTIONS FOR USE

- Alfalfa (Seed Only)** ...
- Apples** ...
- Apricots** ...
- Barley Oats Rye Wheat** ...
- Beans (dry green lima)** ...
- Broccoli Brussel sprouts Cabbage Cauliflower Collards Kale Kohlrabi** ...

- Carrots** ...
- Celery** ...
- Corn** ...
- Cotton** ...
- Lettuce** ...
- Onions** ...
- Peaches Nectarines** ...
- Peas** ...
- Pears** ...
- Peppers** ...
- Rice** ...
- Rutabagas** ...
- Sorghum** ...
- Soybeans** ...
- Spinach** ...
- Strawberries** ...
- Tomatoes** ...

KEEP OUT

KEEP OUT OF REACH OF CHILDREN. ...

OCCIDENTAL CHEMICAL COMPANY

195-198 Lafayette California 94504

