

# CRABGRASS PREVENTER-B & LAWN FOOD 12-3-6

## FOR GRASS OR DICHONDRA

- 1 Prevents crabgrass, poa annua and certain other weeds in grass or dichondra lawns.
- 2 Prevents certain annual grasses and weeds in ground covers, annual and perennial beds, bulbs, trees and shrubs.
- 3 Contains balanced fertilizer.  
(See back panel for full instructions)

### ACTIVE INGREDIENT:

\*S-(0,0-dimethyl phosphorodithioate) of  
N-(2-mercaptoethyl) benzenesulfonamide ..... 3.6%

INERT INGREDIENTS: ..... 96.4%

\*Betasan (R) Registered trademark of Stauffer Chemical Co. U.S. Patent No. 3,205,253

EPA Reg. No. 7001-200-AA

EPA Est. No. 7001-Ca-1

**CAUTION: KEEP OUT OF REACH OF CHILDREN.** Use only in accordance with label directions. Avoid contact with skin, eyes, and clothing. Keep pets and children off treated areas until material has been washed into soil and lawn is dry. In case of contact with skin or eyes, flush with plenty of water. For eyes get medical attention. Wash hands with soap and water after handling and before eating or smoking. Wash clothing. Do not apply directly on vegetables, fruits or crops. Do not reuse container. Destroy when empty. Sweep up spills on walks or patios and hose areas.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

### GUARANTEED ANALYSIS

TOTAL NITROGEN (N) .....	12.0%
Ammoniac Nitrogen .....	8.0%
Water Soluble Nitrogen Derived from Urea .....	4.0%
AVAILABLE PHOSPHORIC ACID (P2O5) Derived from Ammonium Phosphate .....	3.0%
SOLUBLE POTASH (K2O) Derived from Muriate of Potash .....	6.0%
COMBINED SULFUR (S) expressed as elemental derived from Sulfates and Sulfides .....	6.5%
IRON (Fe) expressed as elemental derived from Sulfates and Sulfides .....	0.50%
MANGANESE (Mn) expressed as elemental derived from Sulfates and Sulfides .....	0.05%
ZINC (Zn) expressed as elemental derived from Sulfates and Sulfides .....	0.05%

### DESCRIPTION

Crabgrass Preventer-B & Lawn Food is recommended for use on home lawns, groundcovers, bulbs, annuals and perennials, trees and shrubs listed below. This product combines a plant food with a selective pre-emergence weed control for the listed weeds.

Many lawns are either pure dichondra or a mixture of grass and dichondra. Turf plants tolerant to this product are:

Dichondra	Centipede grass	St. Augustine
Bentgrass	Fescues	Redtop
Bermudagrass	Perennial Ryegrass	Zoysia
Perennial Bluegrass	Poa Trivialis	Mixtures of these

NET WEIGHT 20 LBS.

OCCIDENTAL CHEMICAL COMPANY • P. O. Box 198 • LATHROP, CALIFORNIA 95330

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one other than an officer of Seller is authorized to make any other warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from the handling, storage and use of this product is limited to replacement of product if it should be found to be defective.

### ORNAMENTALS and Ground Covers tolerant to this product are:

Annuals and Perennials	Bulbs	Trees and Shrubs	Ground Covers
Alyssum	Primrose	Daffodil	Abelia
Aster	Stock	Dahlia	Azalea
Calendula	Sweet Pea	Freesia	Azara
Candytuft	Wall Flower	Gladiolus	Boxwood
Coral Bell	Zinnia	Narcissus	Daphne
Daisy		Ranunculus	Holly
Marigold		Tulip	Juniper
Pansy			Monterey
			Cypress
			Monterey
			Pine
			Myrtle
			Prive:
			Pyracantha
			Viburnum
			Pittosporum
			Xylosma
			Ajuga
			Campanula
			Festuca
			Gazania
			Hypericum
			Iceland
			Ivy
			Pachysandra
			Periwinkle
			Star Jasmine
			Wild Strawberry
			Sedum

### WEEDS CONTROLLED ARE:

Smooth Crabgrass	Barnyardgrass	Annual Bluegrass
Hairy Crabgrass	Lambsquarters	Shepherdspurse
Redroot Pigweed	Goosegrass	Henbit

### WHEN TO USE

- 1 **CRABGRASS CONTROL:** Application may be made anytime after crabgrass goes to seed in September up to the end of March. This treatment will also control Goosegrass, Watergrass, Lambsquarters, and Redroot Pigweed.
- 2 **ANNUAL BLUEGRASS and SHEPHERDSPURSE:** Apply before germination starts. In cooler coastal areas make first application starting August 1st. Inland areas from September 1st. A second application should be made 4-5 months after the initial application.
- 3 **ORNAMENTALS, BULBS, GROUNDCOVERS:** Apply in early spring before weed growth starts. May also be used after cultivation to prevent regrowth of weeds.

### DIRECTIONS FOR USE

- 1 Application must be made before weed growth begins. This product will not kill established growing weeds.
- 2 Carefully measure area to be treated. Contents of this bag will treat 2,500 sq. ft. (50 x 50 ft).
- 3 Check spreader for accuracy. Apply evenly at recommended rate. Be careful to avoid skips and misses.
- 4 Water immediately for 10-15 minutes to wash material into the soil where weed seeds are located.
- 5 Keep children and pets off of treated area until material has been washed off of leaf surfaces and blades are dry.
- 6 Horticultural Caution: Do not reseed within 4 months after application.

**ESTABLISHED GRASS or DICHONDRA LAWNS:** Use a drop type spreader set to apply 4 lbs./500 sq. ft. Suggested spreader settings:

#### SPREADER

SPREADER	SPREADER SETTING*
Ward's model No. 89-1081 .....	7-1/2
MTD Model No. 431-340 .....	7-1/2
Sears Model No. 1919 .....	7-1/2
Central Model No. 1622-E .....	6-3/4
(Imperial Mark)	
Scott's Model No. 35-3 .....	7-3/4

\*NOTE: Individual spreaders may vary after being in use for a time. These settings are normal for spreaders in new condition.

**DICHONDRA LAWNS — PREPLANT:** Apply at the time dichondra is planted at the rate suggested for established dichondra. This will reduce weed competition.

**ORNAMENTALS, GROUNDCOVERS, BULBS:** Apply at the rate of 4 lbs./500 sq. ft. with a broadcast spreader. Wash material off of foliage and into soil immediately after application. Suggested Spreader settings:

Use the standard spreader  
with the following settings:

OC-14 5-75