INERT IN REDIENTS AND SPROTOCHICATED 25%

FUNDICIDE OF COLOR POR COLOR PROPERTY OF TOTAL

TOT

DANGER - POISON - PRECAUTIONS X



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts spray mist or dust may be fatal if swallowed



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (figured goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not, contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NET WT.____LBS.

CCCIDENTAL CHEMICAL COMPANY

P. O. BOX 198 . LATHROP, CALIFORNIA 95330 . PHONE (209) 858-2511

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one, other than an officer of Seller, is authorized to make any other warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.

pirator should be cleaned and filter replaced according to instructions included with respirator.



POISON SIGNS (Symptoms)

Parathion is a very dangerous poison it rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately Exposed persons must receive prompt medical treatment or they may die

Some of the signs and symptoms of poisoning are Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma



FIRST AID TREATMENT



Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give any thing by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses TWO to FOUR mg_intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 min. ute intervals until signs of atropinization appear 2 PAM chloride is also antidotal and may be admin istered in conjunction with atropine DO NOT GIVE MORPHINE OR TRANQUILIZERS Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edma, the patient should be given supple. mental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement, VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS

POSTING TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas

CONTAINER DISPOSAL

See attached booklet for proper disposal

CROP USE DIRECTIONS

Use only according to attached label booklet in structions



METHYL PARATHION 25 WP

ACTIVE INGREDIENT: Methyl Parathion (O,O-Dir phosphorothioate)	•	••••••	BY WT 25%
INERT INGREDIENTS:			75%
EPA Reg. No. 7001-207-A EPA Est. No. 7001-CA-1	A	TOTAL	100% I C C
	POISON	Und Fund as as	ler the Ferlinant Ricide.
KEEP OU	DANGER T OF REACH OF C	HILDREN	Reg. No. 707/307

Poisonous if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing.

See additional warnings, note to physician, poison symptoms on outside label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agriculture Extension Service.

Do not reuse container. Destroy immediately by burning or burying. Keep out of smoke.

DIRECTIONS FOR DILUTION

Apply rate given in 20 to 100 gallons of water per acre by ground rig, in 5 to 20 gallons of water per acre by aircraft or concentrate ground rig.

DIRECTIONS FOR USE

Artichakes: Anhide Armyworms (to 3rd instar) Plant Rugs Anniv 2 nounds per acre

on skin, or on ciothing.

See additional warnings, note to physician, poison symptoms on outside label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agriculture Extension Service.

Do not reuse container. Destroy immediately by burning or burying. Keep out of smoke.

DIRECTIONS FOR DILUTION

Apply rate given in 20 to 100 gallons of water per acre by ground rig, in 5 to 20 gallons of water per acre by aircraft or concentrate ground rig.

DIRECTIONS FOR USE

Artichokes: Aphids, Armyworms (to 3rd instar), Plant Bugs. Apply 2 pounds per acre. Artichoke Plume Moth, Cutworms, Cabbage Looper. Apply 4 pounds per acre. Do not allow workers to re-enter field or harvest within 7 days of an application.

Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, Kohlrabi, Mustard Greens: Aphids, Armyworms, Flea Beetles, Leafhoppers, Mites. Apply 4 pounds per acre. Do not apply within 21 days of harvest.

Celery: Aphids, Armyworms, Cabbage Looper. Apply 4 pounds per acre. Do not apply within 15 days of harvest.

Lettuce: Aphids, Armyworms, Flea Beetles, Leafhoppers, Mites. Apply 2½ to 4 pounds per acre. Do not apply within 21 days of harvest.

Peas, Peppers: Aphids, Armyworms (to 3rd instar), Cabbage Looper. Apply 4 pounds per acre. Do not apply within 15 days of harvest.

Rutabagas: Aphids, Armyworms. Apply 4 pounds per acre. Do not apply within 21 days of harvest.

Spinach: Aphids, Leafhoppers, Mites. Apply 2½ to 4 pounds per acre. Do not apply within 21 days of harvest.

Tomatoes: Aphids, Armyworms, Flea Beetles, Leafhoppers, Cabbage Looper, Mites. Apply 4 pounds per acre. Do not apply within 15 days of harvest.

(221:1/76)

DISCI AIMER OF WARRANTIES Seller warrants that the chemical composition of this product conforms to the chemical description given on this label. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS. EXPRESSED. IMPLIED OR STATUTORY, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. Timing, rate and method of application, weather and crop conditions, mixtures with chemicals not specifically recommended on this label or an accompanying written recommendation, are beyond the control of seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. Buyer further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, as full discharge of seller's liability. No one is authorized to make any other warranty, guarantee or directions concerning this product, and no such warranties, guarantees or directions shall be valid or binding upon seller.

PURCHASING GROUPS iig 11.16 ng aii VOLUNTARY
P. O. BOX
BONHAM, TI
214-583-5 io be and the unsightly N AND DOMESTIC SORBED THROUGH bid contact with skin, dust.

SNAILS

SLUGS

PILLBUGS

nd water. Wash thoeati or smoking.