

ILSERV

which this chemical is not registered. Avoid drift to any crop for which use may be registered and time limits for this chemical. Avoid drift to any feed or forage crop.

PARATHION 4 Pound E.C.

4 LBS. METHYL PARATHION PER GALLON
COMPOSITION

REDIENTS:

yl O-p-nitrophenyl phosphorothioate 43.00 %
9.72 %
47.28 %

REDIENTS:


POISONOUS -- PRECAUTIONS

CAN KILL YOU BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

CAN KILL YOU IF BREATHED

Breathing vapors, spray or dust may be fatal



WARNING -- FLAMMABLE!

KEEP AWAY FROM HEAT OR OPEN FLAME

NOT FOR HOME USE

STOP -- READ LABEL BEFORE USING

POISON



See Side Panels
For
ANTIDOTE AND
PRECAUTIONS

od. FLAMMABLE
D OPEN FLAME
REMOVED TO A
DILUTED FORM.
the field. Do not
ible drift to food,
e damaged or the
se or consumption.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital--immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking

AFTER WORK. take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should

be cleaned and filter replaced according to instructions included with respirator.

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote--administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POSTED TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

Note below

CROP USE DIRECTIONS

Use only according to directions for use as listed below.

WASH EMPTY CONTAINER WITH ALKALI AND DESTROY BY BURYING IN A SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN OFF. NEVER RE-USE.

THIS PRODUCT IS NOT TO BE USED AROUND HOMES OR HOME GARDENS.

"This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service."

USE THE FOLLOWING RECOMMENDED RATES PER ACRE IN SUFFICIENT WATER FOR THOROUGH COVERAGE

SUGGESTIONS FOR USE

CROP	PEST	PER ACRE DOSAGE	BEFORE HARVEST LIMITATIONS
ALFALFA	APHID, WEEVILS, LEAFHOPPER	1 PINT	15 DAYS
BEANS	APHID, SPIDER MITES	1 1/2 QUARTS	21 DAYS
BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER	APHID	1 PINT 1 QUART	7 DAYS 21 DAYS
CABBAGE	APHID	1 PINT 1 QUART	10 DAYS 21 DAYS
CARROTS	APHID	1 QUART	15 DAYS DO NOT USE TOPS FOR FEED OR FOOD
CORN	APHID	1/2 PINT	12 DAYS
LETTUCE -- all	APHID	1 QUART	21 DAYS
CELERY	APHID	1 QUART	15 DAYS
PEAS	APHID	1 QUART	15 DAYS
PEPPERS	APHID	1 QUART	15 DAYS
POTATOES	APHID	1 1/2 QUARTS 1 PINT 1 QUART	5 DAYS 14 DAYS 21 DAYS
SPINACH	APHID	1 QUART	14 DAYS
STRAWBERRIES	APHID	1 1/2 PINTS	14 DAYS
TOMATOES	APHID	1 QUART	15 DAYS
ARTICHOKES	APHID	1 QUART	7 DAYS
GRAPES	APHID	1 1/2 PINTS	14 DAYS
MUSTARD	APHID	1 QUART	21 DAYS
BARLEY, OATS, WHEAT, RYE	APHID	1 1/2 PINTS	15 DAYS
VETCH	APHID	1 PINT	20 DAYS

DILUTION RATES: The above suggested rates should be used in not less than 5 gallons of water by aircraft and 15 gallons of water by ground spray equipment.

EPA EST. NO. 6973 CA 1
CA 2
EPA REG. NO. 6973-17

NET CONTENTS 5 GALLONS

1427 ABBOTT STREET

Notice of Warranty: Soilserv, Inc. warrants its liability under any warranty or representation being limited to the replacement of the product if found to be defective. This product is not a pesticide and does not contain any of the ingredients specified.



SALINAS, CALIFORNIA

FORM 187 MAY 1974
STATE REG. NO. 06973-50136AA

DURSBAN[®] 1G

GRANULAR INSECTICIDE FOR CONTROL OF MOSQUITO LARVAE

You Get Results With

BEST[®]

Read This Label Carefully

ACTIVE INGREDIENT:

Chlorpyrifos (O,O-diethyl O-(3,5,6-trichloro-2-pyridyl)
phosphorothioate)

BY WT.

1%

INERT INGREDIENTS:

99%

TOTAL

100%

[®]
*Dursban - Trademark of The Dow Chemical Company
U.S. Patent No. 3,244,586

EPA Reg. No. 7001-209-AA

EPA Est. No. 7001-CA-1


DIRECTIONS FOR USE

To be applied only by trained personnel of Public Health Organizations, Mosquito Abatement Districts, Public Mosquito Control Programs and Professional Pest Control Operators.

Use **Dursban 1G** granular insecticide to control mosquito larvae in non-crop areas that serve as breeding sites for these pests. Apply using any hand operated or ground vehicular mounted gravity or rotary type spreader or seeder or with aerial application equipment that will provide uniform distribution of the granules. Use in standing water - temporary rain pools, stagnant water, intermittently flooded areas, and log ponds. Consult your State Fish & Game Agency before applying this product.

Flooded Area Treatment: Apply uniformly over flood water impoundments whenever mosquito larvae are present. Apply 2.5 to 5 lbs. per acre. This rate is equivalent to 0.025 to 0.05 lbs. of active ingredient per acre.

Pre-Hatch Treatment: Many mosquito breeding areas are not covered by water during certain months of the year, yet these areas contain mosquito eggs from which larvae will hatch and grow to maturity when flooding occurs. To control these larvae uniformly apply 10 lbs. per acre over the known breeding sites prior to the time flooding is expected. This rate is equivalent to 0.1 lb. of active ingredient per acre.



CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing of dust. Wash thoroughly with soap and warm water after handling. Wash all contaminated clothing with soap and hot water before reuse. Avoid contamination of feed or food. In case of eye contact flush with plenty of water and get medical attention if irritation persists.

In case of poisoning, obtain prompt medical aid.

ANTIDOTE: (Note to Physician) Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

RESTRICTIONS

Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Use particular care to avoid damage whenever spraying over areas containing fish and wildlife. This pesticide may be toxic to many species of fish at the listed dosage rates. Metering mechanisms must be protected by adequate safeguards so as to prevent exposure of animals or people to concentrated insecticides.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water (except when used as a mosquito larvicide; then use only around the borders of these areas). Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not apply to crops except as allowed.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or destroy in a safe place away from water supplies.

(693:2/75)