

BETASAN® 12.5 GRANULES

For use on Grass Ornamentals, Annuals and Perennial., Dichono, a. Ground Covers, Bulbs,

- 1 Prevents crabgrass, poa annua, and certain other weeds in grass or dichondra lawns.
- 2 Prevents certain annual grasses and weeds in ground covers, annual and perennial beds, bulbs, trees and shrubs

'see back panel for full instructions)

ACTIVE INGREDIENT:

| *S-(O, O-diisopropyl phosphorodithioate) of | |
|--|-----------------|
| N-(2-mercaptoethyl) benzenesulfonamide | 12.50 օ |
| INERT INGREDIENTS: | 8 7.5° e |
| *Betasan* registered trademark of Stauffer Chemical Co | |
| TOTAL | 100.0% |

U.S. Patent No. 3.205,253 - 3,298,819

E.P.A. Reg. No. 7001-210-AA E.P.A. Est. No. 7001-CA-1

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed.

Use only in accordance with label directions. Avoid contact with skin, eyes, and clothing.

Keep pets and children off treated areas until material has been washed into soil and lawn is dry. In case of contact with skin or eyes, flush with plenty of water. For eyes get medical attention. Wash hands with soap and water after handling and before eating or smoking. Wash clothing.

Do not apply directly on vegetables, fruits or crops. Do not reuse container. Destroy when empty. Sweep up spills on walks or patios and hose areas. Avoid contamination of food, feed, drinking water and fish ponds. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

UNDER HILL AND A DENT LIVE ACT POR ECONOMIC PUR MEG STER. TO ATLEST COMMENTS

NON-WARRANTY: Seller makes no warranty, express or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. Because the time, place, rate of application and other conditions are beyond seller's control, seller's liability for the handling and use of this product is limited to replacement of product or refund of purchase price. Return unused portions of bag to your BEST dealer for refund if not satisfied with results.

OCCIDENTAL CHEMICAL COMPANY

P. O. BOX 178 . LATHPOP, CALIFORNIA 95330 . PHONE (209) 858-2511

DESCRIPTION

Best Betasan* 12.5 Granules are recommended for use on parks, golf courses, home lawns, groundcovers, bulbs, annuals and perennials, trees, and shrubs listed below. This product is a selective pre-emergence weed control for the listed weeds. Weeds controlled are.

Smooth Crabgrass
Hairy Crabgrass

Barnyardgrass Lambsquarters

Goosegrass

Annual Bluegrass Shepherdspurse

Redroot pigweed

Henbit

Many lawns are either pure dichondra or a mixture of grass and dichondra. Established turf plants tolerant to this product are:

Dichondra Bentgrass Bermudagrass Perennial Bluegrass Centipede grass Fescues Perennial Ryegrass St. Augustine Redtop Zoysia

Mixtures of these

Perennial Bluegrass Poa Trivialis

ORNAMENTALS and Ground Covers tolerant* to this product are:

| Annuals | and Perennials | Bulbs | Trees | and Shrubs | Ground Covers |
|------------|----------------|------------|----------|-------------|-----------------|
| Alyssum | Primrose | Daffodil | Abelia | Privet | Ajuga |
| Aster | Stock | Dahlia | Azalea | Pyracantha | Campanula |
| Calendula | Sweet Pea | Freesia | Azara | Viburnum | Festuca |
| Candytuft | Wall Flower | Gladiolus | Boxwood | Pittosporum | Gazania |
| Coral Bell | Zinnia | Narcissus | Daphne | Xylosma | Hypericum |
| Daisy | | Ranunculus | Holly | • | Iceplant |
| Marigold | | Tulip | Juniper | | lvy |
| Pansy | | · | Monterey | | Pachysandra |
| | | | Cypress | | Periwinkle |
| | | | Monterey | | Star Jasmine |
| | | | Pine | | Wild Strawberry |
| | | | Myrtle | | Sedum |

WHEN TO USE

- CRABGRASS CONTROL: Application may be made anytime after crabgrass goes to seed in September up to the
 end of March. This treatment will also control Goosegrass. Watergrass, Lambsquarters and Redroot
 Pigweed. In Southern and Western States where germination of Crabgrass, Annual Bluegrass and other
 weeds extends into late summer and early fall, a second application at the recommended rate should be
 made 4 5 months after the initial application.
- 2 ANNUAL BLUEGRASS and SHEPHEROSPURSE: Apply before germination starts. In cooler coastal areas make first application starting August 1st. Inland areas from September 1st.
- 3. ORNAMENTALS, BULBS, GROUNDCOVERS: Apply in early spring before weed growth starts. May also be used after cultivation to prevent regrowth of weeds.

DIRECTIONS FUR USE

- 1. Application must be made before weed growth begins. This product will not kill echablished growing villeds
- 2. Carefully measure area to be treated. Use only at recommended rates.
- 3 RATES OF APPLICATION:

CRABGRASS: Apply 80 pounds of BETASAN* 12.5 Granules uniformly on one acre (40 pounds per one-half acre; 1.9 pounds per 1.000 sq. ft.)

ANNUAL BLUEGRASS. GOOSEGRASS AND OTHER ANNUAL WEEDS: Apply 100 pounds of BETASAN* 12 5 Granules uniformly on one acre (50 pounds per one-half acre; 2 4 pounds per 1,000 sq. ft.)

- 4. Check spreader for accuracy. Apply evenly at recommended rate. Be careful to avoid skips and misses
- 5. Water immediately for 10-15 minutes to wash material into the soil where weed seeds are located
- Keep children and pets off of treated area until material has been washed off of leaf surfaces and blades are
 dry

established grass or dichembra: BETASAN* 12.5 Gramy other applicator that will give uniform coverage. A more half of the required amount of BETSAN* 12.5 Granules over that right angles or crosswise. Avoid misses by over-lapping

DESIRED R

| DEGIN | | | |
|----------------------------------|---------------|--|--|
| 100# / acre (2.4# / 1000 sq. ft. | | | |
| Oure over | Twice Ov | | |
| 3 | 21/4 | | |
| 3 | 13/4 | | |
| 3.4 | 2 | | |
| | | | |
| 4'4 | 31/4 | | |
| 3`? | 2'/2 | | |
| | 3 3 3'4 | | |

*NOTE: Individual spreaders may vary after being in use for a (new condition.

DICHONDRA LAWNS - PREPLANT: Apply at the time did established dichondra. This will reduce weed competition.

ORNAMENTALS. GROUNDCOVERS. BULBS: Apply at the r spreader. Wash material off of foliage and into soil immediately

which germinate after treatment. Proper fertilization and water in the thin or bare spots formerly cocupied by crabgrass. The following procedures are suggested in order to minimize when re-seeding into BETASAN® 12.5 Granules areas:

- 1 Do not reseed within 4 months after application. Renovate scarify the soil surface. Where practical, mix peat in with
- 2. When turf diseases or physiological disorders necessitate r 12.5 Granules application, apply bowdered activated charco 12.5 Granules. Apply the activated charcoal at a rate of 7 por (300 pounds per acre in 600 galions of water per acre). Following application, irrigate the turf with sufficient water

sooner than 7 days after applying the charcoal.

NET WEIGHT 50



BETASAN® 12.5 GRANULES

s Ornamentals, Annuals and onola, Ground Covers, Bulbs,

other weeds in grass or dichondra lawns

n ground covers, annual and perennial beds, bulbs, trees and

| 12.5 |
|------|
| |

LUTION REACH OF CHILDREN

aterial has been washed into soil and lawn is dry.

Ity of water. For eyes get medical attention. Wash hands with

or smoking. Wash clothing.

ps. Do not reuse container. Destroy when empty. Sweep up contamination of food, feed, drinking water and fish ponds ams or ponds. Do not apply where runoff is likely to occur. Do om areas treated. Do not contaminate water by cleaning of



AND IL DUENT CIDE ACT OMIC PULL NI HEG STUR-

ss or implied concerning the use of this product other than ise and/or handling of this material when such use and/or the time, place, rate of application and other conditions are indling and use of this product is limited to replacement of sed portions of bag to your BEST dealer for refusid if not

MICAL COMPANY

NIA 95330 . PHONE (209) 858-2511

DESCRIPTION

Best Betasan* 12.5 Granules are recommended for use on parks, golf courses, home lawns, groundcovers, bulbs, annuals and perennials, trees, and shrubs listed below. This product is a selective pre-emergence weed control for the listed weeds. Weeds controlled are:

| Smooth Crabgrass | Barnyardgrass | Annual Bluegrass |
|------------------|---------------|------------------|
| Hairy Crabgrass | Lambsquarters | Shepherdspurse |
| Redroot pigweed | Goosegrass | Henbit |

Many lawns are either pure dichondra or a mixture of grass and dichondra. Established turf plants tolerant to this product are:

| Dichondra | Centipede grass | St. Augustine |
|---------------------|--------------------|-------------------|
| Bentgrass | Fescues | Redtop |
| Bermudagrass | Perennial Ryegrass | Zoysia |
| Perennial Bluegrass | Poa Trivialis | Mixtures of these |

ORNAMENTALS and Ground Covers tolerant* to this product are:

| Annuals and Perennials Bulbs | Trees and Shrubs | Ground Covers |
|--|---|--|
| sum Primrose Daffodil er Stock Dahlia endula Sweat Pea Freesia dytuft Wall Flower Gladiolus al Bell Zinnia Narcissus ey Ranunculus igold Tulip | Abelia Privet Azalea Pyracantha Azara Viburnum Boxwood Pittosporum Daphne Xylosma Holly Juniper Monterey Cypress Monterey Pine Myrtle | Ajuga Campanula Festuca Gazania Hypericum Iceplant Ivy Pachysandra Periwinkle Star Jasmine Wild Strawberry Sedum |

WHEN TO USE

- CRABGRASS CONTROL: Application may be made anytime after crabgrass goes to seed in September up to the
 end of March. This treatment will also control Goosegrass. Watergrass, Lambsquarters and Redroot
 Pigweed. In Southern and Western States where germination of Clangrass. Annual Bluegrass and other
 weeds extends into late summer and early fall, a second application at the recommended rate should be
 made 4 5 months after the initial application.
- 2 ANNUAL BLUEGRASS and SHEPHERDSPURSE: Apply before germination starts. In cooler coastal areas make first application starting August 1st. Inland areas from September 1st.
- 3. ORNAMENTALS. BULBS. GROUNDCOVERS: Apply in early spring before weed growth starts. May also be used after cultivation to prevent regrowth of weeds.

DIRECTIONS FOR USE

- 1 Application must be made before weed growth begins. This product will not kill established growing weeds.
- 2. Carefully measure area to be treated. Use only at recommended rates.
- 3. RATES OF APPLICATION:

CRABGRASS: Apply 80 pounds of BETASAN* 12.5 Granules uniformly on one acre (40 pounds per one-half acre; 1.9 pounds per 1.000 sq. ft.)

ANNUAL BLUEGRASS, GOOSEGRASS AND OTHER ANNUAL WEEDS: Apply 100 pounds of BETASAN* 12 5 Granules uniformly on one acre (50 pounds per one-half acre; 2.4 pounds per 1,000 sq. ft.)

- 4. Check spreader for accuracy. Apply evenly at recommended rate. Be careful to avoid skips and misses
- 5. Water immediately for 10-15 minutes to wash material into the soil where weed seeds are located
- 6. Keep children and pets off of treated area until material has been washed off of leaf surfaces and blades are dry

ESTABLISHED GRASS OR DICHONDRA: BETASAN* 12.5 Granules should be applied with a lawn spreader or any other applicator that will give uniform coverage. A more uniform application can be made by spreading half of the required amount of BETSAN* 12.5 Granules over the area to be treated, then applying the remainder at right angles or crosswise. Avoid misses by over-lapping slightly.

DESIRED RATE OF APPLICATION:

| | DECIMED HATE OF AFTERWARDS. | | | |
|--------------------------|-----------------------------------|-------------|---------------------------------|------------|
| | 100# / acre (2.4# / 1000 sq. ft.) | | 80# / acre (1.9# / 1000 sq. ft. | |
| SPREADER* | Once Over | Twice Over | Once Over | Twice Over |
| Ward's Model No. 89-1081 | 3 | 2'4 | 23/4 | 2 |
| Lawn Beauty No. 6824 | 3 | 134 | 2 ½ | 114 |
| Sears' Model No. 1919 | 3'4 | 2 | 2 ³ /4 | 11/2 |
| Central Model No. 1622-E | | | | |
| (Imperial Mark) | 4'. | 3.1 | 33,4 | 21/2 |
| Scott's Model No. 35 | 3 12 | 2 `? | 31/4 | 2 |

*NOTE: Individual spreaders may vary after being in use for a time. These settings are normal for spreaders in new condition.

DICHONDRA LAWNS - PREPLANT: Apply at the time dichondra is planted at the rate suggested for established dichondra. This will reduce weed competition.

ORNAMENTALS, GROUNDCOVERS, BULBS: Apply at the rate of 2.4 lbs./1000 sq. ft. with a broadcast spreader. Wash material off of foliage and into soil immediately after application. Suggested spreader settings:

| Cyclone Shoulder Spreader | 3 | |
|---------------------------|---|--|
| Whirlybird | 4 | |

RESEEDING: Any material that provides effective control of annual grasses may affect new lawn grass seedlings which germinate after treatment. Proper fertilization and watering will encourage the existing turf grass to fill in the thin or bare spots formerly occupied by crabgrass.

The following procedures are suggested in order to minimize any stunting of turf grasses which may occur when re-seeding into BLTASAN* 12.5 Granules areas:

- 1. Do not reseed within 4 months after application. Renovate the area to be reseeded by raking thoroughly to scarify the soil surface. Where practical, mix peat in with the soil to provide an optimum seed bed.
- 2. When turf diseases or physiological disorders necessitate reseeding sooner than 4 months after BETSAN* 12.5 Granules application, apply powdered activated charcoal prior to reseeding to deactivate the BETSAN* 12.5 Granules. Apply the activated charcoal at a rate of 7 pounds in 14 gallons of water per 1,000 square feet (300 pounds per acre in 600 gallons of water per acre)

Following application, irrigate the turf with sufficient water to wash the charcoal into the soil. Reseed no sooner than 7 days after applying the charcoal.

NET WEIGHT 50 LBS.

(GL-20) 10/75