


Turf Fungicide 3G

contains ⁶⁰ **DYRENE**



Control: Snow Mold, Typhoid, Melting Out, Helminthosporium Leaf Spot, Dollar Spot, Core Spot, Brown Patch

ACTIVE INGREDIENT:

4,6-Dichloro-N-(2-chlorophenyl)-1,3,5-triazin-2-amine 3%

INERT INGREDIENTS: 97%
TOTAL **100%**

EPA Reg. No. 7001-213-AA
EPA Est. No. 7001-CA-1

DYRENE is a registered trademark of Mubay Chemical Corporation

Turf Fungicide 3G effectively protects grasses from various destructive diseases. Uniform distribution of granular material is necessary for maximum control. For a *preventive program* begin applications before diseases appear and repeat treatments as needed, usually at intervals of 10 to 14 days, except during extended periods of high moisture conditions, when applications every 7 days may be applicable. Applications should be continued through the spring and summer months.

DIRECTIONS FOR USE

1. Apply when turf is dormant or both parts of grass emerge.
2. Do not water or mow for at least 24 hours.
3. Adjust spreader settings to apply at proper rate (G/ft²). Always calibrate spreaders and check for accuracy before using. Angle and direction of spreading, speed of pushing, roughness of terrain may affect application rate. Operator should carefully calculate area and make certain that correct amount of material is applied.

RECOMMENDED APPLICATIONS

Lawns & Turf: Control: Typhoid, Dollar Spot, Helminthosporium Leaf Spot, Melting Out, Snow Mold, Typhoid. 6 to 9 lbs. Turf Fungicide 3G. Apply specified dosage uniformly per 1,000 square feet (30 x 20 ft). Repeat at 1 to 2 week intervals throughout the spring and summer months. For control of Typhoid, Snow Mold, apply at lower specified rate after the first killing frost in the fall. A second application should be made when the weather becomes favorable in the spring. The second application should be made after the first cutting of grass in late winter or early spring.

Container & Waste Disposal:

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing of dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use.

Do not contaminate feed or food.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not graze treated areas. Do not feed ruminants to livestock.

NOTICE: Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee or restriction concerning this product. Because the proper application of application and other conditions of use are beyond seller's control, the liability from the handling, storage and use of this product is limited to repair or part of product or refund of purchase price.

(GL-15)

NET WT. 48 LBS.

Product of U.S.A.



OCCIDENTAL CHEMICAL COMPANY

P.O. Box 198

Paterson, California 92320