



EDB - 85

Read This Label Carefully

ACTIVE INGREDIENT:	BY WT.
Emulsifier	45
INERT INGREDIENTS:	55
TOTAL	100%

DIRECTIONS FOR USE



KEEP OUT OF REACH OF

HAZARDOUS LIQUID AND ABSORBED THROUGH SKIN - MAY

DO NOT GET ON SKIN, IN EYES, O

AVOID BREATHING VAPOR. DO NOT

CALL A DOCTOR IN CASE OF

Pineapple: Apply 1.0 lb per acre as a pre-planting treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment.

Strawberries: Apply 1.0 lb per acre as a pre-planting treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment.

Asparagus: Apply 1.0 lb per acre as a pre-planting treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment.

Beans (Lima), Broccoli, Carrots, Cauliflower, Cucumbers, Eggplant, Lettuce, Melons (Cantaloupe, Casabas, Crenshaws, Honey Balls, Honeydews, Muskmelons, Persian Melon, Watermelon), Okra, Parsnips, Peppers, Tomatoes, Squash (Summer), Sweet Potatoes: Apply 1.0 lb per acre as a pre-planting treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment.

Corn (Sweet), Cotton, Tobacco: Apply 1.0 lb per acre as a pre-planting treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment.

Peanuts: Apply 1.0 lb per acre as a pre-planting treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment.

Grasses: Apply 1.0 lb per acre as a pre-planting treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment.

Fruit Tree Planting Sites: Apply 1.0 lb per acre as a pre-planting treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment.

Nursery & Floral Crop Seed Beds: Apply 1.0 lb per acre as a pre-planting treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment.

Potatoes: Apply 1.0 lb per acre as a pre-planting treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment. Apply 1.0 lb per acre 7-10 days before treatment and 1.0 lb per acre 7-10 days after treatment.

EPA Reg. No. 7001-222-AA
EPA Est. No. 7001-CA-1

OCCIDENTAL CHEMICAL

P. O. BOX 195 LATHROP, CALIFORNIA 95110

CONDITIONS OF SALE: Seller warrants that this product is suitable and reasonably fit for use as directed. Seller's liability for any damage or injury resulting from the use of this product is limited to replacement of product or re-shipment of product.

DB - 85

Read This Label Carefully

DIRECTIONS FOR USE

18 days before harvest in a treatment area with east and west winds. Apply daily to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds. Do not apply to the area with east and west winds.

1.1 to 1.5 weeks before harvest in a treatment area with east and west winds. Apply daily to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds.

2. Carrots, Cauliflower, Cucumbers, Eggplant, Lettuce, Melons, Crenshaws, Honey Balls, Honeydews, Muskmelons, Persian Okra, Parsnips, Peppers, Tomatoes, Squash (Summer), Sweet

Tobacco: Apply to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds.

Apply to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds. Do not apply to the area with east and west winds.

Apply to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds.

Seed Beds: Apply to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds.

Apply to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds. Do not apply to the area with east and west winds.



**POISON
DANGER!**



KEEP OUT OF REACH OF CHILDREN

**HAZARDOUS LIQUID AND VAPOR
ABSORBED THROUGH SKIN - MAY CAUSE BURNS**

DO NOT GET ON SKIN, IN EYES, OR ON CLOTHING

AVOID BREATHING VAPOR. DO NOT TAKE INTERNALLY

CALL A DOCTOR IN CASE OF EXPOSURE

1. Apply to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds. Do not apply to the area with east and west winds.

2. Apply to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds. Do not apply to the area with east and west winds.

3. Apply to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds. Do not apply to the area with east and west winds.

4. Apply to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds. Do not apply to the area with east and west winds.

5. Apply to the area at 100 to 200 g per acre. Do not apply to the area with east and west winds. Do not apply to the area with east and west winds.

OCCIDENTAL CHEMICAL COMPANY

P. O. BOX 194 LATHROP, CALIFORNIA 95330 PHONE (209) 858-2511

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one other than an officer of Seller is authorized to make any other warranty, guarantee or declaration concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.