

APR 24 1990

Mr. Bill Green,  
J.P. Simplot Company  
P. O. Box 122  
Lathrop, WA 98601

Dear Mr. Green:

Subject: Revised labeling in response to the Federal  
Registration Standard  
Best Glog & Small Meal  
EPA Registration No. 7001-268  
Your submission of December 31, 1989

The labeling, referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable, is acceptable provided that you make the labeling changes given below before you release the product for shipment bearing the amended labeling.

1. Add the following precautionary statement to the front panel:

"This pesticide may be fatal to fish or other aquatic life. Keep pets out of treated areas."

2. Revise the environmental hazard statement:

**"ENVIRONMENTAL HAZARD**

Do not apply directly to wetlands (swamps, bogs, marshes, and peatlands). Do not contaminate water when disposing of equipment washwater."

**BEST AVAILABLE COPY**

-2-

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Dennis H. Edwards, Jr.  
Product Manager (12)  
Insecticide Rodenticide Branch  
Registration Division (H7505C)

# Slug & Snail Meal

## NEW DUST-FREE FORMULA

**Easy-to-broadcast meal attracts and kills slugs and snails.**

### ACTIVE INGREDIENT:

Metaidehyde (2, 4, 6, 8 - tetramethyl - 1, 3, 5, 7, - tetraoxycyclo-octane)

2.75%

### INERT INGREDIENTS

97.25%

TOTAL

100.00%

EPA Reg. No. 7001-268  
EPA Est. No. 2935-CA-4

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH  
LABEL WARNINGS AND DIRECTIONS**

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash hands with soap and water after handling, and before eating or smoking. Wash clothing. Keep domestic animals and poultry off treated areas.

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

**IF ON SKIN:** Wash with soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush with water for at least 15 minutes. Get medical attention.

### ENVIRONMENTAL HAZARDS

This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated area. Follow directions and use with care. Dogs may be attracted to this bait.

**DO NOT APPLY ON VEGETABLES, FRUITS OR CROPS. BUT APPLY BAIT DIRECTLY ON SOIL AROUND PLANTS.**

This product is toxic to fish and wildlife. Birds feeding on treated area may be killed. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry area inaccessible to children and pets.

**DISPOSAL:** Do not reuse empty container. Wrap container and out in trash collection.

All places where slugs and snails are likely to be found should be treated. They seek shelter during the day in protected cool areas. They prefer damp locations around flower beds, under shrubbery, in rock garden, hedges and low-growing ground covers such as ivy and Ajuga.

When applied as directed, Slug & Snail Meal will withstand rain and sprinkling, and will offer protection to gardens and lawns for several weeks. During periods of damp weather, slugs and snails are very active and multiply rapidly. It may be necessary to reapply more frequently to replace the bait that is consumed.

Slugs and snails will be attracted to the bait and will quickly be killed after feeding. For best results, soil should be moist at time of application. In dry weather, water before baiting.

For all applications listed below, distribute 1 lb. of bait per 800 sq. ft.

**Property Lines:** Snails and slugs often migrate from neighboring properties. Place a thin line of bait along the property line to intercept the pests before they can damage garden areas.

**Heavy Infestation:** Broadcast bait lightly over the infested ground. When used in this way, bait may have to be replaced more often.

**Dichondra Lawns:** Broadcast bait uniformly over the lawn for complete control. Bait heavily in adjoining areas surrounding the lawn to eliminate migration to this area.

**THIS PRODUCT IS SOLD BY WEIGHT, NOT BY VOLUME. SOME SETTLING OF CONTENTS MAY HAVE OCCURRED DURING SHIPPING AND HANDLING.**

**J. R. SIMPLOT COMPANY**  
MINERALS & CHEMICAL GROUP  
PO Box 198 • Lathrop, CA 95330

DISCLAIMER OF WARRANTIES: Seller warrants that the chemical composition of this product conforms to the chemical description given on this label. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS EXPRESSED, IMPLIED, OR STATUTORY INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. Timing, rate and method of application, weather and crop conditions, mixtures with chemicals not specifically recommended on this label or an accompanying written recommendation are beyond the control of seller. Buyer further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product at buyer's option, as full discharge of seller's liability. No one is authorized to make any other warranty, guarantee or directions concerning this product, and no such warranties, guarantees or directions shall be valid or binding upon seller.

**ACCEPTED  
with COMMENTS  
in EPA Letter Dated:**

APR 24 1981

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

7001-268