

JUL 31 1984

Lisa Strong
J. R. Simplot Company
16777 South Howland Ave.
P.O. Box 198
Lathrop, CA 95330

Dear Ms. Strong:

Subject: Amendment - Label Revisions, New Brand Name
Spurge and Crabgrass Preventer ~~Plus Lawn Food~~
EPA Registration No. 7001-270
Your Submission of July 20, 1984

The amendment referred to above, submitted in connection with registration under FIFRA is, acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment:
 - a. Under Environmental Hazards, the following language is required:
"Do not apply to water. Do not contaminate water by cleaning of equipment or disposal of wastes."
 - b. Under Storage and Disposal, add the following container disposal statement: "Do not reuse bag."

Also, comments 2, 3 and 6 from our letter of April 28, 1980, for this product still apply and must be incorporated into final labeling. (Note: "Up to 2500 sq. ft." may be changed to "Up to 2000 sq. ft." for the 20 lb. package size.) A copy of this letter is enclosed.

2. Submit one (1) copy of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

The new brand name "Spurge and Crabgrass Preventer" is acceptable and has been added to our files for this product.

Sincerely yours,


BEST DOCUMENT AVAILABLE.

Richard P. Mountfort *RM*
Product Manager (23)

~~co. Suncoast Herbicide Branch~~

Registration Division (TS-767)

SYMBOL ▶	RD/FEB:Mountfort-DGR-32377:WANG-0073L:eg:Raven:479-2013:7/27/84:Del:8/13/84
SURNAME ▶	
DATE ▶	



BEST[®]

SUPER BEST[®]

**Spurge
& Crabgrass
Preventer**

15-5-7 GRASS LAWN FOOD



A lawn food with Dacthal™ added to prevent emergence of Spurge, Crabgrass and many other weeds.

ACTIVE INGREDIENT:

11% methyl 1-butyl-3-oxopropylphosphonate

INERT INGREDIENTS

100% Dacthal is a registered trademark of Monsanto Company.
*Use as a pre-emergent herbicide.

20 lb
9.07 kg
100000

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Cautions

Net Weight 20 lbs. (9.07 kg)

Covers 2,000 sq. ft.

BEST AVAILABLE COPY

recommended rates

Use only on grass lawns. Do not exceed recommended rates. Apply in early spring before crabgrass and other annual grasses and weeds germinate. For control of fall germinating annuals, such as annual bluegrass or common chickweed, apply in late summer or early fall.



Lawns must be thoroughly watered the day before application. Allow 24 to 48 hours before mowing. Do not mow for 2 weeks after application.

GRASS LAWNS (Established) Apply 1 lb per 100 sq ft when grass blades are dry. Water immediately and keep evenly moist. For control of fall germinating annuals, such as annual bluegrass or common chickweed, and other weeds of late germinating grasses, use 1 1/2 lbs per 100 sq ft.

BEST® Lawn Spreader #60

Scotts (All Models)

Central Imperial Mark #50 & #1662

Words #1083

Sears #191F

Ortha #3000

Bandini

Lilly Miller

8

5 1/2

8

5 1/4

8

8

8

8

8 1/2

6

8 1/2

8


9

6 1/2

8 1/2

8 1/2

NEW GRASS LAWNS: Apply after lawn has shown greening of new-sprouted lawn grasses. Lawns may be reseeded 60 days after application. If the reseeding is done before the 60-day period has elapsed, the amount of lawn seed should be increased by 50% to ensure a good stand. Apply as per established lawns.



NOTICE: Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee or direction concerning this product. Because the time, place, rate of application, and other conditions of use are beyond Seller's control, Seller's liability for use, handling, storage and use of this product is limited to replacement of product or refund of purchase price.




J. R. Simplot Company
P. O. Box 198
Lathrop, CA 95330

Label No. 883
EPA Reg. No. 7001-270
EPA Est. No. 10935-CA-1

BEST DOCUMENT AVAILABLE

BEST AVAILABLE COPY



* BEST DOCUMENT AVAILABLE.

SUPER BEST[®]

Spurge & Crabgrass Preventer

15-5-7 GRASS LAWN FOOD

WHAT IT IS AND WHAT IT DOES

SUPER BEST[®] Spurge & Crabgrass Preventer 15-5-7 Grass Lawn Food is specifically formulated to prevent emergence of Crabgrass and Spurge and to supply a balanced diet that promotes lush green lawns.

The herbicide in this product only kills annual weeds as they germinate. IT WILL NOT CONTROL WEEDS ONCE THEY HAVE EMERGED. However, it will control these pre-emergent annual grasses and broadleaf weeds:

Spotted Spurge/ Common Chickweed, Purslane/ Yellow Foxtail/ Carpetweed, Crabgrass, Witchgrass, Green Foxtail, Fall Panicum, Lambsquarters/ Annual Bluegrass, Johnsongrass (from seed), Florida Pussiev, Lovegrass, Texas Millet.

PRECAUTIONARY STATEMENTS — HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing dust. Avoid contact with skin and eyes. In case of contact, flush eyes with plenty of water. Wash after handling or using. (Do not contaminate feed or foodstuffs.)

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. **IF INHALED** remove person to fresh air. **IF ON SKIN** wash with soap and water. If irritation persists contact a physician. **IF IN EYES** flush with water for at least 15 minutes. If irritation persists contact a physician.

ENVIRONMENTAL HAZARDS

Do not graze on treated areas or feed plant refuse to livestock.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not store near fertilizer, seed, feed, food, insecticides or fungicides. Store in a cool, dry, well ventilated area away from heat and open flame.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

GUARANTEED FERTILIZER ANALYSIS

BEST AVAILABLE COPY

BEST®

SUPER BEST®
**Spurge
& Crabgrass
Preventer**

15-5-7 GRASS LAWN FOOD



BEST DOCUMENT AVAILABLE

**A lawn food with Dacthal® added
to prevent emergence of Spurge**

Crabgrass Preventer

15-5-7 GRASS LAWN FOOD



BEST DOCUMENT AVAILABLE

**A lawn food with Dacthal* added
to prevent emergence of Spurge,
Crabgrass and many other weeds.**

ACTIVE INGREDIENT:

11% methylterachloroethanol

WEED INGREDIENTS

*Use as a pre-emergent herbicide

2.1%

97.65%

100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Cautions

Net Weight 20 lbs. (9.07 kg)

Covers 2,000 sq. ft.

BEST BUBBLES

BEST DOCUMENT AVAILABLE

SUPER BEST[®] Spurge & Crabgrass Preventer 15-5-7 GRASS LAWN FOOD

WHAT IT IS AND WHAT IT DOES

SUPER BEST[®] Spurge & Crabgrass Preventer 15-5-7 Grass Lawn Food is specifically formulated to prevent emergence of Crabgrass and Spurge and to supply a balanced diet that promotes lush green lawns.

The herbicide in this product only kills annual weeds as they germinate. IT WILL NOT CONTROL WEEDS ONCE THEY HAVE EMERGED. However, it will control these pre-emergent annual grasses and broadleaf weeds.

Spotted Spurge/ Common Chickweed/ Purslane/ Yellow Foxtail/ Carpetweed/ Crabgrass/ Witchgrass/ Green Foxtail/ Fall Parnicum/ Lambsquarters/ Annual Bluegrass/ Johnsongrass (from seed)/ Florida Pussley/ Lovegrass/ Texas Millet.

PRECAUTIONARY STATEMENTS — HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing dust. Avoid contact with skin and eyes. In case of contact, flush eyes with plenty of water. Wash after handling or using. Do not contaminate feed or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. IF INHALED remove person to fresh air. IF ON SKIN wash with soap and water. If irritation persists contact a physician. IF IN EYES flush with water for at least 15 minutes. If irritation persists contact a physician.

ENVIRONMENTAL HAZARDS

Do not graze on treated areas or feed plant refuse to livestock.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not store near fertilizer, seed, feed, food, insecticides or fungicides. Store in a cool, dry, well-ventilated area away from heat and open flame.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

GUARANTEED FERTILIZER ANALYSIS

TOTAL NITROGEN (N)	15.3%
AVAIL. AMMONIACAL NITROGEN	15.3%
AVAILABLE PHOSPHORUS (P ₂ O ₅)	5.0%
SOLUBLE POTASH (K ₂ O)	7.0%
COMBINED SULFUR AS ELEMENTAL	0.9%
IRON AS ELEMENTAL	0.9%

Derivation of ingredients: Nitrogen and Phosphorus are derived from Ammonium Phosphate. Potash from Potassium Chloride. Sulfur from Ammonium and Calcium Sulfates. Iron from Iron Sulfides and Sulfates.

WHAT THE NUMBERS MEAN

The 15-5-7 designation refers to the percentages of major nutrients provided.

15	The first number is Nitrogen (N). Nitrogen stimulates thick, rich green growth by developing new plant cells.	5	The second number is Phosphorous (P). Phosphorous stimulates early root formation, hastens maturity and promotes seed growth.	7	The third number is Potash (K). Potash maintains overall plant health and helps to protect plants against disease and drought.
-----------	---	----------	---	----------	--

Added Sulfur helps lawns withstand weather extremes, improves unproductive alkali soils, promotes thicker root systems and sturdier leaves, and improves overall color and disease resistance. Added Iron helps to form Chlorophyll which is essential to all plant life.

HORTICULTURAL CAUTION: DO NOT USE ON DICHONDRA. May seriously damage Bentgrass lawns. Never use more than recommended rates.

Use only on grass lawns. Do not exceed recommended rates. Apply in early spring before crabgrass and other annual grasses and weeds germinate. For control of fall germinating annuals, such as annual bluegrass or common chickweed, apply in late summer or early fall.

SUGGESTED SPREADER SETTINGS*

SPREADER	1 LB./100 SQ. FT.	1 1/2 LB./100 SQ. FT.
BEST [®] Lawn Spreader #50	8	8 1/2
Scots (All Models)	5 1/2	6
Central Imperial Mark #50 & #1662	8	8 1/2
Wards #1083	5 1/2	8
Sears #131F	8	8
Orma #3000	8	8 1/2
Bandit	8	8 1/2
Lilly Miller	8	8 1/2

*Settings for spreaders in new condition. Spreaders may vary and must be checked for accuracy.

NEW GRASS LAWNS: Apply after lawn has shown greening or new sprouted lawn grasses. Lawns may be reseeded 5-6 days after application of the fertilizer.

NOTICE: Seller warrants that the product consists of the ingredients specified and is reasonably fit for use as described on the label. No one is authorized to make any



The herbicide in this product only kills annual weeds as they germinate. IT WILL NOT CONTROL WEEDS ONCE THEY HAVE EMERGED. However, it will control these pre-emergent annual grasses and broadleaf weeds.

Spotted Spurge/ Common Chickweed/ Purslane/ Yellow Foxtail/ Carpetweed/ Crabgrass/ Witchgrass/ Green Foxtail/ Fall Panicum/ Lambquarters/ Annual Bluegrass/ Johnsongrass (from seed)/ Florida Pusley/ Lovegrass/ Texas Millet

PRECAUTIONARY STATEMENTS — HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing dust. Avoid contact with skin and eyes. In case of contact, flush eyes with plenty of water. Wash after handling or using. Do not contaminate feed or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. IF INHALED remove person to fresh air. IF ON SKIN wash with soap and water. If irritation persists contact a physician. IF IN EYES flush with water for at least 15 minutes. If irritation persists contact a physician.

ENVIRONMENTAL HAZARDS

Do not graze on treated areas or feed plant refuse to livestock.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not store near fertilizer, seed, feed, food, insecticides or fungicides. Store in a cool, dry, well-ventilated area away from heat and open flame.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

GUARANTEED FERTILIZER ANALYSIS

TOTAL NITROGEN (N)	15.0%
15% AMMONICAL NITROGEN	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	5.0%
SOLUBLE POTASH (K ₂ O)	7.0%
COMBINED SULFUR AS ELEMENTAL	13.0%
IRON AS ELEMENTAL	0.9%

Derivation of Ingredients: Nitrogen and Phosphorus are derived from Ammonium Phosphate. Potash from Potassium Chloride. Sulfur from Ammonium and Calcium Sulfates. Iron from Iron Sulfides and Sulfates.

WHAT THE NUMBERS MEAN

The 15-5-7 designation refers to the percentages of major nutrients provided.

15 The first number is Nitrogen (N). Nitrogen stimulates thick, rich green growth by developing new plant cells.

5 The second number is Phosphorous (P). Phosphorous stimulates early root formation, hastens maturity and promotes seed growth.

7 The third number is Potash (K). Potash maintains overall plant health and helps to protect plants against disease and drought.

* Added Sulfur helps lawns withstand weather extremes, improves unproductive alkali soils, promotes thicker root systems and sturdier leaves, or improves overall color and disease resistance. † Added Iron helps to form Chlorophyll which is essential to all plant life.

HORTICULTURAL CAUTION: DO NOT USE ON DICHOONDRA. May seriously damage Benigrass lawns. Never use more than recommended rates.

Use only on grass lawns. Do not exceed recommended rates. Apply in early spring before crabgrass and other annual grasses and weeds germinate. For control of fall germinating annuals, such as annual bluegrass or common chickweed, apply in late summer or early fall.



Lawns must be thoroughly watered the day before application. A 1 lb. coffee can holds approximately 2 lbs. of fertilizer.


GRASS LAWNS (Established): Apply 1 lb. per 100 sq. ft. when grass blades are dry. Water into soil, but avoid excessive watering. To control annual bluegrass, common chickweed and other erratic or late germinating grasses, use 1 1/2 lbs. per 100 sq. ft.

SUGGESTED SPREADER SETTINGS*

SPREADER	1 LB./100 SQ. FT.	1 1/2 LB./100 SQ. FT.
BEST® Lawn Spreader #50	8	8 1/2
Scotts (All Models)	5 1/2	6
Central Impenal Mark #50 & #1662	8	8 1/2
Wards #1083	5 1/2	6
Sears #1916	8	9
Orma #3000	5	6 1/2
Bandini	8	8 1/2
Ullty Miller	8	8 1/2

*Settings for spreaders in new condition. Spreaders may vary and must be checked for accuracy.

NEW GRASS LAWNS: Apply after lawn has shown greening of new-sprouted lawn grasses. Lawns may be reseeded 60 days after application. If the reseedling is done before the 60-day period has elapsed, the amount of lawn seed should be increased by 50% to ensure a good stand. Apply as per established lawns.



NOTICE: Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee, or direction concerning this product. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability for the handling, storage and use of this product is limited to replacement of product or refund of purchase price.



J. R. Simplot Company
P. O. Box 198
Lathrop, CA 95330

Label No. 883
EPA Reg. No. 7001-270
EPA Est. No. 10935-CA-1

JUL 31 1984

Lisa Strong
J. R. Simplot Company
16777 South Howland Ave.
P.O. Box 198
Lathrop, CA 95330

Dear Ms. Strong:

Subject: Amendment - Label Revisions, New Brand Name
Spurge and Crabgrass Preventer ~~Plus Lawn Food~~
EPA Registration No. 7001-270
Your Submission of July 20, 1984

The amendment referred to above, submitted in connection with registration under FIFRA is, acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment:
 - a. Under Environmental Hazards, the following language is required:
"Do not apply to water. Do not contaminate water by cleaning of equipment or disposal of wastes."
 - b. Under Storage and Disposal, add the following container disposal statement: "Do not reuse bag."

Also, comments 2, 3 and 6 from our letter of April 28, 1980, for this product still apply and must be incorporated into final labeling. (Note: "Up to 2500 sq. ft." may be changed to "Up to 2000 sq. ft." for the 20 lb. package size.) A copy of this letter is enclosed.

2. Submit one (1) copy of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

The new brand name "Spurge and Crabgrass Preventer" is acceptable and has been added to our files for this product.

Sincerely yours,

BEST DOCUMENT AVAILABLE.

Richard F. Mountfort
Product Manager (23)
Fungicide-Herbicide Branch

SYMBOL	RD/FIB:Mountfort:DCR-32377;WANG-00731;reg:Raven:479-2015:7/27/84:Oct.8/13/84
SURNAME	
DATE	

EPA

4

OFFICIAL FILE COPY