

111 - 111
APR 24 1990

Mr. M. Strong
U.S. Signal Corps
P. O. Box 14
Lathrop, OR 97130

Dear Mr. Strong:

Subject: Revised labeling in response to Metaldehyde
Registration Standard
Email & Slug Bullets
EPA Registration No. 7061-220
Your submission of December 31, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is hereby approved. The following are the labeling changes given below for your product. The product for shipment bearing the same labeling.

1. Revise the following precautionary statement on the front panel:

"This pesticide may be fatal to dogs or other
pest if eaten. Keep pets out of treated areas."

2. Revise the environmental hazard statement:

ENVIRONMENTAL HAZARD:

Do not apply directly to wetlands (marshes, meads,
marshes, and pot holes). Do not contaminate water
when cleaning up or equipment or mixing this pesticide."

BEST AVAILABLE COPY

-2-

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide Rodenticide Branch
Registration Division (H7505C)

9



2.75% METALDEHYDE



Snail & Slug
Pellets

2.75%
METALDEHYDE

ACCEPTED
with COMMENTS
in EPA Letter D-5004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
and the pesticide
labeling Act, EPA Reg. No.
7001-282



Snail & Slug Pellets

2.75% METALDEHYDE

Attracts and kills snails and slugs.

ACTIVE INGREDIENT Metaldehyde	2.75%
INERT INGREDIENTS	97.25%
TOTAL	100.00%



WARNING
Net Wt 2 1/2 lbs. (1.13 kg)



Snail & Slug Pellets

2.75% METALDEHYDE


BEST AVAILABLE FORM



Snail & Slug Pellets

2.75% METALDEHYDE

Read the label carefully. The product consists of the ingredients specified and is ready-made for use as directed on the label. No one is authorized to make any other warranty, guarantee or direction concerning this product. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability for the handling, storage and use of this product is limited to replacement of product or return of purchase price.



Snail & Slug Pellets

2.75% METALDEHYDE

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL WARNINGS AND DIRECTIONS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. If swallowed, induce vomiting. Call physician immediately. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. In case of contact with skin or eyes, flush with plenty of water. For eyes, get medical attention. Wash hands with soap and water after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink three glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
IF ON SKIN: Wash with soap and water. Get medical attention if irritation persists.
IF IN EYES: Flush with water for at least 15 minutes. Get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide may be fatal to children and dogs if eaten. Keep children and pets out of treated area. Follow directions and use with care. Dogs may be attracted to this bait. This product is toxic to fish and wildlife. Birds feeding on treated area may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

This is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL:

STORAGE: Store in a cool, dry area, inaccessible to children and pets.
DISPOSAL: Empty, clean, dry, empty container. Wrap container and put in trash collection.

To control snails and slugs on the following vegetable and fruit crops, apply to soil surface around plants and trees. Do not contaminate edible parts of foliage.

Garden Areas:

To control snails and slugs in the following vegetable and fruit crops, apply to soil surface around plants and trees. Do not contaminate edible parts of foliage.

To avoid damage to your garden, start applying these pellets before snails and slugs begin to appear at the beginning of the spring planting season. Repeat at 3-week intervals, or as necessary.

Fruit Crops:

Apples, apricots, cherries, grapes, peaches, pears, nectarines, plums, walnuts, blackberries, boysenberries, citrus, logan berries, raspberries, and strawberries.

Vegetables:

Asparagus, beans, black-eyed peas, broccoli, Brussels sprouts, cabbage, melons, carrots, cauliflower, corn, cucumbers, eggplants, endive, garlic, kale, kohlrabi, horseradish, leeks, lettuce, peas, onions, peas, peppers, potatoes, pumpkins, radishes, rutabagas, squash, turnips, winter squash, winter and winter swiss chard, tomatoes, and turnips.

For Snails and Slugs in Dichondra, Clover, and Grass Lawns:

Distribute pellets over entire lawn as needed. One pound will cover 50' to 150' sq. ft.

THIS PRODUCT IS SOLD BY WEIGHT, NOT BY VOLUME. SOME SETTLING OF CONTENTS MAY HAVE OCCURRED DURING SHIPPING AND HANDLING.



BEST PRODUCTS
J. R. SIMPLOT CO.
Minerals & Chemical Group
P.O. Box 198, Fairport, CA 95941

Zip No. 674
EPA Reg. No. 20-1254
EPA Est. No.

BEST AVAILABLE COPY