

106/
pmid
7001-304

READ OTHER LABEL FOR ENERGY IN ACCORDANCE WITH LABEL CAPTION AND INSTRUCTIONS

PROPERTY OF STUDENTS — RETURN TO ISSUING
CAMPUS

KEEP OUT OF REACH OF CHILDREN. Highest if swallowed. Avoid breathing dust. May be absorbed through skin. Avoid contact with skin. Wash thoroughly after handling. Wear clean clothing. Avoid contamination of food and household items.

NOTE FOR PARTICIPANTS: Changes in a defendant's response to Christchurch testing. Always in control.

CONFIDENTIAL - SECURITY INFORMATION

This product is being sold "As Is". Keep out of children's reach. Do not apply where animal is likely to eat it. Do not apply where wind is a significant factor in drift. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as directed on the label.

1. () Extension Staff, Federal State Agricultural Extension Service.

Many of these things may occur, plants are wet when treated or in presence of high humidity.

1995-1996

It is a violation of Federal law to use U.S. MAIL in a manner inconsistent with its labeling.

STROMBERG & DE OUSPOLSKY

SEAL CONTAINER TIGHTLY BEHIND STORAGE. Store pesticides in original container. Do not reuse empty container. When container and put in trash collection.

Use when insects or their damage appear. Foliage should be dry before dust is applied. Apply uniformly to foliage covering both upper and lower leaf surfaces with a thin, even film of dust. Apply in early morning or late evening when the air is still. For best results, dust regularly at 7 to 10 day intervals throughout growing season. Shake jar cap, pour container toward plant, > use container, shake container frequently.

VI. TABLES AND FIGURES

BEETLES: Colorado Lygus Bugs, Slit Bugs, Corn Earworm, Leafhoppers, Flea Beetles, Mexican Bean Beetle, Bean Leaf Beetle, Cucumber Beetle, Western Bean Cutworm, Japanese Beetle, Tarnished Plant Bug, Walnut Bean Cutworm and Armyworms. No time limitations. **SWEET CORN:** Corn Earworm. Apply when first adult appears on 10 plants at 2 to 3 day intervals during picking period. **CUCUMBERS, CANTALOPE, PUMPKINS, SQUASH:** Colorado Potatoworm, Mexican, Cucumber Beetle, Flea Beetle, Leafhoppers and Squash Bug. No time limitations. **EGGPLANT, TOMATOES:** Colorado Colorado Potato Beetle, Flea Beetle, Leafhoppers, European Corn Borer, Flea Armyworm, Leaf Bugs, Pinworms, Slit Bugs, Tomato Fruitworm, Tomato Hornworm, Tarnished Plant Bug and Climbing Cutworm. (Quarantine only). No time limitations. **PEPPERS:** Colorado Colorado Potato Beetle, Flea Beetle, Leafhoppers, Corn Earworm, European Corn Borer, Flea Armyworm, Slit Bugs, Tomato Hornworm, Tarnished Plant Bug and Climbing Cutworms. No time limitations. **LETTUCE, HORSE RADISH:** Colorado Flea Beetles, Harlequin Bug, Leafhoppers. See-sprayed Leafhoppers (harvest only). Armyworms, Cabbage Looper (for control of small cabbage looper after cabbage plants start to form, apply at 5 to 7 day intervals), Corn Earworm, Imported Cabbageworm, Lygus Bugs and Scatterbug, Slit Bugs and Tarnished Plant Bug. Do not apply within 3 days of harvest on head lettuce and 14 days of harvest on leaf lettuce. **AVOID possible injury to lettuce, do not apply when foliage is wet or when excessive humidity or rain is expected.** **THE NEXT TWO DAYS: BEETS, SWEET CHARD:** Colorado Flea Beetles, Harlequin Bug, Leafhoppers, Armyworms, Cabbage Looper, Slit Bugs and Tarnished Plant Bug. For control of small cabbage looper after cabbage plants start to form, apply at 5 to 7 day intervals. Do not apply within 3 days of harvest on heads, and 14 days of harvest if tops are used for food. Do not apply within 14 days of harvest on Swiss Chard. **BLACKBERRIES, RASPBERRIES, DEWBERRIES, LOGANBERRIES, RASPBERRIES:** Colorado Japanese Beetle, Leafhoppers, Leafrollers, Raspberry Aphids, Climbing Cutworms, Orange Tortois, Sawflies and Snowy Tree Crickets. Do not apply within 7 days of harvest. **STRAWBERRIES:** Colorado Mexican Scatterbug, Overwintered Leaf Tier, Strawberry Leafroller and Strawberry Weevil. Do not apply within 1 day of harvest. **GRAPES:** Colorado Green Leafhoppers, Grape Leaf Forer, Grape Berry Moth, European Fruit Leafworm, Grape Leaf Skeletonizer, Japanese Beetle, June Beetles and Redbreasted Leafroller. No time limitations.

SALES AND DISTRIBUTION LISTS AND ORGANISMS TO WHICH CORRECTED LISTINGS, Fall Ascomycetes, Soil Waterborne (Same Molds), Ants, Bees, Earwigs, Curculionids, Millipedes, Molecrickets, Chinch Bugs and Crickets, Apply 4 lbs. per 1,000 sq. ft. For best results, apply after rain or watering. Do not water for at least 2 days after application. Repeat in 2 to 3 weeks if necessary.

BOOK AND CLIP

TO CONTROL FLEAS AND TICKS ON ANIMALS: Dust liberally over the entire animal, avoiding the eyes, and rub thoroughly into skin. Apply to feet between toes. Remove dead ticks by combing a few hours after treatment. Repeat at weekly intervals if needed. Do not treat puppies under 4 weeks of age. Do not treat pregnant under 4 weeks of age.

TO CONTROL FLEAS AND TICKS IN QUARTERS: Dust liberally in and around sleeping quarters, kennel and dog houses. Use a shaker can, horn or dust gun. Repeat as needed. Clean quarters before treatment.

DISCLAIMER: Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee, or direction concerning this product. Because the time, place, sort of application, and other conditions of use are beyond Seller's control, Seller's liability for the handling, storage, and use of this product is limited to replacement of product or refund of purchase price.




BEST.

5% Sevin®

INSECT DUST

**Controls tomato hornworm,
fleas, ticks, and other common
garden insects.**



ACTIVE INGREDIENT:

Carbaryl (1-Naphthyl N-methylcarbamate) 5.0%

INERT INGREDIENTS	95.0%
-------------------------	-------

TOTAL	100.0%
-------	--------

*Seven is a registered trademark of Union Carbide Corporation for Carbaryl insecticide
U.S. Patent Nos. 2,903,478; 3,008,855

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Conditions

Net Weight 10 oz. (283.5 g)

BEST.

BEST PRODUCTS

P.O. Box 757, Los Angeles, CA 90030

#0 Box 5154 Houston, TX 77012

Division of Loan Corporation

EPA Reg. No. 20954-72

EPA Est. No. 20954-CA-3

Lateral Flow 678