300 /1/2 i 1/24

Ms. L. J. Strong J. R. Simplot Co. P.O. Box 198 Lathrop, CA 85330

Dear Ms. Strong:

Subject: Label Revision/Diazinon Data Call-In Notice Best Multi-Purpose Garden Dust EPA Registration No. 7001-311 Your Submission Dated October 23, 1985

The amendment referred to above, submitted in connection with registration under FIFRA is acceptable, provided that you:

- 1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Whenever a common name for a pesticide chemical has been accepted as official, that name must appear in the ingredient statement followed (in parentheses) by the correct chemical name. Therefore, the submitted label requires the following form of declaration:

Diazinon [0,0-Diethyl-0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothicate*)

- b. Delete the statement "and other common insects." All insects must be specified. However, we will accept the term, "and other common insects listed on side panel."
- 2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

88092: Heyward: Ru	D-78:KENCO: 11/21/85	:12/4/85:DKD:VO			
	CONCURR				
57467 D					
Myrow !					
1/25/85					
WA form 324-1 (4-61)		1.34 3.74	Carrie As	OFFI	HAL FILE COPY

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767)

Enclosure




MULTI-PURPOSE GARDEN DUST

4% Diazinon

GARDEN INSECT DUST

Controls Whiteflies, Aphids, ider Mites, and other common insect pests.



ACTIVE INGREDIENT: °0, 0-Diethyl 0-(2-Isopropyl-4-methyl-6-pyrimidinyl) phosphorothicate 4.0% INERT INGREDIENTS ... 96.0% 100.0% TOTAL *DIAZINON is a registered tradement of Ciba-Galgy Corporation. U.S. Piscent No. 2754241

> KEEP OUT OF REACH OF CHILDREN CALITION

See Back Panel for Additional Cautions

Net Weight 10 oz. (283.5 g)

READ ENTIRE LABEL.
USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN, Harmful if swallowed. Avoid breathing dust. May be absorbed through skin. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Dust only areas inaccessible to children and pels.

STATEMENT OF PRACTICAL TREATMENT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Keep container tightly sealed during storage. Store in a cool, dry area, away from food or feed.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not rause bag. Discard in trash.

ROSES, FLOWERS, SHRUBS AND ORNAMENTALS: Controls Aphids, Lacthoppers, Thrips, Spider Milles, Whitefies and Meatybugs. Dust lightly on first appearance of insects. Make complete coverage of peets and foliage. Repeat as needed.

YESETABLES: Dust lightly on first appearance of insects, giving complete coverage. Repeat as needed. Numbers between parentheses () indicate days required between last application and horvest. Pests controlled are tisted after crop.

Beans (7), Potatoes (35) - Apinas, Leathoppers Cabbage (7), Cauliflower (5), Beets (14), Carrots (10), Radish (10) - Apinas

Cucumbers (7), Summer Squash (7), Winner Squash (3), Melons (3) - Aphids, Thrips, Serpentine Leaf Miners, Miles

Strowberries (5) - Aphics, Spicier Miles

Peas (1), Tomaroes (3) - Aphids

Onions (10) - Thirps, Aprilos

SOIL TREATMENT (preplears: To control Culviornis, Wireworms and Seed Com Moggat, mix 1 oz. per 26 sq. ft. into soil to a depth of 6 Inches. May be used pilor to planting Beans, Braccoil, Cabbage, Brussels Scrouts, Couliflower, Corn, Lettuce, Helons, Squash, Peas and Tomatoes, SPECIAL USE (Onions): To control Onion Maggat, apply 8 tablespoons per 100 eq. ft, in furrows of row at time of

NUISANCE PESTS (In outside areas): Ares, Roaches, Clover Mites, Earwigs, Spiders and Ticks. Thoroughly dust around garbage cans, foundations, walks and other-places insects may hide.

NOTICE: Seller warrants that this product consists of the ingredients apecified and is reasonably fill for a use as directed on the label. No one is authorized to make any other wangrify, gubgaries, or greation occurring this product. Because the fitte, place, rate of application, and attended thous of use are beyond Seller's control, Seller's Hobility from the handling, storage and use of this product is hithgrift to replacement of product or refund of purchase price.

EPA Reg. No. 7001-311 FPA Est. No. 7001-CA-1 Lobel No. 679

ACCEPTED with COMMENTS. In EPA Letter Dated:

JAN 2 1 1986:

Under the Federal Insecticida. Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 7001-311

Simplot

J. R. SIMPLOT COMPANY

MINERALS & CHEMICAL DIVISION **WESTERN REGION**

P.O. Box 198 . Lethrop, CA 95330




MULTI-PURPOSE GARDEN DUST

4% Diazinon

GARDEN INSECT DUST

Controls Whiteflies, Aphids, ider Mites, and other common insect pests.



ACTIVE INGREDIENT:

*0. 0-Olethyl 0-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothicate 4.0% INERT INGREDIENTS 98.0%

100.0%

*DIAZINON is a registered tradement of Obs-Geigy Corporation, U.S. Patent No. 2.754.243

> KEEP OUT OF REACH OF CHILDREN CAUTION See Back Panel for Additional Carrious

Net Weight 10 oz. (283.5 g)

READ ENTIRE LABEL.
USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

KEEP OUT OF REACH OF CHILDREN CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing dust. May be absorbed through skin. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Dust only areas inaccessible to children and pets.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED drink 1 or 2 glasses of water and Induce vomitting by touching back of throat with blunt object. Do not induce vomitting or give anything by mouth to an unconscious person. Call a physician or posion control center immediately.

IF ON SKIN wash with spap and water. Clean air and under nails. Wash contamistated clothing with detergent and bleach.

IF INHALED remove to fresh air.

IF IN EYES flush with water for at least 15 minutes. Get medical attention.

ENVIRONMENTAL HAZAROS

This product is toxic to fish and wildlife. Blids feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoffishikely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or to residues remaining on treated area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Keep container lightly sealed during storage. Store in a cool, dry area, away from food or feed.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse bag. Discard in trash.

ROSES, FLOWERS, SHRUBS AND ORNAMENTALS: Controls Aprikts, Earthoppers, Thrips, Spider Mites, Whitefiles and Meanybugs. Dust lightly on first appearance of Insects. Make complete coverage of pests and foliage. Repeat as needed.

YEGETABLES: Dust lightly on first appearance of insects, giving complete coverage. Repeat as needed. Numbers between parentheses () indicate days required between last application and harvest. Pests controlled are tisted offer crop.

Brans (7), Polatous (35) — Aphids, Leathoppers

Cabbage (7), Cauliflower (5), Beets (14), Carrots (10), Radish (10) — Aphids

Cucumbers (7), Summer Squash (7), Winter Squash (3), Melons (3) — Aphids, Thrips, Serpentine Leaf Miners, Miles

Strowdernes (5) - Aphids, Spider Mites

Peas (1), Tomatoes (3) - Aprilds

Onions (10) - Thips, Johios

SOIL TREATMENT (preplear): To control Culworms, Wireworms and Seed Corn Maggat, mix 1 dz. per 26 sq. ft. into soil to a depth of 6 inches. May be used prior to planting Beans, Broccoll, Cabbage, Brussels Sprouts, Couldower Corn, Lettuce, Melons, Squash, Peas and Tomatoes, SPECIAL USE (Orsions): To control Onion Maggat, apply 6 tablespoons per 100 sq. ft. in furrows of row or time of

NUISANCE PESTS (In outside erece): Ants, Roaches, Clover Mites, Enryigs, Spiders and Ticks, Thoroughly dust around garbage care, foundations, walks and other pigging insects may hide.

NOTICE: Seller warrants that this gradual consists of the ingredients specified and is reasonably lifter a use as directed on the label. No one is authorized to make any other warpfielt, tydiagantee, or time often a concerning this product. Because the time, place, rate of application, and effect conditions of use are beyond Seller's control. Seller's Hobility from the franciling, storage and use of this product is lift fail for replocement at product or refund of purchase price.

EPA Reg. No. 7001-311 EPA Est No. 7001-CA-1

Label No. 679

ACCEPTED with COMMENTS in EPA Letter Dáte

Simplot

J. R. SIMPLOT COMPANY

MINERALS & CHEMICAL DIVISION **WESTERN REGION** P.O. Box 198 . Lathrop, CA 95330

JAN 2 1 1986 : *

Under the Federal Insecticida Fungicide, and Rodenticide Ack as amended, for the pesticide registered under EPA Reg. No. 7001-311