


PM 15 7001-314

THIS PRODUCT MUST NOT BE USED
ON GOLF COURSES OR SOD FARMS
PROFESSIONAL GRADE

DIAZINON
INSECT SPRAY



Read this label carefully
Contains DIAZINON

Controls many common insect pests in lawns,
on ornamental trees and shrubs, roses, flowers,
and citrus fruits.

FOR:	ACTIVE INGREDIENTS:	BY WT.
INDUSTRY	0,0-Diethyl 0-(2-isopropyl-	
SCHOOLS	6-methyl-4-pyrimidinyl)	
HIGHWAYS	phosphorothioate.....	25.0%
PARKS	Xylene.....	55.9%
CEMETERIES	INERT INGREDIENT.....	19.1%
ATHLETIC FIELDS	Total	100.0%
PEST CONTROL OPERATORS		

EPA Reg. No. 7001-314
EPA EST. No. 7001-CA-1

NET CONTENTS: 1 GALLON

WARNING:

Keep out of reach of children
See additional cautions on back panel

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS,
WARNINGS AND DIRECTIONS.

DIAZINON INSECT SPRAY contains DIAZINON insecticide which provides
positive control of many "hard to kill" sucking and chewing insects.
Works fast and remains effective for an extended period of time.
May be applied with any type of garden sprayer.

NOTICE: Buyer assumes all responsibility for safety and use, storage,
or handling not in accordance with directions.

WARNING: DO NOT USE, POUR SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

16/3

WARNING: KEEP OUT OF REACH OF CHILDREN. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. May be fatal if swallowed. May be absorbed through the skin. Do not breathe spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Do not permit children or pets to go onto sprayed grass until spray has completely dried. Keep out of reach of domestic animals. Do not use on ferns, poinsettia, hibiscus, papaya, pilea gardenia and orchids since injury may occur. When container is empty, wash thoroughly and destroy. Never reuse.

ENVIRONMENTAL CAUTION

This product is toxic to fish, shrimp, crab and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

Numbers () indicate days required between last spray and harvest. LAWNS (Bluegrass, Gent, Fescue, Bermuda, Dichondra, St. Augustine): Cinch Bugs, Sod Webworm (Lawn Moth), Ants, Bermuda Mites, Earwigs, Lawn Billbugs, Fleas, Leafhoppers, Clover Mites. 2 tbsp. (1 fl. oz.) in 3 gals. of water will treat 125 sp. ft. 4 fl. oz. in 15 gals. water will treat 500 sp. ft. Water lawn thoroughly a few hours before applying. For Lawn Billbugs, water thoroughly after treating.

ROSES & FLOWERS (Chrysanthemums, Carnations, Gladiolus, Azalia, Camellias, Rhododendrons, Lilac): Aphids, Cutworms, Spider Mites, Thrips, Whiteflies, Leafhoppers, Mealybugs. Application should be made when insects are first noted. Repeat as needed. Thoroughly cover upper and lower leaf surfaces. Wet to the dripping point. Apply 2 tbsp. (1 fl. oz.) per 3 gals. water.

ORNAMENTAL TREES & SHRUBS (Arborvitae, Fir, Pine, Juniper, Spruce, Birch, Elm, Hawthorne, Holly, Locust, Maple, Oak, Poplar, Willow): (Aphids, Spider Mites, Scale Crawlers, Pine Shoot Moth, Web Worms, Leafhoppers, Leaf Miners). Apply as a thorough cover spray. Wet leaves and branches to dripping point. Penetrate dense foliage. Apply 2 tbsp. (1 fl. oz.) per 3 gals. water.

CITRUS FRUITS (Grapefruit, Lemon, Orange): Aphids, Citrus Thrips, Scale Crawlers. Apply as a full coverage spray when insects are first observed. Repeat at required. Do not spray within 21 days of picking or harvesting. Apply 2 tbsp. (1 fl. oz.) per 3 gals. water.

APPLES (14), PEARS (14): Aphids, Scale Crawlers, Codling Moth. Apply 2 tbsp. per 3 gals. of water. Start spraying at petal fall. Repeat at 10 to 14 day intervals as needed. Apples should be sprayed at 18 to 21 day intervals for additional sprays.

ALMONDS, PECANS, FILBERTS, WALNUTS: Aphids, Scale Crawlers, Spider Mites. Apply 2 tbsp. per 3 gals. of water. Spray when insects are noticed. Do not apply after husk: open or split.

APRICOTS (14) CHERRIES (10) PEACHES (21), NECTARINES (10), PLUMS (10), PRUNES (10): Aphids, Scale Crawlers, Cherry Fruit Flies, Fruit Tree Leaf Rollers, Spider Mites, Peach Twig Borers. Start spraying at petal fall. Repeat at 7 to 10 days as needed for control. Apply 2 tbsp. per 3 gals. water.

CABBAGE (7), BROCCOLI (5): Aphids, Imported Cabbage Worm, Diamond-Back Moth. Apply 2 tbsp. per 3 gals. of water. Covers approximately 1,000 sq. ft. of garden. Thoroughly spray all plant parts as required. Use no closer than 7 to 10 day intervals.

TOMATOES (1), POTATOES (35), PEPPERS (5): Aphids, Dipterous Leaf Miner, Colorado Potato Beetle. Apply 2 tbsp. per 3 gals. of water. Covers approximately 1,000 sq. ft. of garden. Thoroughly spray all plant parts as required. Use no closer than 7 to 10 day intervals.

BEANS (7), PEAS (1): Aphids, Mexican Bean Beetle, Leaf Miners. Apply 2 tbsp. per 3 gals. of water. Covers approximately 1,000 sq. ft. of garden. Thoroughly spray all plant parts as required. Use no closer than 7 to 10 day intervals.

CANTALOUPE (3), CUCUMBER (7), SQUASH (10): Aphids, Leafhoppers, Mites. Apply 2 tbsp. per 3 gals. of water. Covers approximately 1,000 sq. ft. of garden. Thoroughly spray all plant parts as required. Use no closer than 7 to 10 day intervals.

NUISANCE PESTS IN OUTSIDE AREAS: (Ants, Boxelder Bugs, Brown Dog Ticks, Chiggers, Clover Mites, Cockroaches, Crickets, Earwigs, Fleas, Flies, Millipedes, Scorpions, Sowbugs (Pillbugs), Spiders, Springtails (Collembola), Ticks. Apply 1 cup in 3 gals. of water. Do not treat plants or animals. Thoroughly spray window and door screens, sills, foundations, porch and patio walls and ceilings, entrance-ways, walks, garbage cans, tree trunks and into cracks and other places where the insects can hide.

*2 tablespoons (1 fl. oz.) per 3 gallons is equal to 1 quart per 96 gallons.

J.R. SIMPLOT COMPANY
16777 Howland Road
P.O. Box 198
Lathrop, California 95330

30/3