

655  
17  
152241  
1

J.R. Simplot Company  
16777 South Howland Ave.  
P.O. Box 198  
Lathrop, CA 95330

AUG 9 1985

Attention: Lisa J. Strong

Gentlemen:

Subject: Turf Disease Control 5% Granular  
EPA Registration No. 7001-329  
Your Letter Dated April 30, 1985

The labeling r-ferred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

1. Change "Caution" to "Danger."

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Henry M. Jacoby  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (78-767)

Enclosure

RD/FHB:JOB:88690;Notes:RD-57;Kendrick & Co:898-1270;8/5/85;Del.8/14/85;eg

CONCURRENCES

COL ▶								
ME ▶								
DATE ▶								

**BEST**®

ACCEPTED  
with COMMENTS  
to EPA Letter Dated:

AUG 9 1985

Under the Federal Insecticide,  
Fungicide, and Fertilizer Act  
as amended, this pesticide  
registered under EPA Reg. No.  
7001-329

# Turf Disease Control

**5% GRANULAR**

For control of Large Brown Patch, Curvularia, Grey Leaf Spot, Helminthosporium Leaf Spot, Melting Out, Copper Spot, Snow Mold in turf, and Stem Rust on Bluegrass.

**ACTIVE INGREDIENT**

Chlorothalonil (Tetrachloroisophthalonitrile)\*..... 5.0%

**INERT INGREDIENTS** ..... 95.0%

**TOTAL 100.0%**

EPA Reg. No. 7001-329

EPA Est. No. 7001-CA-1

\*Product contains chlorothalonil covered under U.S. Patent Nos., 3,290,353 and 3,331,735.

KEEP OUT OF REACH OF CHILDREN

**BEST AVAILABLE COPY**

**CAUTION**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

SKIN SENSITIZER

Do not take internally. Avoid contact with skin, eyes or clothing, Can be Irritating to eyes or skin. Wash thoroughly with soap and warm water after handling. In case of contact with eyes, flush with plenty of water for at least 15 minutes. Avoid breathing of dust. Do not store near feed or foodstuffs.

**Contains Daconil 2737\***

\*Registered Trademark of SDS Sitech Corp.

**NET WEIGHT 48 LBS.**

Do not take internally. Avoid contact with skin, eyes or clothing. Can be irritating to eyes or skin. Wash thoroughly with soap and warm water after handling. In case of contact with eyes, flush with plenty of water for at least 15 minutes. Avoid beathing of dust. Do not store near feed or foodstuffs.

## STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED call a physician immediately. If no other treatment is available induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED remove victim to fresh air.

IF ON SKIN wash with soap and water.

IF IN EYES flush for 15 minutes with water.

NOTE TO PHYSICIAN: Persons having an allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and marine/estuarine organisms. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE TO USER: This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician. Wear long-sleeve shirt, long pants, and gloves while mixing, loading and applying this product.

## STORAGE AND DISPOSAL

Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Storage:** Store in a cool, dry area.

**Disposal:** Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse bag, discard in trash.

## USE CAUTIONS

Do not mow for at least 24 hours after application. Do not graze livestock on treated area. Do not feed clippings to livestock.

Apply when lawn is damp.



**Large Brown Patch, Curvularia, Gray Leaf Spot, Helminthosporium Leaf Spot, Melting Out:** As a preventative—use 4 lbs. per 1,000 sq. ft. Begin before diseases are expected to appear. Repeat at 7 to 14 day intervals throughout the season. As a curative—use 6 lbs. per 1,000 sq. ft. Apply at 7 day intervals.

**Copper Spot, Dollar Spot:** As a preventative—use 4 lbs. per 1,000 sq. ft. Begin before diseases appear. Repeat at 7 to 10 day intervals. As a curative or under severe conditions favoring development of disease use 6 lbs. per 1,000 sq. ft. Apply at 7 day intervals.

**Snow Mold (Oregon & Washington only):** As a preventative or curative use 6 lbs. per 1,000 sq. ft. Apply in the fall. Repeat at 7 to 14 day intervals as necessary.

**Stem Rust of Bluegrass:** As a preventative—use 4 lbs. per 1,000 sq. ft. Begin before disease appears. Repeat at 7 to 14 day intervals. As a curative or under severe conditions—use 6 lbs. per 1,000 sq. ft.

---

SPREADER SETTINGS*	LBS./ 1,000 ft.		
Best Model 34 & 54	4.0	3.1	2.6
Best Model 34 & 54	6.0	3.7	3.0
Cyclone Model B	4.0	3.0	2½
Cyclone Model B	6.0	3½	3

\*Settings are for spreaders in new condition. After use, spreaders vary and must be checked for accuracy.

---

**J. R. SIMPLOT COMPANY**  
P.O. Box 598, Lathrop, CA 95330