

Weed & Grass

Granular, Non-selective, Residual Herbicide

For Quick Knockdown and Residual Control of Weeds and Grasses!

USE AROUND OR NEAR:

- Asphalt
- Patios
- Buildings
- Picnic areas
- Concrete
- Sidewalks/Walkways
- Ditch banks
- Storage yards
- Fence lines
- Vacant lots
- Gravel driveways
- · Wood Decks

JUL 18 1994 The Regular Dool - 237

Active Ingredients	By WT
	

Diuron 3-(3, 4-dichlorophenyl) 1,

INERT INGREDIENTS 2.25%

TOTAL......100.0%

EPA REG. NO. 7001-337

EPA EST. NO. 49620-MS-1

KEEP OUT OF REACH OF CHILDREN WARNING

REFER TO BACK PANEL FOR PRECAUTIONARY STATEMENTS

NET WEIGHT: 20 LBS.

Simplot

J. R. SIMPLOT COMPANY • P.O. BOX 198 • LATHROP, CA 95330

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles, face mask, or safety glances with side shields. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Avoid breathing dust.

Keep animals off treated area until product has feached into soil either by rainfall or watering.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. BareSpot® Weed & Grass is specifically designed for quick knockdown and residual control of general mixed vegetation on non-cropped land and around residential areas.

WHEN TO USE: Use BareSpot Weed & Grass anytime during the growing season. Weeds and grasses are easier to kill when they are young and growing rapidly.

WHERE TO USE: Apply where bare ground is desired. Do not apply near tawns, trees, shrubs, crops and other desirable plants. Do not treat areas which may be undertaid by roots or adjacent desired growths. Application to these areas may result in injury or destruction of the plant.

HOW 17 WORKS: BareSpot Weed & Grass is absorbed by the roots causing weeds or grasses to turn brown. It will take several days before visual signs are noticeable. Smaller, succutent weeds are affected first. Larger plants will yellow and turn brown at the tips as growth stops. A residual barrier remains active in the upper soil to control later germinating weeds.

BareSpot Weed & Grass kitls the seedlings not the seeds. Seedlings will sprout. After they reach 1/2 to 1 inch of growth and the roots contact the soil it will die. BareSpot Weed & Grass can be expected to provide 3-13 months control depending on soil type and rainfall

DRY APPLICATION: BareSpot Weed & Grass is ready to use! Apply with a hand operated spreader such as a conventional cyclone type spreader. Apply granules uniformly over the area to be treated. The material becomes effective in the soil followed by rainfall or watering.

KINDS OF WEEDS	APPLICATION RATES	
GENERAL		
vegetation control	1-2 lbs:/100 sq /l."	
PERENNIAL		
weeds deep cooled	3 lbs:/100 sq. ft.**	

Approximately 2 1/2 cups of BareSpot Weed & Grass equal 1 pound

- * As low as 1/2-1 lb./100 sq. ft. can be used on young and rapidly growing general vegetation.
- ** As low as 1 1/2 lbs./100 sq. ft, can be used on young and rapidly growing deep rooted perennials

FOR USE ON NON-CROPPED AREAS

IMPORTANT: This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to continue the use of application to the particular area intended to be treated and to avoid its contact with lawns, wees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlaid by roots of adjacent desired growths. Careless application of this material, or washing by water run-off, to areas where desirable plants are growing or which will he used for later planting may result in injury to desirable plants Do not drain or flush equipment on or near such areas. Do not contaminate domestic or irrigation water or waters used by fish and wildlife. Wash clothing and equipment after application. Keep animals off treated area until rainfall has leached all the herbicide into the soil. Mechanical equipment should be thoroughly cleaned after use.

BEST AVAILABLE COPT

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. If SWALLOWED: Drink promptly, a large quantity of milk, egg whites and getatin solution or if these are not available drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center. Get medical attention. If ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where run-off is likely or where weather conditions favor movement away from target areas. Do not contaminate water when disposing of equipment wash waters. DO NOT USE NEAR LAWNS, TREES, SHRUBS OR OTHER DESIRABLE PLANTS.

STORAGE AND DISPOSAL

STORAGE: Avoid contact with floor and moisture. Store in an area inaccessible to children and pets. OISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse bag. Discard bag in trash.

NOTICE: Because of the many varying conditions affecting use and application, such as location, seasonal weather, soil composition and type of vegetation, manufacturer warns buyer that these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimination of weeds is not guaranteed. It is advisable to consult your State Extension Service or Agricultural Experiment Station Weed Specialist on specific problems. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms and assumes all risks of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representations or warranties, expressed or implied by law, not specifically set forth herein.

DISCLAIMER: Seller warrants that the chemical composition of this product conforms to the chemical description given on this label THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS, EXPRESSED, IMPLIED OR STATUTORY, INCLUDING WARRANTIES OF MERCHANTABIL. ITY AND FITNESS FOR A PARTICULAR USE. Timing rate and method of application, weather and crop conditions, mixtures with chemicals not specifically recommended on this label or an accompanying written recommendation, are beyond the control of seller. Buyer assumes all risks of use, storage and handling of this. material not in strict accordance with directions given herewith Buyer further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, as full discharge of seller's liability. No one is authorized to make any other warranty, guarantee or directions concerning this product. and no such warranties, guarantees or directions shall be valid or binding upon seller

4

Industrial use Label



Weed & Grass

Granular, Non-selective, Residual Herbicide

BEST AVAILABLE COPY

ACTIVE INGREDIENTS:	BY WEIGHT:
Sodium Metaborate Tetrahydrate (Na ₂ B ₂ O ₄ -4H ₂ O)	66 5%
Sodium Chlorate (NaClO ₃)	30.0%
Diuron 3-(3, 4-dichlorophenyl) 1, 1-dimethylurea	
INERT INGREDIENTS	
TOTAL	100.0%
EPA REG. NO. 7001-337	EPA Est. No. 49620-MS-1

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles, face mask, or safety glasses with side shields. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Avoid breathing dust.

Keep animals off treated area until product has leached into soil either by rainfall or watering

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF SWALLOWED: Drink promptly, a large quantity of milk, egg whites and gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where run-off is likely or where weather conditions favor movement away from target areas. Do not contaminate water when disposing of equipment wash waters. DO NOT USE NEAR LAWNS, TREES, SHRUBS OR OTHER DESIRABLE PLANTS.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

STORAGE: Avoid direct contact with floor and moisture.

BISPOSAL: Empty product from bag before disposal. Dispose of bag in a sanitary landfill o. by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke



ACCEPTED

JUL 18 1994

Fig. 100 7001 -2-27

BareSpot® Weed & Grass is specifically designed for quick knockdown and residual control of general mixed vegetation on non-cropped land and industrial sites.

FOR USE ON NON-CROPPED AREAS

IMPORTANT: This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to continue the use of application to the particular. area intended to be treated and to avoid its contact with lawns. trees, strubs, crops and other desirable plants which are not intended to be destroyed or injured. This include: precautions in treating areas which may be underlaid by roots coadjacent desired. growths. Careless application of this material, e- mashing by water. run-off, to areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Do not drain or flush equipment on or near such areas. Do not contaminate domestic or irrigation water or waters used by fish and wildlife. Wash clothing and equipment after application. Keep. animals off treated area until rainfall has leached all the herbicide into the soil. Mechanical equipment should be thoroughly cleaned after use.

WHERE TO USE

RUND OR NEAR THE FOLLOWING: Bleachers, Bridge abutments, duildings, Bunkers, Buried cable closures, Catwalks, Cemeteries, Compressor stations, Cooling towers. Cross connect boxes, Ditch banks, Electrical generators. Fence lines. Fire hydrants, plugs or walls, Fuel tanks, Generating plants, Guardrails, Helo pads, Highway and street markers, Loading stations, Lumber yards, Microwave towers, Oil and gas pipelines. Oil refineries, Parking lots, Patios, Picnic areas, Pump decks, Railroad lines and sidings, Runways, Runway lights, Sign posts, Storage and equipment yards, Utility poles and substations, Vacant lots, Valves and manifolds, Waste lagoons.

UNDER THE FOLLOWING: Asphalt, Concrete, Gravel driveways (not on a slope), Sidewalks or walkways, Wood decks.

WHEN TO USE: Use BareSpot Weed & Grass anytime during the growing season. Weeds and grasses are easier to kill with BareSpot Weed & Grass when they are young and growing rapidly.

INDUSTRIAL SITES OR SIMILAR MON-CROPPED AREAS

APPLICATION: For all uses uniform 'pplication is essential. The material becomes effective in the soil followed / rainfall or irrigation. (See application rates below.) BareSpot Weed & Grass is ready to use. Apply with a hand operated spreader such as the conventional cyclone type spreader designed for this use. Power spreaders can be used for large areas.

Use the following rates of application under most conditions

KINDS OF WEEDS APPLICATION RATES

GENERAL

1-2 lbs /100 sq. ft.*

vegetation control

PERENNIAL weeds deep rooted

3 lbs /100 sq -lt **

Approximately 2 1/2 cups of BareSpot Weed & Grass equal 1 pound

- * As low as 1/2 1 lb /100 sq. ft. can be used on young and rapidly growing general vegetation.
- ** As low as 1 1/2 lbs /100 sq. ft. can be used on young and rapidly growing deep rooted perennals

NOTICE: Because of the many varying conditions affecting use and application, such as location, seasonal weather, soil composition and type of vegetation, manufacturer warns buyer that these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimination of weeds is not quaranteed. It is advisable to consult your State Extension Service or Agricultural Experiment Station Weed Specialist on specific problems. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms and assumes all risks of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representations or warranties, expressed or implied by law, not specifically set forth herein.

DESCLAMMER: Seller warrants that the chemical composition of this product conforms to the chemical description given on this label. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS, EXPRESSED, IMPLIED OR STATUTORY, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. Timing, rate and method of application, weather and crop conditions mixtures with chemicals not specifically recommended on this label or an accompanying written recommendation, are beyond the control of seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given iterewith. Buyer further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, as full discharge of seller's Bability. No one is authorized to make any other warranty, guarantee or directions concerning this product, and no such warranties, guarantees or directions shall be valid or binding upon seller.

NET WEIGHT 50 LBS.

BEST AVAILABLE COPT

Compare with these illustrations to determine your approximate rate of application:


ነ⁄ሬ la. pai 1**90 sq.** f

1 lb. per 100 sq. ft.

1 1/2 lbs. per 100 sq. ft.







494