



OXY UREABOR®

ACCEPTED

11 APR 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10659-51

7001-339

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes eye damage. Harmful or fatal if swallowed. Do not get in eyes or on clothing. Wear goggles or face shield when handling. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse. Avoid breathing dust or spray mist. — Keep animals off treated areas until rainfall has leached herbicide into soil.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

For Use on Industrial Sites or Similar Noncropped Areas

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.
PESTICIDE DISPOSAL: Pesticide spray mixture or rinse that cannot be used or commercially repossessed should be disposed of according to procedures approved by Federal, State or Local disposal authorities.

CONTAINER DISPOSAL: Consult Federal, State or Local disposal authorities for approved procedures.

With agitator in operation, add OXY UREABOR gradually to the tank during filling. Dissolve completely before spraying. For quick knock-down of existing vegetation, a thorough wetting of all parts of the vegetation is recommended.

OXY UREABOR is designed for nonselective kill of weeds and grasses with a single treatment. Use for quick knock-down of existing vegetation as well as long-lasting effects in the soil for control of regrowth or new seedlings. Use for general mixtures of weeds and grasses. OXY UREABOR is especially potent on perennial grasses such as Johnsongrass, Bermuda grass, Dallis grass and quackgrass.

APPLICATION: For all uses, uniform application is essential. OXY UREABOR may be applied either as a dry granular material or as a water spray. Dissolve in water at rates up to 3 pounds per gallon. Both spray and dry applications become effective as soil treatments following rainfall or irrigation.

WHERE TO USE: Use OXY UREABOR on noncropped land such as industrial sites, fence rows, storage yards, roadsides and railroads.

WHEN TO USE: Use OXY UREABOR anytime during the growing season. Weeds and grasses are easier to kill with OXY UREABOR when they are young and growing rapidly. Uniform application over the entire area to be cleared of vegetation is essential.

DRY APPLICATION: OXY UREABOR is ready to use. Apply with a shaker can or with a hand operated spreader such as the conventional cyclone type spreader designed for this use. Pow. or spreaders can be used for large areas. The dry granules will be effective in the soil following rainfall or artificial watering.

SPRAY APPLICATION: Use spraying equipment with mechanical agitation—up to 3 pounds of OXY UREABOR may be dissolved per gallon of water (see application rates below).

For small areas or for spot treatment, OXY UREABOR may be dissolved in water and applied with a sprinkling can.

OXY UREABOR®

NONSELECTIVE WEED AND GRASS KILLER

ACTIVE INGREDIENTS:

Sodium Metaborate Tetrahydrate
(Na₂B₂O₄ · 4H₂O) 66.5%
Boron Trioxide (B₂O₃) equivalent 22.6%
Sodium Chlorate (NaClO₃) 30.0%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil) 1.5%

INERT INGREDIENTS 2.0%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact with eyes, flush with water for 15 minutes. Get medical attention. In case of contact with skin, wash with plenty of soap and water. Get medical attention if irritation persists.

See Side Panel for Additional Precautionary Statements

EPA Reg No. 10659-51

EPA Est No. 10659-MS-1

NET WT. 50 POUNDS

ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds and streams — Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply when weather conditions favor drift away from target area.

Manufactured by

Occidental Chemical Company

P.O. Box 1185
Houston, Texas 77001

P.O. Box 198
Lathrop, California 95330

Use the following rates of application under most conditions

KIND OF WEEDS	APPLIED	
	DRY	SPRAY
ANNUAL weeds and grasses such as sunflower, kochia, Russian thistle, pigweed, crabgrass, downy brome	1 lb/100 sq ft	1 lb/100 sq ft
PERENNIAL weeds and grasses such as Johnsongrass, Bermuda grass, Dallis grass, quack grass, Canada thistle, bindweed, bluegrass	3 lbs/100 sq ft	3 lbs/gal/100 sq ft
MIXED Annual and perennial weeds and grasses	3 lbs/100 sq ft	3 lbs/gal/100 sq ft

*As low as 1/2 lb/100 sq ft can be used on annual weeds when young and growing rapidly.

*As low as 1 lb/100 sq ft can be used on seedlings of perennials when young and growing rapidly.

Approximately 2-1/2 cups of OXY UREABOR equal 1 pound

IMPORTANT

This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to confine the use or application to the particular area intended to be treated and to avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlain by roots of adjacent valuable growths. Careless applications of this material, or washing by water run-off, to areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Do not drain or flush equipment on or near such areas. Do not contaminate domestic or irrigation water or waters used by fish and wildlife. Wash clothing and equipment after application. Keep animals off treated areas until rainfall has leached all the herbicide into the soil. Mechanical equipment should be thoroughly cleaned after use.

NOTICE: Because of the many varying conditions affecting use and application, such as location, seasonal weather, soil composition and type of vegetation, manufacturer warns buyer that these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimination of weeds is not guaranteed. It is advisable to consult your State Extension Service or Agricultural Experiment Station weed specialists on specific problems. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms and assumes all risks of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller makes, and their employees and agents are not permitted to make, any representations or warranties, expressed or implied by law, not specifically set forth herein.