BARE SPOT MONOBOR CHLORATE

TECHNICAL BULLETIN A C C E P T E GREENHOUSE APPLICATIONS DEC 20 1994

}

KEEP OUT OF REACH OF CHILDREN EPA Reg. No. 7001-2511 DANGER PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, hold eye open and wash with steady gentle streams of water for 15 minutes. Get medical attention.

IF SWALLOWED, drink promptly a large quantity of milk, egg whites, gelatin colution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or poison control center. Get medical attention.


IF ON SKIN, wash with plenty of soap and water. Get medical attention.

IF INHALED, move to fresh air and give artificial respiration if not breathing. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive to eyes. Causes irreversible eye damage. Due to corrosive nature may be harmful or fatal if swallowed. Avoid contact with eyes, skin, or clothing. Keep animals off treated are a until product has leached into the soil either by rainfall or watering.



17'1

PERSONAL PROTECTIVE EQUIPMENT

Injyer.

Applicators and other handlers must wear:

- . Long-sleeved shirt and long pants
- . Waterproof gloves
- . Shoes plus socks
- . Protective evewear
- . Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)

USER SAFETY RECOMMENDATIONS

USERS SHOULD:

)

)

- . Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- . Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- . Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, waterproof gloves, shoes plus socks and protective eyewear.

WHEN TO USE: Use BareSpot Monobor Chlorate anytime during the growing season. Weed and grasses are easier to kill when they are young and growing rapidly. Titt 4

WHERE TO USE: Apply where bare ground is desired; under plant tables, on walkways and around building perimeters. Do not allow the product or treated ground to come in contact with plant containers or areas which may be underlaid by roots of adjacent desired growth. Application to these areas may result in injury or destruction of the plant.

APPLICATION: Uniform application is essential. Water thoroughly after applying. BareSpot Monobor Chlorate becomes effective in the soil after watering.

KINDS OF WEEDS	APPLICATION RATES
General vegetation control	2 lbs./100 sq. ft.*
Perennial noxious weeds	4 lbs./100 sq. ft.**

Approximately 2-1/2 cups of Bare Spot Monobor Chlorate equals 1 lb.

)

* As low as 1 lb./100 sq. ft. can be used on young and rapidly growing general vegetation.

** As low as 2 lbs./100 sq. ft. can be used on young and rapidly growing perennial weeds.

HOW IT WORKS: BareSpot Monobor Chlorate is absorbed by the roots, causing weeds or grasses to turn brown. Smaller, succulent weeds are affected first. Larger plants will yellow and turn brown at the tips as growth stops. It will take several days before visual signs are noticeable. A residual barrier remains active in the upper soil to control later germinating weeds.

IMPORTANT: This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken not to apply near trees, shrubs or other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlaid by roots of adjacent desired growths. Careless application of this material, or washing by water run-off, to areas where desirable plants are growing or which will be used for later planting may result ir injury to desirable plants. Do not drain or flush equipment on or near such areas. Mechanical equipment should be thoroughly cleaned after use. Do not contaminate domestic or irrigation waters or waters used by fish and wildlife. Keep animals off treated area until rainfall has leached all the herbicide into the soil.

READ THE LABEL ON THE BAG FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

434

EPA Reg. No. 7001-341 EPA Est. No. 49620-MS-1

)

)

J. R. SIMPLOT COMPANY P. O. BOX 198 LATHROP, CA 95330