

ACTIVE INGREDIENTS:

Sodium Chlorate (NaClO ₃)	10.30%
Sodium Metaborate Anhydrous Na ₂ B ₂ O ₄ •4H ₂ O	8.75%
Bromacil (5-bromo-3-Sec-butyl-6-methyluracil)	0.41%

INERT INGREDIENTS:

Water	80.54%
TOTAL	100.00%

EACH GALLON CONTAINS

1.0 lb. Sodium Chlorate
0.8 lb. Sodium Metaborate
0.04 lb. Bromacil

EPA Reg. No. 7001-345

EPA Est. No. 10659-MS-1

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le expliquen como usarlo.

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF CONTACT with eyes, flush with water for 15 minutes. Get medical attention. In case of contact with skin, wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid Alcohol. Get medical attention.

NOTE: A PHYSICIAN. Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Causes severe eye irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds and streams—Do not contaminate water by disposal of equipment washwaters. Do not apply when weather conditions favor drift away from target area.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT STORE PRODUCT BELOW 32° F. PROTECT FROM FREEZING.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

UREABOR LIQUID is designed for nonselective kill of weeds and grasses with a single treatment. Use for quick knock-down of existing vegetation as well as long-lasting effects in the soil for control of regrowth or new seedlings. Use for general mixtures of weeds and grasses. UREABOR LIQUID is especially potent on perennial grasses such as Johnsongrass, Bermuda grass, Dallis grass and quack grass.

WHERE TO USE: Use UREABOR LIQUID on noncropped land such as industrial sites, fence rows, storage yards, roadsides and railroads.

residual control.

PERENNIAL NOXIOUS WEEDS

Persistent perennial weeds are most effectively treated when near maturity or during dormant stages in the fall. Spring applications may also be made under moderate rainfall conditions. Summer applications are recommended only where rainfall is dependable for leaching the herbicide into the soil. Add 6 or 7 pints of UREABOR LIQUID to sufficient water to cover 100 square feet. Apply as a contact spray thoroughly wetting all parts of the plants. 1 gallon per 100 square feet is usually adequate for young growth up to 6 inches tall. On deep rooted perennials such as bindweed, Canada thistle, Bermuda grass and quack grass, the heavier rates may be required.

IMPORTANT

This material is not selective in action and may be toxic to all types of vegetation and may render the entire area totally or partially unproductive for one or more years. Care should be taken to confine the use on application to the particular area intended to be treated and to avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlain by roots of adjacent valuable growths. Careless application of this material, or washing by water runoff, to treated areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Do not drain or flush equipment on or near such area. Do not contaminate domestic or irrigation water or waters used by fish or wildlife. Wash clothing and equipment after application. Keep animals off treated areas until rainfall has leached all the herbicide into the soil. Mechanical equipment should be thoroughly cleaned after use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

STORAGE: Avoid contact with floor and moisture. Do not store product below 32° F. Protect from freezing.

DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved of by state and local authorities.

NET CONTENTS**GALLONS**

NOTICE: Because of many varying conditions affecting use and application, such as location, seasonal weather, soil composition and type of vegetation, manufacturer warns buyer that these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimination of weeds is not guaranteed. It is advisable to consult your State Extension Service or Agricultural Experiment Station weed specialists on specific problems. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms and assumes all risks of usage and handling except when used or handled in accordance with this label. Neither manufacturer nor seller makes and their employees and agents are not permitted to make, any representations or warranties expressed or implied by law not specifically set forth herein.

Simplot

J. R. SIMPLOT COMPANY
P.O. Box 198, Lathrop, CA 95330

(For aerosol spray products)
Replace cap and discard containers in
trash. Do not incinerate or puncture.

The "STORAGE AND DISPOSAL" heading must be of the same
type size as the child hazard warning statement.


Submit five (5) copies of your final printed labeling before you
release the product for shipment.

If these conditions are not complied with, the registration will be
subject to cancellation in accordance with FIFRA section 6(e). Your release
for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please call
Mr. Robert Young at (703) 557-3966.

Sincerely yours,


John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure