

01 - 4 101.

Ms. Lisa J. Strong  
J.R. Simplot Company  
16777 Howland Rd.  
P.O. Box 198  
Lathrop, CA 95330

Dear Ms. Strong:

Subject: Final Printed Labels  
Sochlor G  
EPA Reg. No. 7001-373  
Your submission dated Sept. 20, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable and a stamped copy is enclosed for your records.

Sincerely yours,

Robert J. Taylor  
Product Manager 25  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure

292  
ACCEPTED  
FOR EPA Letter Dated:

OCT 1 1994

# Sochlor 6

**BEST AVAILABLE COPY**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

7001-373

ACTIVE INGREDIENT:	BY WT.
Sodium Chlorate	47.2%
INERT INGREDIENTS:	52.8%
TOTAL 100.0%	
EPA Est. No. 7001-373	

Each gallon contains 6 pounds of Sodium Chlorate per gallon.

EPA Reg. No. 7001-373

## WARNING AVISO

Si no entiende la etiqueta, busque a alguien para que le explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

### STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Do not induce vomiting. Get medical attention.
- EYES:** Flush with water for 15 minutes. Get medical attention.
- SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.
- IF IN CONTACT WITH EYES:** Flush with water for 15 minutes. Get medical attention if irritation persists.
- IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.
- IF IN CONTACT WITH CLOTHING:** Remove clothing immediately. Wash clothing separately from other laundry.
- IF IN CONTACT WITH RESPIRATORY TRACT:** Remove clothing immediately. Wash clothing separately from other laundry.
- IF IN CONTACT WITH EYES:** Flush with water for 15 minutes. Get medical attention if irritation persists.
- IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.
- IF IN CONTACT WITH CLOTHING:** Remove clothing immediately. Wash clothing separately from other laundry.
- IF IN CONTACT WITH RESPIRATORY TRACT:** Remove clothing immediately. Wash clothing separately from other laundry.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May irritate eyes, nose, throat and skin. Avoid contact with skin and eyes. Avoid breathing spray mist.

### PERSONAL PROTECTIVE EQUIPMENT

APPLICATORS AND OTHER HANDLERS MUST WEAR:

- Long-sleeved shirt and short pants
- Chemical-resistant footwear plus socks
- Chemical-resistant headgear for overhead exposure
- Protective eyewear
- Chemical-resistant apron when cleaning equipment, mixing, or loading
- Dust-mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)
- Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep clean and dry. Wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

Users should: (1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet; (2) Remove clothing immediately if pesticide gets on it. Then wash thoroughly and put on clean clothing; (3) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift away from target area.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**STORAGE:** Store in a cool, dry, fire-resistant area; separate from acids, solvents, oils, organic substances, sulfur, powdered metals and away from oxidizers.

**DISPOSAL:** Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**IF ACCIDENTAL SPILL:** Use absorbent material, sweep up or vacuum. If spilled on concrete or metal floors flush with water after sweeping up.

### DIRECTIONS FOR USE

Read label of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your state, consult the agency responsible for pesticide regulation.

NET CONTENTS: 2 1/2 GALLONS

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 155.55, for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It also contains specific instructions for training, decontamination, notification and emergency assistance. It also contains specific instructions for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It also contains specific instructions for training, decontamination, notification and emergency assistance. It also contains specific instructions for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It also contains specific instructions for training, decontamination, notification and emergency assistance.

Do not enter or allow entry into treated areas during the Restricted Entry Interval (REI) of 12 hours. That is permitted under the Worker Protection Standard and that involves contact with anything on the treated area except for the uses specified on this label. Coveralls over short-sleeved shirt and short pants; waterproof gloves; chemical-resistant to resistant headgear for overhead exposure.

### GENERAL INFORMATION

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

**DEFOLIATION:** Weather conditions and plant conditions affect defoliation. Weather conditions that favor good defoliation are high humidity, low wind velocity, high to adequate soil moisture. Plant conditions which favor good defoliation are insect control, heavy boll load, all bolls mature, vegetative growth ceased, little or no second growth, and plants are those adverse to the above. Nutrients should be ample but not too much nitrogen. Leaves should be stunted by lack of fertilizers.

**DESICCATION:** To reduce moisture of the crop and desiccate weeds prior to harvest apply during the period specified in this section of the label. Incomplete coverage will give erratic results. Especially with vines such as cotton from the spray by the crop canopy. Complete coverage is essential to good desiccation.

**DILUTION RATES:**

**AIR:** 4-10 gallons of water.

**GROUND:** 20-30 gallons of water.

**COTTON:** Apply 1/2 to 3/4 gallon per acre 2-3 weeks prior to picking date. Do not apply within 7 days of harvest. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day.

**FLAX:** As a harvest aid to desiccate weeds and mature the crop, apply 1 gallon per acre, 7-10 days before harvest. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day.

**GRAIN SORGHUM:** To reduce the moisture content while the crop is standing, use 1/2 to 1 gallon per acre. Use the lower rate when grain sorghum and weather conditions are right for rapid desiccation. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day.

**GUAR BEANS:** To reduce bean seed moisture, apply 1 gallon per acre, 7-10 days before anticipated harvest date. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day.

**SAFFLOWER:** To reduce moisture in the fully mature seed heads, apply 1 gallon per acre, 7 or 10 days before harvest. Do not apply later than 7 days before harvest. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day.

**SOYBEANS:** To desiccate weeds in early maturing soybeans and facilitate the harvest, apply 1 gallon per acre when beans are mature and ready for harvest. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day.

**SUNFLOWERS (Confectionery and Oil Seed varieties):** To facilitate harvest and reduce moisture content, apply 1 gallon per acre before anticipated harvest date. Use the lower rate when conditions favor rapid desiccation. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day.

**RICE:** To facilitate harvest and reduce moisture in the full mature seed heads and to desiccate weeds, apply 1 gallon per acre. Apply 7-10 days before anticipated harvest. Use the lower rates when crop conditions favor rapid desiccation. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day. Do not apply during conditions of extreme heat during the day.

**DISCLAIMER OF WARRANTIES:** Seller warrants that the chemical composition of this product conforms to the label. This is expressly in lieu of all other warranties and representations expressed, implied or otherwise. Specific recommendations on this label or an accompanying written recommendation, are beyond the control of the seller. Buyer further agrees to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, to make any other warranty, guarantee or directions concerning the product, and no such warranties, guarantees or directions shall be binding on the seller.

P.O. Box 198  
Lathrop, CA 95330

J. R. SIMPLOT COMPANY