SEP 1.7 2002

Ms. Lisa J. Strong Regulatory Consultant J.R. Simplot Company P.O. Box 198 Lathrop, CA 95330-0198

Dear Ms. Strong:

This is in response to your request dated August 10, 2002 to change the primary brand name for EPA Registration 7001-37\$ from Dimension 86 Pre-Emergence Weed Control with Plant Food to:

#### TURF FERTILIZER WITH 0.86% DIMENSION

Your request for the name change is accepted and the change will be made to the Agency's records. All future correspondence on this product should reference the new name.

Sincerely yours,

Sherada D. Hobgood Notifications Review Coordinator

Registration Division (7505C)

Form Approved. OMB No. 2070-0060.

	Registration
	Amendmen
<b>\</b>	Other

	U	nited States		<u> </u>	Regist:	ration	OPP Identifier Number	
SEPA Environmental Protection Ag			-		_ Amend	iment		
Washington, DC 20460					<u>Other</u>			
Application for Pesticide - Section I								
1. Company/Product Number			2. EPA	Product Manage	r	3. Pro	posed Classification	
7001-379			Joanne Miller			None Restricted		
4. Company/Product (Name) Dimension 86 Preemergence Weed Control with Pla			PM# pod 12	PM#				
5. Name and Address of App	licant (Include ZIP Co	de)	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3)					
J.R. Simplot Compan	у		(b)(i), my product is similar or identical in composition and labeling					
P.O. Box 198			to:	Reg. No	<sup>7</sup> MO	TIFICATI	UN	
Lathrop, CA 95330				. 109. 110.	SE	P 1 7 20	302	
Check if this	is a new address		Produ	ict Name				
			Section -	11				
Amendment - Explain	balow.	***************************************		Final printed la		nse to		
Resubmission in resp	onse to Agency letter	dated		"Me Too" App		<del></del>	M	
Notification - Explain	below.			Other - Explain	below.			
Evelenation 11 duite-	-1							
Explanation: Use addition  Notification of Alternate Bran		•		ne: Turf Fertilizer	with 0 88% Die	mension		
This notification is consistent	with the provisions of P	R Notice 98-10 an	d EPA regulatio	ns at 40 CFR 152	.46, and no ot	her changes l	have been made to the	
labeling or Confidential State EPA. I further underestand the	ment of Formula of this at if this notification is n	product. I understa of consistent with t	and that It is a vi be terms of PR	iolation of 18 U.S. Notice 98-10 and	C. Sec 1001 to 40 CFR 152.4	o willfully mak 6. this produc	e any false statement to	
FIFRA and I may be subject t						w, 11.10 p. 2.20	it that be in violation of	
, , , , , , , , , , , , , , , , , , ,								
		<u> </u>	Section - I				10 C	
1. Material This Product Will	<u> </u>			, , , , , , , , , , , , , , , , , , ,	<u> </u>	<del></del>		
Child-Resistant Packaging	Unit Packaging	'	Water Soluble F	ackaging	2. Type o	f Container		
Yes	Yes	Ì	Yes			Metal Plastic		
No	V No		V No			Glass		
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	f "Yes" Package wgt	No. per container		Paper Other (S	pecify)	
3. Location of Net Contents I	nformation	4. Size(s) Retail (	Container	1 5.	Location of L	sbei Directio	ns	
Lebel Container			50 lb. bags	[	on labe	əl		
6. Manner in Which Label Is	<del></del>	Lithograpi	<u> </u>	Other				
		Lithograph Paper glud Stendiled	èd					
			Section - I	V				
1. Contact Point (Complete i	items directly below fo	or identification of	f individual to b	e contected, if n	ecessary, to p	process this	application.)	
Name		Titl	-				No. (Include Area Code)	
Lisa J. Strong	,	Re	Regulatory Consultant			(209) 858-	2511 ,	
		Certification	1	-		,	6. Date Application	
I certify that the staten							Received	
i acknowledge that any both under applicable is		THE GRIDBERGE	ent may se pu	wanabie by 1996 (	v vmp <b>nsonm</b> e	• •	(Stamped)	
2. Signature		3. Т	ītie			****	* * * * * * * * * * * * * * * * * * *	
			0 + 5 + 4			•••••	•	
Thousand			Regulatory Consultant				A size	
4. Typed Name	0	5. 0	ate			}	• • •	
Lica I Strong	-		10/02				• • •	
Lisa J. Strong			110102					



# TURF FERTILIZER WITH 0.86% DIMENSION

NOTIFICATION SEP 17 2002

#### **CONTAINS DIMENSION®**

For Effective Crabgrass Control NON-STAINING

Can be applied Up to 4 Weeks Longer Than Other Crabgrass Preventers and Controls Crabgrass All Season Long

#### **ACTIVE INGREDIENT:**

EPA Reg. No. 7001-379

Product protected by U.S. Patent No. 4,692,184. Other patents pending.

EPA Est, No. 7001-MO-1

## KEEP OUT OF REACH OF CHILDREN CAUTION

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT Use only according to label instructions.

NOTICE: Before using this product, read the entire Precautionary Statements, Conditions of Sale and Warranty, Directions for Use, Use Restrictions and Storage and Disposal Instructions. If the Conditions of Sale and Warranty are not acceptable, return the product unopened within thirty days of purchase to the place of purchase.

W

9

#### **FIRST AID**

IF IN EYES-Immediately flush with plenty of water. Get medical attention if irritation persists.

IF INHALED-Remove individual to fresh air. Seek medical attention if breathing difficulty develops.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. The Contents of this bag (16.66 lbs.) will treat up to 5,000 sq. ft. of Turfgrass.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION! CAUSES EYE IRRITATION. HARMFUL IF INHALED. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

## REFER TO THE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

NET WEIGHT: 50 lbs. (22.68 Kg)



t & H



## TURF FERTILIZER WITH 0.86% DIMENSION

THE REPORT OF THE PARTY OF THE

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and highly toxic to other aquatic organisms including dysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect equatic organisms in adjacent equatic sites. Do not apply directly to water, or to areas where surface water is present, or to interidal areas below the mean high water mark. Do not apply when weather conditions tayor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Not for use in the State of New York.

#### **GENERAL INFORMATION**

This is a combination product that provides both weed control and the required nutrients for optimum turigrass growth all in a single product. It contains Dimension®, a selective herbicide that can be applied up to 4 weeks longer than other orabgrass preventers and provide up to 4 months control of crabgrass and other grass and broadleaf weeks prior to their establishment in lawns and ornamental turigrasses. Apply to lawns and 5rhamental turigrasses that are well established (See "Use on the following Turigrasses" section for a list of the bierant turigrasses). This product will not harm nearby established ornamentals when used according to labot.

#### **USE PRECAUTIONS**

This product should only be applied to lewns and ornamental turigrasses that are well established. Use of this product on lewns and ornamental turigrasses that are not well established, or have been weakened by stress due to mechanical operations, posts, excessive temperatures, or lack of motisture may increase the transce for furigrass; injury.

### HOW TO APPLY APPLICATION EQUIPMENT AND INSTRUCTIONS

This product can be applied with a drop or rotary type apreader designed to apply granular fertilizers. For best results, apply the product evenly and uniformly over the turtgrass area avoiding streaking, skips or overlaps. Avoid the use of spreaders that would apply this product in harrow rows or concentrated bands. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader setting of this product as recommended below.

"A more uniform application can be made by spreading one-half of the recommended amount of this product over the turigrass area and then applying the remaining one-half of this product at a right angle to the previous application direction. "See ½ rate in Spreader Settings. Check application equipment frequently to insure equipment is functioning property and applying a uniform distribution of product.

#### WEEDS CONTROLLED/SUPPRESSED

This product will provide control of crabgrass and other grass and broadleal weeds when applied prior to their establishment in established lawns and ornamental turfgrasses.

Grass	Weeds	Broadles! Weeds		
Annual Bluegrass Annual Ryegrass Barnyardgrass Crabgrass Crowfootgrass	Goosegrass Green Foxtail Kikunugrass (seedling) Perennial Ryegrass Smutgrass (seedling) Yellow Foxtail	Bittercress Buttercup Oxalis Carolina Geranium Chickweed Common Lespedeza Common Pursiane Com Speedwell Yelloy	Creeping Oxalis Henbit Paraley-piert Pineappieweed Postrate Spurge Spotted Spurge v Woodsorrel	

#### USE OF THE FOLLOWING TURFGRASSES

This product can be applied to the following turigrasses when applied as directed

Cool-Season Turigrasses	Warm Season Turigrasses
Creeping Bentgrass	Bahiagrass
Fine Fescues	Bermudagrass
Kentucky Bluegrass	Buffalograss
Perennial Ryegrass	Carpetgrass
Tall Fescues	Centipedegress
	St, Augustinegras
	Zoyslagrass

This product should be applied in the spring or fall prior to the establishment of weeds in established lawns and omamental turigrasses.

It can be applied up to 4 weeks longer than other crabgrass preventers and still provide season-long weed control. This is due to the Dimension® herbicide component of this combination product. It provides both <u>preventative</u> (preemergence) control of crabgrass and other weeds when applied prior to their germination, and <u>postemargence</u> control of crabgrass. The postemergence control provided by this product is limited to crabgrass only and will provide control of crabgrass when applied up to 4 weeks after crabgrass germination. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass.

For control of other grass and broadleaf weeds, this product must be applied as a preventative treatment before their germination. Only crabgrass can be controlled with delayed applications after germination.

<u>Tips for improved Weed Control:</u> For best results, apply this product within a few days after mowing and delay further mowings after the application until the lawn or ornamental turigrass has been watered or received significant rainfail to dissolve the fertilizer granules. Improved weed control may be observed when treated lawn or ornamental turigrass is watered or receives rainfail

2

0

#### RECOMMENDED USE RATE FOR THIS 1

Length of Weed Control

2-3 Months Control

Region of U.S. NORTH SOUTH

1 Bag to treat 5,000 sq. ft. 1 Bag to treat 3,500 sq. ft.

3-4- Months Control 1 Beg to treat 3,500 sq. ft. 1 Bag to treat 2,500 sq. ft.

3. BAG

#### WHEN TO APPLY APPPLICATION TIMING

This product may be applied either in the spring or in the fall for the control of weeds. When this product is applied in the fall, a sequential or second application should be made the following spring to provide season-long control of weeds. If this product is applied in the fall, DO NOT reseed, overseed or sprig turfgrasses within 16 weeks after application of this product due to potential turrfgrass injury to the newly reseeded, overseeded, or aprigged turigrasses.

#### LENGTH OF WEED CONTROL

This product will provide up to 4 months of weed control if applied according to label directions. The actual length of control will vary depending on use rate, weather conditions, condition of the turigrass, intersity of weed pressure, and the location or "Region" within the United States that this product is being applied. Please check the map below to determine which "Region" of the U.S. that applies to your particular use area. Not for use in the State of New York.



Researding, Overseeding, or Sprigging of turigrasses into areas that have been previously treated with this product should be delayed until 16 weeks after application. Reseading, overseeding, or sprigging within 16 weeks or earlier after application may inhibit the establishment of the newly reseeded, overseeded or sprioged turiorsases.

DONOT

apply more than 13.34 pounds of this product per 1,000 square feet of turigrass area during

DONOT apply to flowers, vegetables, or fruit trees.

DONOT

use dippings from treated turf for mulching around flowers, vegetables or fruit trees.

apply this product to pastures.

Keep people and pets off treated areas until dust has settled.



STORAGE: Store this product only in its original container in a dry, cool, secured storage area. Do not contaminate water, foodstuffs, feed or seed by storage or disposal

PRODUCT DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures.

EMPTY CONTAINER DISPOSAL: Do not reuse bag. Completely empty bag into application equipment. Dispose of emptied bag(s) in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning, if burned, stay out of smoke,

SPILL: In case of spill, sweep up material and dispose of material according to "product disposal" directions listed above.

\*Dimension® is a registered trademark of Rohm and Haas Company.

#### CONDITIONS OF SALE AND WARRANTY

J.R. SIMPLOT COMPANY warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use, J.R. SIMPLOT COMPANY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of J.R. SIMPLOT COMPANY and Seller. Plaks such as crop injury, ineffectiveness or other unintended consequences resulting from, but not limited to, weather or soil conditions, presence of other materials, disease, pest, drift to other crops or property or failure to follow label directions will be assumed by the Buyer or User, IN NO CASE WILL J.R. SIMPLOT COMPANY OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

> NET WEIGHT 50 lbs. (22.68 kg.) Distributed By:



J. R. SIMPLOT COMPANY 101 Ferry St., St. Louis, MO 63147 P.O. Box 198, Lathrop, CA 95330

