

7001-379

1/24/2003

Page 186



Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 7001-379	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Turf Fertilizer with .086% Dimension	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) J.R. Simplot Company P.O. Box 198 Lathrop, CA 95330 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION JAN 24 2003
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Adding, Revising or Deleting Advisory Statements per PR Notice 98-10.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 lb.		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)				
Name Lisa J. Strong		Title Regulatory Consultant		
		Telephone No. (include Area Code) (209) 858-2511		
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)	
2. Signature 		3. Title Regulatory Consultant		
4. Typed Name Lisa J. Strong		5. Date 12/9/02		

286



AgriBusiness

J.R. SIMPLOT COMPANY 16777 HOWLAND ROAD P.O. BOX 198
LATHROP, CALIFORNIA 95330-0198 (209) 858-2511 FAX (209) 858-2519

December 9, 2002

Document Processing Desk (NOTIF)
Office of Pesticide Program (7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Hwy.
Arlington, VA 22202

ATTN: Ms. Joanne Miller
Product Manager (23)
And
Mr. Eugene Wilson

RE: EPA Reg. No. 7001-379
Turf Fertilizer with .086% Dimension


This serves as notification that, under the Directions For Use, J.R. Simplot Company is removing the following statement "In the State of New York do not use in Nassau County or Suffolk County" and replacing it with "In New York State this product may only be used by Professional Turf Applicators at no more than 580 lbs. (0.5 lbs. active ingredient) per acre per year and is prohibited from use in Nassau and Suffolk Counties."


As directed in PR Notice 98-10 we followed the guidelines established in PR Notice 95-2 for adding, revising or deleting advisory statements.

After your review and acceptance we request a pin-punched copy of the proposed label be returned to us in order to satisfy state registrations. We have enclosed a self-addressed stamped envelope in order to facilitate this request.

Five copies of our label are enclosed for your review. One copy highlights the changes.

Sincerely,
J.R. SIMPLOT COMPANY


Lisa J. Strong
Regulatory Consultant





TURF FERTILIZER WITH 0.86% DIMENSION®

CONTAINS DIMENSION®

For Effective Crabgrass Control

NON-STAINING

*Can be applied Up to 4 Weeks Longer Than Other Crabgrass Preventers
and Controls Crabgrass All Season Long*

ACTIVE INGREDIENT:

Dithiopyr, 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-
(trifluoromethyl)-S,S-dimethyl ester

0.86%

INERT INGREDIENTS:

99.914%

Total

100.000%

Product protected by U.S. Patent No. 4,692,184. Other patents pending.

EPA Reg. No. 7001-379

EPA Est. No. 7001-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

JAN 24 2003

NOTIFICATION

6
2
6

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT

Use only according to label instructions.

NOTICE: Before using this product, read the entire Precautionary Statements, Conditions of Sale and Warranty, Directions for Use, Use Restrictions and Storage and Disposal Instructions. If the Conditions of Sale and Warranty are not acceptable, return the product unopened within thirty days of purchase to the place of purchase.

FIRST AID

IF IN EYES-Immediately flush with plenty of water. Get medical attention if irritation persists.

IF INHALED-Remove individual to fresh air. Seek medical attention if breathing difficulty develops.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. The Contents of this bag (16.66 lbs.) will treat up to 5,000 sq. ft. of Turfgrass.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION! CAUSES EYE IRRITATION. HARMFUL IF INHALED. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals

X-X-X

GUARANTEED ANALYSIS

**REFER TO THE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
AND DIRECTIONS FOR USE.**

NET WEIGHT: 50 lbs. (22.68 Kg)



486



TURF FERTILIZER WITH 0.86% DIMENSION®

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. In New York State, this product may only be used by Professional Turf Applicators at no more than 500 lbs. (0.86% active ingredient) per acre per year and is prohibited from use in Nassau and Suffolk Counties.

GENERAL INFORMATION

This is a combination product that provides both weed control and the required nutrients for optimum turfgrass growth all in a single product. It contains Dimension®, a selective herbicide that can be applied up to 4 weeks longer than other crabgrass preventers and provide up to 4 months control of crabgrass and other grass and broadleaf weeds prior to their establishment in lawns and ornamental turfgrasses. Apply to lawns and ornamental turfgrasses that are well established (See "Use on the following Turfgrasses" section for a list of the tolerant turfgrasses). This product will not harm nearby established ornamentals when used according to label.

USE PRECAUTIONS

This product should only be applied to lawns and ornamental turfgrasses that are well established. Use of this product on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury.

HOW TO APPLY

APPLICATION EQUIPMENT AND INSTRUCTIONS

This product can be applied with a drop or rotary type spreader designed to apply granular fertilizers. For best results, apply the product evenly and uniformly over the turfgrass area avoiding streaking, skips or overlaps. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader setting of this product as recommended below.

* A more uniform application can be made by spreading one-half of the recommended amount of this product over the turfgrass area and then applying the remaining one-half of this product at a right angle to the previous application direction. * See 1/2 rate in Spreader Settings. Check application equipment frequently to insure equipment is functioning properly and applying a uniform distribution of product.

WEEDS CONTROLLED/SUPPRESSED

This product will provide control of crabgrass and other grass and broadleaf weeds when applied prior to their establishment in established lawns and ornamental turfgrasses.

Grass Weeds

Annual Bluegrass
Annual Ryegrass
Barnyardgrass
Crabgrass
Crowfootgrass
Goosegrass
Green Foxtail
Kikuyugrass (seedling)
Perennial Ryegrass
Smutgrass (seedling)
Yellow Foxtail

Broadleaf Weeds

Bittercress
Buttercup Oxalis
Carolina Geranium
Chickweed
Common Lespedeza
Common Purslane
Corn Speedwell
Creeping Oxalis
Henbit
Parsley-piert
Pineappleweed
Prostrate Spurge
Spotted Spurge
Yellow Woodsorrel

USE OF THE FOLLOWING TURFGRASSES

This product can be applied to the following turfgrasses when applied as directed

Cool-Season Turfgrasses
Creeping Bentgrass
Fine Fescues
Kentucky Bluegrass
Perennial Ryegrass
Tall Fescues

Warm Season Turfgrasses
Bahia grass
Bermudagrass
Buffalograss
Carpetgrass
Centipedegrass
St. Augustinegrass
Zoysiagrass

This product should be applied in the spring or fall prior to the establishment of weeds in established lawns and ornamental turfgrasses.

It can be applied up to 4 weeks longer than other crabgrass preventers and still provide season-long weed control. This is due to the Dimension® herbicide component of this combination product. It provides both preventative (preemergence) control of crabgrass and other weeds when applied prior to their germination, and postemergence control of crabgrass. The postemergence control provided by this product is limited to crabgrass only and will provide control of crabgrass when applied up to 4 weeks after crabgrass germination. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass.

For control of other grass and broadleaf weeds, this product must be applied as a preventative treatment before their germination. Only crabgrass can be controlled with delayed applications after germination.

Tips for Improved Weed Control: For best results, apply this product within a few days after mowing and delay further mowings after the application until the lawn or ornamental turfgrass has been watered or received significant rainfall to dissolve the fertilizer granules. Improved weed control may be observed when treated lawn or ornamental turfgrass is watered or receives rainfall within a few days after application of this product.

5
2
6

RECOMMENDED USE RATE FOR THIS 16.66 LB. BAG

Region of U.S.	Length of Weed Control	
	2-3 Months Control	3-4- Months Control
NORTH	1 Bag to treat 5,000 sq. ft.	1 Bag to treat 3,500 sq. ft.
SOUTH	1 Bag to treat 3,500 sq. ft.	1 Bag to treat 2,500 sq. ft.

WHEN TO APPLY APPLICATION TIMING

This product may be applied either in the spring or in the fall for the control of weeds. When this product is applied in the fall, a sequential or second application should be made the following spring to provide season-long control of weeds. If this product is applied in the fall, DO NOT reseed, overseed or sprig turfgresses within 16 weeks after application of this product due to potential turfgrass injury to the newly reseeded, overseeded, or sprigged turfgresses.

LENGTH OF WEED CONTROL

This product will provide up to 4 months of weed control if applied according to label directions. The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States that this product is being applied. Please check the map below to determine which "Region" of the U.S. that applies to your particular use area. Not for use in the State of New York.



Reseeding, Overseeding, or Sprigging of turfgresses into areas that have been previously treated with this product should be delayed until 16 weeks after application. Reseeding, overseeding, or sprigging within 16 weeks or earlier after application may inhibit the establishment of the newly reseeded, overseeded or sprigged turfgresses.

- DO NOT apply more than 13.34 pounds of this product per 1,000 square feet of turfgrass area during the year.
 - DO NOT apply to flowers, vegetables, or fruit trees.
 - DO NOT use clippings from treated turf for mulching around flowers, vegetables or fruit trees.
 - DO NOT apply this product to pastures.
- Keep people and pets off treated areas until dust has settled.

STORAGE AND DISPOSAL

STORAGE: Store this product only in its original container in a dry, cool, secured storage area. Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

PRODUCT DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures.

EMPTY CONTAINER DISPOSAL: Do not reuse bag. Completely empty bag into application equipment. Dispose of empty bag(s) in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SPILL: In case of spill, sweep up material and dispose of material according to "product disposal" directions listed above.

**Dimension is a registered trademark of Rohm and Haas Company.*

CONDITIONS OF SALE AND WARRANTY

J.R. SIMPLOT COMPANY warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. J.R. SIMPLOT COMPANY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of J.R. SIMPLOT COMPANY and Seller. Risks such as crop injury, ineffectiveness or other unintended consequences resulting from, but not limited to, weather or soil conditions, presence of other materials, disease, pest, drift to other crops or property or failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL J.R. SIMPLOT COMPANY OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

(LABELS/ St Louis/Rev. A 11-02)

NET WEIGHT 50 lbs. (22.68 kg.)
Distributed By:

Simplot

J. R. SIMPLOT COMPANY
101 Ferry St., St. Louis, MO 63147
P.O. Box 198, Lathrop, CA 95330



6
2
6