7053.75

### DIRECTIONS FOR USE

Prepare a sanitizing solution by dissolving 1 oz. or 2 cz. of FREMONT 2307 SANITIZER per 10 gal. of water. This gives a solution containing 100 ppm or 200 ppm available chlorine respectively. Clean and rinse item or surface prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2 to 5 minutes and then wipe excess away. Rinse items and surfaces with potable water prior to use.

The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes of contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional FREMONT 2307 SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

### FREMONT 2307 Sanitizer

#### **ACTIVE INGREDIENT**

Sodium dichloro-s-triazinetrione dihydrate (provides 14% available chlorine)

25%

#### INERT INGREDIENTS

75%

## WARNING KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes or on the skin. Do not breath dust.

If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention.

Rinse empty container thoroughly with water and discard it. See left panel for use directions and see right panel for handling and storage directions.

Net Contents

EPA Reg. No.

7053-15

Manufactured by:
FREMONT INDUSTRIES, INC.
P.O. Box 67 Shakopee, Minn. 55379

FREMONT 2307 SANITI use on hard (non-porous) glasses or food processing including dairy and brew utensils.

# DIRECTIONS FO

Store in a cool, dry, we ture contamination may hazardous chlorine cont material: Do not mix wi tact with organic matter poses at 350–475°F with gases. In case of decomisolate container in ope area. Flood with large sary.

Do not reuse empty container thoroughly with a carding.

This product is toxic to should not be discharged lakes, streams, ponds of contaminate water by a disposal of wastes. App specified on this label.

## FREMONT 2307 Sanitizer

#### **ACTIVE INGREDIENT**

Sodium dichloro-s-triazinetrione dihydrate (provides 14% available chlorine)

25%

INERT INGREDIENTS

75%

#### WARNING KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes or on the skin. Do not breath dust.

If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention.

Rinse empty container thoroughly with water and discard it. See left panel for use directions and see right panel for handling and storage directions.

Net Contents

EPA Reg. No.

7053-15

Manufactured by:
FREMONT INDUSTRIES, INC.
P.O. Box 67 Shakopee, Minn. 55379

FREMONT 2307 SANITIZER is recommended for use on hard (non-porous) surfaces, on dishes, glasses or food processing equipment or utensils, including dairy and brewery equipment and utensils.

## DIRECTIONS FOR STORAGE AND HANDLING

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: Do not mix with other chemicals. Contact with organic matter may cause fire. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do not reuse empty container. Rinse empty container thoroughly with clean water before discarding.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment of disposal of wastes. Apply this product only as specified on this label.

6

68

# FREMONT 2307 Sanitizer

# SE

dissolving 1 oz.

UTIZER per 10

ion containing

nlorine respective—

ace prior to sani—

es, equipment or

it over the surface

minutes and then

nd surfaces with

n the feed tank ines providing or sanitizing equipment and orior to sanitizing. with potable en ready for use.

llowed to stand wel of chlorine and FREMONT d, to maintain ppm available

### **ACTIVE INGREDIENT**

Sodium dichloro-s-triazinetrione dihydrate (provides 14% available chlorine)

25%

### **INERT INGREDIENTS**

75%

# WARNING KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes or on the skin. Do not breath dust.

If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention.

Rinse empty container thoroughly with water and discard it. See left panel for use directions and see right panel for handling and storage directions.

**Net Contents** 

EPA Reg. No.

7053-15

Manufactured by:

FREMONT INDUSTRIES, INC.

P.O. Box 67 Shakopee, Minn. 55379

### CAUTION

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

### FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quanity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

STORAGE AND HANDLING: Keep from freezing, store at normal room temperature. Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place. This product is toxic to fish. Treated effluent should not be discarded where it will drain into lakes, streams, ponds or treated water. Apply product only as specified on this label.

# FREMONT 9930 MICROBIOCIDE

Water Treatment Microbiocide for Building or Industrial Cooling Towers and Swimming Pools

#### Active Ingredient

10.0%

Poly (oxyethylene(dimethyliminio) ethylene(dimethyliminio)-ethylene 

Inert Ingredient

90.00% 100.00%

EPA Establishment No. 7053-MN-1 EPA Registration No. 7053-20

**NET WEIGHT** 

**NET VOLUME** 

FREMONT INDUSTRIES, INC. Box 67, Shakopee, Minnesota 55379

### CAUTION

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR ADDITIONAL PRECAU -TIONARY STATEMENTS.

#### **USE DIRECTIONS**

Fremont 9930 Microbiocide is used to control the growth of algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers as well as algae growth in swimming pools. Prior to its use, systems should be cleaned to remove algae growth, microbiological slime, and other deposits. Uniform distribution of Fremont 9930 Microbiocide throughout the treated water is necessary for maximum effectiveness and therefore it is desirable to dilute the appropriate amount of Fremont 9930 in 1 to 2 gallons of water before addition to the system.

For cooling tower application an initial slug addition of 6.13 to 15.32 fluid ounces of Fremont 9930 Microbiocide per 1000 gallons of water to provide a concentration of 48 to 120 parts per million of Fremont 9930 Microbiocide based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.53 to 15.32 fluid ounces of Fremont 9930 Microbiocide per 1000 gallons of water (12 to 120 parts per million of Fremont 9930 Microbiocide) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

For swimming pools having just visible algae growth, add an initial dose of 75 to 115 fluid ounces of Fremont 9930 Microbiocide per 10,000 gal. of water and remove settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool, add initially 41 to 75 fluid ounces of Fremont 9930 Microbiocide per 10,000 gallons of water. To maintain pools free of visible algae growth, subsequent additions of 13.5 to 27 fluid ounces of Fremont 9930 Microbiocide per 10,000 gallons of water should be made every 5 to 7 days after the initial treatment. Fremont 9930 Microbiocide is compatible with those chemicals normally used to treat pools and is effective at both acid and alkaline pH. Fremont 2º30 Microbiocide can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix Fremont 9930 Microbiocide with concentrated dry or liquid chlorine products. ACCEPTED

APR 16 1975

UNLER JAPORT EL AL INCECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER LD UNDER NO.