

DIRECTIONS FOR USE

Prepare a sanitizing solution by dissolving 1 oz. or 2 oz. of FREMONT 2307 SANITIZER per 10 gal. of water. This gives a solution containing 100 ppm or 200 ppm available chlorine respectively. Clean and rinse item or surface prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2 to 5 minutes and then wipe excess away. Rinse items and surfaces with potable water prior to use.

The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes of contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional FREMONT 2307 SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

FREMONT 2307 Sanitizer

ACTIVE INGREDIENT

Sodium dichloro-s-triazinetrione dihydrate (provides 14% available chlorine)

25%

INERT INGREDIENTS

75%

WARNING KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes or on the skin. Do not breath dust.

If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention.

Rinse empty container thoroughly with water and discard it. See left panel for use directions and see right panel for handling and storage directions.

Net Contents

EPA Reg. No.

7053-15

Manufactured by:
FREMONT INDUSTRIES, INC.
P.O. Box 67 Shakopee, Minn. 55379

FREMONT 2307 SANITIZER is nuse on hard (non-porous) surface glasses or food processing equipment including dairy and brewery equutensils.

DIRECTIONS FOR STAND HANDLING

Store in a cool, dry, well ventil ture contamination may liberate hazardous chlorine containing g material: Do not mix with other tact with organic matter may ca poses at 350-475°F with liberatinguses. In case of decomposition isolate container in open air or area. Flood with large volume a sary.

Do not reuse empty container. It tainer thoroughly with clean was carding.

This product is toxic to fish. Treshould not be discharged where lakes, streams, ponds or public contaminate water by cleaning disposal of wastes. Apply this period on this label.