


7056-5

1/26/90

1/26/90


Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS



CAUTION

Do not allow children or pets onto treated area until the spray has dried. Do not spray air in rooms or use on plants. Apply as a surface spray only. Do not spray in the immediate area when others are present. After application open windows and or doors to provide adequate fresh air ventilation to the room. Remove clothing after spraying and launder before reuse. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying. This product may cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions results consult a physician.



CHEM SPRAY

ROACH and ANT SPRAY
RECOMMENDED FOR COMMERCIAL & INDUSTRIAL USE

For control of the insects listed in directions in such locations as storage areas, homes, institutions, industrial plants, and the food and non-food areas of food/food handling establishments and restaurants.

GUARANTEED TO KILL

Roaches	Ants	Silverfish	Water Bugs	Flies	Wasps
Carpet Beetles	Beetles	Fleas**	Flea Larva	Flea Eggs	and
		Mosquitos			
When Used as Directed					

ACTIVE INGREDIENTS:

Diazinon [O, O-Diethyl O-(2-isopropyl-6-methyl-4-pyridinyl) phosphorothioate].....	0.500 X
Pyrethrins	0.050 X
Piperonyl butoxide, technical*	0.100 X
N-Octyl bicycloheptenyl dicarboximide.....	0.167 X

INERT INGREDIENTS:..... 99.183 X

* Consists of 0.08 X (Butylcarbityl) (6-propylpiperonyl) ether and 0.2 X related compounds.

Contains Xylene Range Aromatic Solvent

** Controls adult fleas on areas treated.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional
Precautionary Statements

Net Weight 14 oz.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- If on Skin: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.
- If in Eyes: Flush with plenty of water for 15 minutes. Call a physician.
- If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

Note to Physician - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-Pam is also antidotal and may be administered in conjunction with atropine.

PHYSICAL and CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Manufactured
by

CSA LIMITED INC.
P.O. BOX 690347
Houston, TX 77269-0347

BEST AVAILABLE COPY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove cap, hold can upright, point valve opening away from person. Hold can about 12 inches from surface being sprayed. Press button to release spray. Spray surfaces until wet.

To kill fleas and brown dog ticks; apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters, and nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product. Avoid excessive wetting of floor coverings, rugs, or unfinished materials, as damage may result. Do not apply directly to upholstery. Do not use as an overall surface spray.

ROACHES, SILVERFISH, WATER BUGS, SPIDERS, and CRICKETS: Direct spray into cracks, on baseboards, window and door trim, under cabinets, stoves, sinks, and around pipes. Spray surfaces until wet. Spray directly on crawling insects whenever possible. Repeat as necessary.

ANTS: Use above directions and also observe runways; spray these thoroughly. Locate ant hills outdoors and spray openings thoroughly. Repeat as necessary.

CARPET BEETLES: Make localized application to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, cracks or closets and infested areas of shelving. Repeat as necessary.

MOSQUITOES, FLIES, WASPS AND OTHER FLYING INSECTS: Spray on surfaces of screens, door and window frames, porches, light fixtures, garages and other places where these insects alight, congregate, or wherever insects may enter room.


FEED AND FOOD HANDLING ESTABLISHMENTS CRACK AND CREVICE AND SPOT TREATMENTS--Places other than private residences, in which food is held, processed, prepared, and/or served.

For control of Cockroaches (Waterbugs), Crickets, Ants, Spiders, Silverfish.

FOOD AREAS--Includes receiving, serving, storage (Dry, Cold, Frozen, Raw), packaging (cleaning, slicing cooking, grinding), edible waste storage, enclosed processing systems (mills, dairies, edible oils, syrups).

FEED AND FOOD HANDLING ESTABLISHMENTS--Apply as either a spot or crack and crevice treatment as directed below.

1925



SPOT TREATMENT-FOOD AREAS--Apply spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments in food areas to an area no larger than 20 percent of the floor. Any individual spot treatment shall not exceed 2 square feet. Do not apply to floors, surfaces, or utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air.

CRACK AND CREVICE TREATMENT--Apply spray in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide. Includes expansion joints, spaces between equipment and floors, and openings leading to voids and hollow spaces in walls, equipment legs and bases. Do not use this product in conduits, motor housing, and electrical switch boxes.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE AND SPOT TREATMENT ARE NOT PERMITTED.

STORAGE AND DISPOSAL

STORAGE: Do not store near heat or open flame.

DISPOSAL: Replace cap and discard containers in trash. Do not incinerate or puncture.