### ACCEPTED DEC 23 1971

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO. 7656-22 SUBJECT TO ATTACHED COMMENTS.

#### DIRECTIONS FOR USE

Use in Homes, Restaurants, Hospitals, Kitchens, Motels, Bakeries, Industrial Plants, Warehouses, and other areas where foods are prenared and processed. Follow instructions for specific pests as listed below, repeating treatments as necessary. Do not use as a space spray in food processing plants when plant is in operation. Cover or remove foods during treatment. Food processing surfaces should be covered or washed before plant operations resume. Do not remain in treated areas and ventilate the area after treatment is completed

FLIES, MOSQUITOES, GNATS, WASPS, and other small flying insects: Spray upwards with a sweeping motion for 4-6 seconds for each 1000 cu. ft. Keep room closed for 15 minutes after treatment. An average sized room would require 15-20 seconds of spraving.

ROACHES, WATERBUTS, SILVERFISH, ANTS, SPIDERS, CENTI-PEDES, MILLIPEDES, SOW BUGS: Spray liberally into breeding and hiding places such as cracks around baseboards, cabinets, walls, and woodwork. Thoroughly treat trails, runs, and other places where pests walk, crawl, or are seen. Spray directly on insects when possible. Repeat as necessary. Do not use in edible products area of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

CARPET BEETLES, MOTH LARVAE: Clean and air contaminated materials before treating. Spray directly on pests, repeating treatment as needed. Articles not stored in moth tight containers should be retreated at 30 day intervals.

BEDBUGS: Spray cracks and surfaces in baseboards, floors, moulding, and other contaminated areas. Take bed apart and treat mattress, springs and frame. Do not spray general surface of mattress.

FLEAS, TICKS: Spray freely floors, floor coverings, cracks, bedding, sleeping quarters, and other areas frequented by pets. Repeat as necessary. Do not spray pets.


CAUTION: HARMFUL IF SWALLOWED, INHALED OR AB SORBED THROUGH THE SKIN. Avoid breathing of spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate utensils, feed, water or foodstuffs. Keep out of the reach of children. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

DO NOT SPRAY DIRECTLY ON THE SKIN OR ON ANIMALS. Remove birds and pets and cover fish bowls and aquaria before spraying room. Contents are under pressure. High temperatures may burst the container. Do not expose to radiators, stoves, or other places where temperature will exceed 120°F. Never puncture container or throw into fire or incinerator.

ACTIVE	INGREDIENTS,
--------	--------------

ACTIVE INGREDIENTS,	
2.2 dichtorovery, dimethy, phosphate	0.46
related compounds	0.04
Pyrethrins	0.20
Techo cal Piperonyi Butovide*	() 4() -
Nortyl Bicycloheptene Dicarbox in de	0.66
Petroleum distillate	1 ; .'4
INERT INGREDIENTS	85.00
	100.00

\*Consists of 9.32 (butylearbity), (6 propylpiperiory) ethic and 0.08 cretated compounds. EPA Reg. No. 7056-22



## **CHEM SPRAY**

# FORMULA NO. 2

#### **KILLS RESISTANT FLIES AND ROACHES**

Effective against Flies, Roaches, Ants, Moths and Certain Other Insects

CAUTION: KEEP OUT OF REACH OF CHILDREN

See back panel for additional cautions.

Net Weight: 14 oz. AVDP

CHEM SPRAY AEROSOLS, INC. Houston, Texas 77040