DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

SHAKE WELL BEFORE USING - AVOID FREEZING KEEP UPRIGHT WHILE SPRAYING

FOR KILLING FLIES, MOSQUITOES, GNATS, WASPS: IN-DOORS: Close sil doors and windows and direct apray upward into center of room with a slow, sweeping motion. Fill room with a mist, keeping about 3 feet away from interior walls, tabrics, furniture, and plants. Keep room closed 15 minutes. Do not remain in treated areas. Ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary, OUTDOORS; When wind is not present, use spray with slow sweeping motion while standing in center of area. If breeze is present, spray with wind from edge of intested area and let spray drift over desired area. Keep epray about 3 feet from all shrubbery. Do not wat follage. Frequent reapplication may be necessary to kill additional insects which may drift into the treated area. For wasps, apply in late evening when insects are at rest. Spray hiding and breading places contacting as many insects

FOR KILLING ROACHES, WATERBUGS, SILVERFISH, CRICKETS, SPIDERS, CENTIPEDES: Spray baseboards, cracks, crevices, moist areas and openings around alinks and pipes and other hiding places, hitting insects directly. Repeat as necessary for control.

FOR KILLING ANTS: Spray traits, hills, around windows and openings around pipes and baseboards where anta- crawl, hitting as many as possible.

FOR KILLING BEOBUGS: Spray baseboards, mouldings and floor boards. Spray maltresses, particularly around seams and tulis. Take beds spart and spray into all joints, Repeat spraying at frequent intervals.

FOR KILLING FLEAS: Spray floors, floor coverings and sleeping quarters for pet. Repeat apraying as often as necseasty. Do not apray pets.

CAUTIONS

Keep epray in constant motion at least 36 inches away.from walls, labrics, furniture, floor, plastics, etc. Spraying closer may cause stains or may damage certain floors or plastics. Foods should be removed or covered during trestment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. When using the product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover tish equariums before spraying. Apply this product only as specified on this label.

STATEMENT OF PRACTICAL TREATMENT

IL Swallowed: Do not induce vomiting. Get medical at-

tention immediately.

If Inhaled: Remove to fresh air. If On Skin: Wash thoroughly with soap and water,

If in Eyes: Flush with plenty of water for 15 minutes. See physician if irritation per-

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container, Exposure to temperatures above 130° F may cause bursting.

STORAGE AND DISPOSAL

STORAGE: De net use or more near heat or open films. DISPOSAL: Wrop container and displays of in track. Do not incinerate 1/26/10

FM 17

CHEM SPRAY

Flying Insect Killer

FOR INDOOR AND OUTDOOR US **ACTIVE INGREDIENTS: Pyrethrins** Technical Piperonyl Butoxide (Equivalent to 0.576% (butylogramy) * (6-propylpiperonyl) ether and 1000:1149 of related compounds) N-octyl bicycloheptene dicarboximide 0.40%

INERT INGREDIENTS

98.68≰

Keep Out of Reach of Children CAUTION See back panel for additional cautions

FOR USE IN: Hospitals, Industry, Schools, Caleterlas, Klichens, Wash-rooms, Locker and Utility Rooms, Restaurants, Bakeries, Dairles, Canneries, Food Processing Plants, Stores, Bottling Plants, Food Markets, Taverns, Hotels, Motels, Nursing Homes, Porter's Closets.

Net Weight 12 oz.

MIg. by; CSA Lid., Inc. Houston, Texas 77269

E. P. A. Reg. No. 7056-32

E. P. A. Est. No. 7056-TX-1

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

rev 1/90