known to be inside. Press center of valve top all the way down and spray area until saturated with insecticide. User should always use the product with the wind at the user's

back

BEST AVAILABLE COPY

If insects reinfest their nest at a later date retrest as described above.

Use only out of doors.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTICS / NIMALS

CAUTION

Avoid breathing spray mist. Contact with skin, eyes, or Coming should be avoided. In case of contact, wash to mediately with soap and water. Wash thoroughly after a lieb Avoid contamination of feed and foodstuffs. Atrops with the same antidotal.

STATEMENT OF PRACTICAL TREATMENT
If Swallewed: Do not induce vomiting. Get medical attention immediately.
If Inhaled: Remove to fresh air.

On Skin: Wash thoroughly with soap and water.
If In Eyes: Flush with plenty of water for 15 minutes. See physician if critation per sists.

PHYSICAL & CHEMICAL HAZALLI,

Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

DISPOSAL

Do not rouse empty container. Wrap container and put in trash collection.

EPA Reg. No. 7056 53 AA EPA Est. 7058 TX-1 CHEM SPRAY

PM 12

Baygon Wasp Spray

7056-53

KILLS: Wasps, Hornets,
Yellow Jackets
Jet Stream Sprays Nests Up
to 8 Feet Away

Will Kill Listed Insects Upon Immediate Return To Nest Up To 24 Hours.

ACTIVE INGREDIENTS:	
) epropoxyphenyl methylcarbamate	. 0.50%
y terms	0.10%
The Car Piperonyl Butoxide	0 20%
(Consists of 0.160% (butylearbityl)	
(%propylpiperonyl) ether & 0.040%	
related compounds)	
N.C. ryl Ercycloheptene dicarboximide	0 33 %
NZI INGREDIENTS:	98 87%
TOTAL	100.00%

Keep Out Of Reach Of Children CAUTION

See Back Panel For Additional Cautions

NET VIT. 14 (AVDP Mig by CSA Ltd., Inc Houston, Texas //090