

CHEM SPRAY

BLACK WIDOW SPIDER SPRAY

**KILLS: Spiders, Yellow Jackets, Bees,
Hornets and Wasps**

Completely saturates a nest from a
distance of 7 to 8 feet in less than two seconds.

CAUTION: KEEP OUT OF REACH OF CHILDREN.
See back panel for additional cautions.

Mfg. by:
CHEM SPRAY AEROSOLS, INC.
16210 Farm Road 149
Houston, Texas 77040

DIRECTIONS

**FOR USE IN PUMP HOUSES, JUNCTION BOXES, OUTSIDE OF
HOMES AND BUILDINGS**
**FOR BEST RESULTS, READ THESE DIRECTIONS CAREFULLY
BEFORE USE**

FOR SPOT APPLICATION ONLY

Remove protective cap. Point spout type nozzle towards nest, crevice or hole, where infestation or insects are known to be inside. Press center of valve top all the way down and spray area until saturated with this insecticide. Also spray around this area until completely wet with Spider Spray. This treated surface will have a residual killing action and prevent reinfestation for 2 to 4 weeks. In the event the insecticide film becomes ineffective due to rain or other causes, repeat treatment. In outdoor use, user should always spray Spider Spray with the wind at the user's back.

**DUE TO THE POWERFUL SPRAYING ACTION OF SPIDER SPRAY IT IS NOT
RECOMMENDED FOR INDOOR USE IN HOMES, BUT MAY BE USED IN
FACTORIES AND WAREHOUSES.**

CAUTION: Harmful if swallowed. Avoid inhalation of spray. Avoid contact with skin. Wash hands well with soap and water after using. If contact with skin occurs, wash thoroughly with soap and water. Avoid spraying in or around food or cooking utensils.

Do not spray pets or plants. Do not spray on asphalt tile.

WARNING: Flammable! Contents under pressure. Do not use near fire, sparks or flames. Do not puncture or incinerate. Exposure to temperatures above 130 F. may cause bursting.

ACTIVE INGREDIENTS

Pyrethrins	.15%
Technical Piperonyl Butoxide*	.30%
N-Octyl Bicycloheptene Dicarboximide	.50%
Technical Chlordane**	2.00%
Petroleum Distillate	67.05%
INERT INGREDIENTS	30.00%

* Equivalent to .24% (butylcarbityl) (6-propylpiperonyl) ether and .06% of related compounds.

** Equivalent to 1.20% octachloro-47-methanotetrahydroindane and 0.80% related compounds.

Net Weight of Contents 14 oz

EPA Reg. No. 7056-58-AA

