PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN & DOMESTIC ANIMALS CAUTION

Avoid contact with eyes, skin or clothing. Harmful if swallowed. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets, birds and cover fish aquariums before spraying. Do not use on edible crops.

in case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use near heat or open flame. Exposure to temperatures above 130 °F may cause burst-ing.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not store near heat or open flame. Do not reuse empty container. Wrap container and put in trash collection. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Aim spray opening from person. Push button to spray.

INDOORS — TO KILL HOUSEFLIES, MOSQUITOES AND GNATS: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS — TO KILL CRAIMLING INSECTS: Roaches, earwigs, grain mites, sowbugs, silverfish, spider and centipedes: Spray thoroughly and frequently into hiding places such as cracks, crevices, most areas, opening around pipes and sinks, under refrigerators, baseboards, door frames, bookcases, and storage areas, SPRAY DIRECTLY ON INSECTS where possible. Repeat as necessary.

TO KILL ANTS: Spray trails, nest and points of entry. Spray on ants where possible. Repeat as necessary.

TO KILL FLEAS OR DOGS AND CATS: Apply directly to animals along back, under forelegs and on other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Applying until hair is thoroughly moist. Do not directly spray in eyes, or mouth of animal. To reduce reinfestation, thoroughly spray the animals bedding and other resting areas. Treat these areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. Repeat as necessary.

OUTDOORS — TO KILL FLYING MSECTS: Spray areas infested with mosquitoes, gnats (midges) housefiles, horse files, deer files, and flying moths (milders). Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS — TO PROTECT ORNAMENTAL PLANTS: Kills aphids, exposed thrips, leafhoppers, plant bugs, Japanese beetles on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, toyan, viburnum, euonymus, oaks, maples, locust, forsythia and althea. Kills mimosa webworm larvae on mimosa (spray directly on insects).

Kills aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetle on peonies, iris, zinnia, snapdragon, ageratum, chrysanthemums, nasturtiums, daisies, geraniums, marigolds, daphne, fatshedra, ivy, tobira, queen sago, broad-leaf acacia.

Kills aphids, thrips, leafhoppers, plant bugs, Japanese beetles on Ornamental Quince, Juniper Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camelion Azalea, Pyracantha and Coenothus. USE WITH EXTREME CAUTION — certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage.

Spray directly on insects. Hold container 18 inches from the infested plants. Spray in short bursts of one to three seconds, or spray at the rate of one linear foot of growth per second. Direct spray to all side covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

INDOOR — TO PROTECT PLANTS: Kills aphids, exposed thrips, adults whiteflies on African violets, philodendron, geraniums, begonias, coleus, Spray as directed above. Repeat as necessary to obtain control. OUTDOORS — TO CONTROL NUISANCE PESTS: Ants: Spray trails, nest and points of entry. Spray on ants where possible. Repeat as necessary. PLEAS: Same as directed for indoor use.

SPIDERS: Direct short burst of spray on spider and repeat as neces-

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

INDOORS — FOR PROTECTION OF WOOLENS: Apply only to garments, blankets, carpets, and other woolen fabrics before placing in storage to kill larvae of webbing clothing moths and black carpet beetles.

Dry clean or wash garments and blankets before treating. Clean carpets, draperies, and other fabrics by thoroughly brushing before treat-

Hold the container 14 inches to 18 inches from the fabric and apply the spray while moving eventy in a forward and back motion across the fabric while covering one foot per second. Spray the entire fabric surface until it is Slightly Moist Or Damp To The Touch. When possible treat both sides of the fabric. Do not soak or wet fabric. For maximum protection place treated fabrics after drying in plastic or paper bags. Also treat cracks and crevices of closets, chest and trunks where these fabrics are being stored. Treat the cracks and crevices at the rate of bwo seconds per linear foot.

When Applied As Directed on fabric and in storage areas this treatment will offer protection for 6 months. To insure protection inspect the fabric in the storage area once every three months. Repeat application only when necessary. Avoid heavy applications. When possible make application outdoors. If application is made indoors do not remain in treated areas. Ventilate the area after treatment is complete.

MALL CAPO

Under the Federal Pungicide, and Rodentishie Act, as amended, for the people registered under 10576-88

EPA Reg. No. 70576-88

CSA House and Garden Spray

ACTIVE INGREDIENTS:

Resmethrin *†

[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.250%
Related compounds 0.034%
INERT INGREDIENTS: 99.716%

100.000%

*Cis/trans isomers ratio: max. 30% (\pm) cis and min. 70% (\pm) trans.

+ U.S. Patent No. 3,465,007.

SHAKE WELL BEFORE USING

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panels for Additional Precautionary Statements

MANUFACTURED BY:

CSA Ltd., Inc. Houston, Texas

EPA Reg. No. 7056-88 EPA Est. No. 7056-TX-1

NET CONTENTS:

1 Pound