

CSA INDOOR/OUTDOOR INSECT SPRAY

For Household
And Industrial Use

A SYNTHETIC PYRETHROID TO KILL
Houseflies, mosquitoes, gnats,
wasps, roaches, earwigs, two-spotted
mites, sowbugs, spiders, centipedes,
ants, horse flies, deer flies, aphids
(plant lice), leafhoppers, exposed
thrips, adult whiteflies, plant bugs,
Japanese beetles, spittlebugs.

ACTIVE INGREDIENTS:

resmethrin	
*[5-(phenylmethyl)-3-furyl] methyl	
2,2-dimethyl-3-(2-methyl-1-propenyl)	0.200
cyclopropanecarboxylate	0.028%
Related compounds	
1-trans-Allethrinically homolog of	0.150%
Cimerin II	0.012%
Related compounds	99.610%
INERT INGREDIENTS	100.000%

*Cis-trans isomers ratio max 30% cis and min 70% trans
U.S. Patent No. 3,465,007

SHAKE WELL BEFORE USING

CAUTION
KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY:
CSA LTD., INC.
Houston, Texas 77088

EPA Reg No 7056-85
EPA Est No 7056-TX-1

NET CONTENTS:
1 POUND

OUTDOORS — TO REDUCE ANNOYANCE FROM FLYING INSECTS: Kill mosquitoes, gnats (midges), houseflies, horse flies, deer flies, and flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS — TO PROTECT ORNAMENTAL PLANTS: Kill aphids, exposed thrips, leafhoppers, two-spotted mites, plant bugs, Japanese beetles on smaller plants, dendrons, pines, spruce, hemlock, spruce, dogwood, palm, mimosa, cayan, birch, quince, oaks, apples, acacia, Forsythia and other. Kills mimosa webworm larvae on mimosa. Spray directly on insects.

Kills aphids, exposed thrips, adult whiteflies, leafhoppers, two-spotted mites, spittlebugs and Japanese beetles on peonies, iris, annua, snapdragons, geranium, chrysanthemums, astertiums, cactuses, perennials, marigolds, caphne, lantana, ivy, hibiscus, Queen's crape, and leaf acacia.

Hold container 18 inches from the treated plants. Spray in short bursts of one to three seconds. Spray at the rate of one linear foot of growth per second. Direct spray to all sides, covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

USE WITH CAUTION on areas, junipers, roses, climbing hybrid tea roses, flowering quince, ash and clematis. These plants may be subject to leaf or flower burn under certain conditions of use. For adult whiteflies and two-spotted mites be sure to direct spray to contact these pests. Thoroughly cover the infested area. Use several repeat applications at two day intervals if necessary.

PROTECT HOUSE PLANTS: Kill aphids, exposed thrips, adult whiteflies, two-spotted mites on African violets, philodendrons, geraniums, begonias, etc. Spray as directed above. Leave the sprayed area when gone indoors and ventilate area after treatment is completed.

TO KILL NUISANCE PESTS — ON OR ENTERING BUILDINGS:

WASPS: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

EARWIGS: Spray directly on earwigs in crevices and other hiding places. Repeat as necessary. Do not use on plants.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN & DOMESTIC ANIMALS

CAUTION

Avoid contact with eyes, skin or clothing. Harmful if swallowed. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets, birds and cover of aquariums before spraying. Do not use on edible crops.

In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use near heat or open flame. Exposure to temperatures above 130 F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not store near heat or open flame. Do not reuse empty container. Wrap container and label in plastic. Do not burn. Never throw into fire or water.

DIRECTIONS FOR USE

Shake well before use. Remove cap and spray. Aim spray opening away from person. Do not inhale spray.

HOUSEHOLD PEST: TO KILL HOUSEFLIES, MOSQUITOES, AND GNATS: Use a 10-foot nozzle. Print nozzle upward. Do not spray directly into the room, especially windows and other light areas which attract these insects. Be sure to spray areas where these insects are present. Keep treated areas for at least 15 minutes. Ventilate the room when treatment is completed.

TO KILL CRAWLING INSECTS: Spray directly on insects. Spray into hiding places such as cracks, crevices, moist areas, openings and spaces under refrigerators, baseboards, and other furniture. Spray directly on insects where possible.

TO KILL ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

ANIMAL PEST: TO KILL FLEAS — DOGS, CATS: Apply directly to animal's head, back, neck, and other areas except stomach and genital area. Do not allow animal to contact skin and inside of mouth. Hold nozzle about one foot away when spraying. Apply to animal's thoroughness. Do not directly spray ears or mouth of animal. To reduce flea infestation, thoroughly spray the animal's bedding and other resting areas. Treat these areas at the rate of one second per square foot. Do not spray directly on animal's face. Do not use on birds, fish, or other aquatic animals. Repeat as necessary.