

ACCOUNTING
 7056-94

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMAN & DOMESTIC ANIMALS
 CAUTION**

Avoid contact with eyes, skin or clothing. Harmful if swallowed. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets, birds and cover fish aquariums before spraying. Do not use on edible crops.

In the case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not store near heat or open flame. Do not reuse empty container. Wrap container and put in trash collection. Never throw container into fire or incinerator.

DIRECTION FOR USE

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

HOUSEHOLD PESTS — TO KILL HOUSEFLIES, MOSQUITOES AND GNATS: Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

TO KILL CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, silverfish, spiders and centipedes. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible.

TO KILL ANTS: Spray trails, nest and points of entry. Spray on ants where possible. Repeat as necessary.

TO KILL GRAIN BEETLES — (CONFUSED FLOUR BEETLE), (SAWTOOTH GRAIN BEETLE), (LESSER GRAIN BORER) — Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain beetles may be hiding. Repeat as necessary.

ANIMAL PEST — TO KILL FLEAS ON DOGS, CATS: Apply directly to animals along back, under forelegs and on other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes, ears or mouth of animal. Repeat within 24 hours of first treatment if necessary. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas. Treat these areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. Repeat as necessary.

OUTDOORS — TO REDUCE ANNOYANCE FROM FLYING INSECTS: Kill mosquitoes, gnats (midges), houseflies, horse flies, deer flies and flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS — TO PROTECT ORNAMENTAL PLANTS: Kills aphids, exposed thrips, leafhoppers, two-spotted mites, plant bugs, Japanese beetles on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, toyon, iburium, eunymus, oaks, maples, locust, forsythia and althea. Kills mimosa webworm larvae on mimosa. Spray directly on insects.

Kills aphids, exposed thrips, adult whiteflies, leafhoppers, two-spotted mites, plant bugs, spittlebugs and Japanese beetles on peonies, iris, zinnia, snapdragons, ageratum, chrysanthemums, nasturtiums, daisies, geraniums, mangolds, daphne, fatshedra, ivy, tobira, queen sago, broadleaf acacia.

Hold container 18 inches from the infested plants. Spray in short bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides, covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

USE WITH CAUTION on azaleas, junipers, roses, including hybrid tea roses, flowering quince, ash and camellias. These plants may be subject to leaf or flower burn under certain conditions of use. For adult whiteflies and two-spotted mites be sure to direct spray to contact these pests. Thoroughly cover the infested area. Use several repeat applications at two day intervals if necessary.

PROTECT HOUSE PLANTS: Kills aphids, exposed thrips, adult whiteflies, two-spotted mites on African violets, philodendrons, geraniums, begonias, coleus. Spray as directed above. Leave the sprayed area when done indoors and ventilate area after treatment is completed.

TO KILL NUISANCE PESTS — ON OR ENTERING BUILDINGS:

WASPS: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

EARWIGS: Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances.

CSA Indoor/Outdoor Insect Killer

A SYNTHETIC PYRETHROID TO KILL: Houseflies, mosquitoes, gnats, wasps, roaches, earwigs, fly, spotted mites, sowbugs, spiders, centipedes, ants, horse flies, deer flies, aphids (plant lice), leafhoppers, exposed thrips, adult whiteflies, plant bugs, Japanese beetles, spittlebugs.

FOR USE IN HOUSEHOLDS AND INDUSTRIAL AREAS.

ACTIVE INGREDIENTS:

Resmethrin* +	
[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate	0.200%
Related compounds	0.028%
d-trans Allethrin (atyl homolog of Cinerin I)	0.150%
Related compounds	0.012%
Aromatic petroleum hydrocarbons	0.272%
Petroleum Distillate	6.500%
INERT INGREDIENTS:	92.838%
	100.000%

*Cis:trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans

+ U.S. Patent No. 3,465,007

SHAKE WELL BEFORE USING

CAUTION

KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY: CSA Ltd., Inc. Houston, Texas

EPA Reg. No. 7056-94 EPA Est. No. 7056-TX-1

NET CONTENTS: 1 Pound