

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

WARNING: May cause eye injury. Do not get in eyes. Harmful if swallowed or inhaled. Avoid breathing mist. Wash hands with soap and water after using. Avoid contamination of food. Cover or remove aquariums from areas to be treated. Avoid direct treatment of nursing animals and puppies.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PETS: Remove cap and insert trigger sprayer. Cover animal's eyes with hand and with a firm fast stroke, get a proper spray mist spray head, ears and chest with damp. With fingertips rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters. Wash legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haired dogs, rub your hand against the lay of the hair, spraying the tufted hair directly behind the hand. Make sure spray thoroughly wets ticks. Repeat treatment as needed.

PET SLEEPING QUARTERS: Spray around baseboards, windows, door frames, wall cracks and other areas of floors. If mosquitoes, gnats or flies are present, spray lightly in the air. Repeat as needed. The bedding should be sprayed and then replaced with fresh bedding for best results.

HORSES: To control stable flies, horse flies, deer flies and face flies apply to face, legs, tail, tailhead and other body areas commonly attacked by these flies. Repeat treatment as needed.

STORAGE AND DISPOSAL

STORAGE: Do not use or store near heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap container in newspaper and put in trash collection.

EPA Reg. No. 7056-100

EPA Est. 7056 TX 1

**CSA
LIQUID PET SPRAY**

For Cats • Dogs

Kills: Fleas, Lice, Ticks

Repels temporarily Gnats, Flies, Mosquitoes

ACTIVE INGREDIENTS: Pyrethrins 0.150% *Piperonyl Butoxide Techn. Co. 1.500% Nocty bicycloheptene dicarboximide 0.333% 2,3,4,5-Bis-2-butylene tetrahydro-2-furandehyde 0.200%

INERT INGREDIENTS 97.817%

*Equivalent to 1.20% of (butylcarbitol) (d-propylpiperonyl) ether and 0.3% of related compounds.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center. Give milk or water. Do not induce vomiting, because of aspiration hazard.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Wash off with soap and water.

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panel for precautionary statements

NET CONTENTS: 1 PINT

MANUFACTURED BY
CSA LIMITED, INC.
HOUSTON, TEXAS 77090

1056 100