

29 AUG 1988



7056-116

## Total Release Fogger II

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats,  
Household Storage Areas, Garages, Pet Sleeping Areas, Cabins

One Unit Treats up to 6,000 Cubic Feet

### ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1, 2-dicarbo.imido) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]	0.200%
Cyano (3-phenoxyphenyl) methyl 4 chloro-alpha-(1-methylethyl) benzeneacetate	0.400%

### INERT INGREDIENTS:

99.400%
100.000%

#### STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Do not induce vomiting because of aspiration hazard. Get medical attention.
- IF ON SKIN:** Wash off with soap and water. Get medical attention if irritation persists.
- IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

KEEP OUT OF REACH OF CHILDREN

### CAUTION

See Back Panel for Additional Precautionary Statements

Kills Flies, Cockroaches, Fleas, Saw-toothed Grain Beetles, Ticks, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets.

Net Weight 12 Ounces

Reg. No. 7056-116

EPA Est. No. 7056-TX-1



P.O. Box 872241, Dallas, Texas 75289-0241

#### Precautionary Statements

Hazards To Humans and Domestic Animals

### CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

#### PHYSICAL OR CHEMICAL HAZARDS

**EXTREMELY FLAMMABLE.** Do not use or store near fire, sparks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the used area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

#### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### Storage and Disposal

**Storage:** Store in a cool, dry area away from heat or open flame.

**Disposal:** Do not re-use empty container. Wrap container and put in trash collection.

This product will kill Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pill Bugs, Crickets.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

**TO OPERATE VALVE:** To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

**To Kill Ticks and Fleas:** Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

10/2



## Total Release Fogger II

For Use in Rooms, Apartments, Homes; Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins

One Unit Treats up to 6,000 Cubic Feet

### ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1, 2-dicarboximido) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]	0.200%
Cyano (3-phenoxyphenyl) methyl 4 chloro-alpha-(1-methylethyl) benzeneacetate	0.400%

### INERT INGREDIENTS:

	99.400%
	100.000%

### STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Do not induce vomiting because of aspiration hazard. Get medical attention.
- IF ON SKIN:** Wash off with soap and water. Get medical attention if irritation persists.
- IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

KEEP OUT OF REACH OF CHILDREN

### CAUTION

See Back Panel for Additional Precautionary Statements

Kills Flies, Cockroaches, Fleas, Saw-toothed Grain Beetles, Ticks, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets

Net Weight 12 Ounces

29 AUG 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Est. No. 7056-TX-1 EPA Reg. No. 7056-116

GSA Limited, Inc.

P.O. Box 62267, St. Louis, MO 63162-0267

### Precautionary Statements

Hazards To Humans and Domestic Animals

### CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

### PHYSICAL OR CHEMICAL HAZARDS

**EXTREMELY FLAMMABLE.** Do not use or store near fire, sparks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the used area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### Storage and Disposal

**Storage:** Store in a cool, dry area away from heat or open flame.

**Disposal:** Do not re-use empty container. Wrap container and put in trash collection.

This product will kill Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pill Bugs, Crickets.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

**TO OPERATE VALVE:** To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

**To Kill Ticks and Fleas:** Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

20/2

2