

5279874
~~345/255855~~
17

30 199

Mr. Sidney K. Saksenberg
CSA Limited, Inc.
P.O. Box 690347
Houston, TX 77269

Dear Mr. Saksenberg:

Subject: Amendment - Alternate Formulation, Deletion of Methylene Chloride,

Update Labeling
CSA Total Release Fogger II
EPA Registration No. 7056-116
Your Applications Dated May 26, 1988, May 25, 1989 and
December 6, 1989

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

1. Add a footnote to the label ingredient statement indicating: **Contains petroleum distillates.**

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

The four month storage stability results are acceptable. We await receipt of the one year storage stability results.

In you May 26, 1988 submission, you identified the Confidential Statement of Formula (CSF) submitted as an alternate formula. On May 25, 1989, you submitted the same CSF in response to the methylene chloride DCI but identified it as the basic formula. We agree that this CSF dated May 25, 1989 deleting methylene chloride is the basic formula of record and all previous formulas are obsolete.

Sincerely yours,

George T. LaRocca
Product Manager 15
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

ACCEPTED
with COMMENTS
in EPA Letter D-882

30 1990

Under the
Federal Insecticide,
Fungicide, and
Rodenticide Act (FIFRA)
as amended by EPA



Total Release Fogger II

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats,
Household Storage Areas, Garages, Pet Sleeping Areas, Cabins

One Unit Treats up to 6,000 Cubic Feet

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1, 2-dicarboximido) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]	0.200%
Cyano (3-phenoxyphenyl) methyl 4 chloro-alpha-(1-methylethyl) benzeneacetate	0.400%

INERT INGREDIENTS:

99.400%
100.000%

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting because of aspiration hazard. Get medical attention.

IF ON SKIN: Wash off with soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

Kills Flies, Cockroaches, Fleas, Saw-toothed Grain Beetles, Ticks, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets.

Net Weight 7.5 Ounces

EPA Reg. No. 7056-116

EPA Est. No. 7056-TX-1



BEST AVAILABLE CO

Precautionary Statements

Hazards To Human and Domestic A

CAUTION

Harmful if swallowed. Avoid inhalation of vapor, skin, eyes or clothing. Wash contaminated skin with warm water. For eyes, flush with plenty of water if irritation persists. Avoid contamination of

Do not use in commercial food processing, preparation areas. In the home, all food processing surfaces covered during treatment or thoroughly washed before food.

Remove pets, birds and cover fish aquariums before

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Do not use or store near sparks, or heated surfaces. Turn off gas appliances and unplug or turn off electrical equipment in the used area. After airing out, relight pilot lights and reclose electrical current. Do not puncture or incinerate. Exposure to temperatures above 130°F may cause rupture. Incineration of container may cause explosion.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Store in a cool, dry area away from heat and sunlight.

Disposal: Do not re-use empty container. Wrap container for collection.

This product will kill Cockroaches, Houseflies, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Fleas, and Crickets.

Cover exposed food, dishes and food-handling equipment in the area to be treated. Shut off fans and air conditioning. Turn off pilot lights. Close doors and windows. Point valve in the center of the room with valve locked open. Use one unit for each 6,000 cubic feet of space. Use additional units for remote rooms or where free flow of air is not remain in the area during treatment and ventilate.

TO OPERATE VALVE: To lock valve in open position for treatment, push valve button all the way down, hooking the catch. The valve will be in the center of the room with valve locked open. Place newspaper or pad under fogger. Leave building at once for four hours before airing out. Open all doors and windows for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy old pet bedding and wash pet bedding. Treat dogs and cats with registered tick control product.