

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUN 19 1990

~~300/5396181~~
17

Mr. Sidney Saksenberg
CSA Limited, Inc.
P.O. Box 690347
Houston, TX 77269

Dear Mr. Saksenberg:

Subject: Update Labeling and Addition of New Pests
CSA Total Release Fogger II
EPA Registration No. 7056-116
Your application dated August 9, 1990

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling:

1. The Statement of Practical Treatment:

IF SWALLOWED: Do not induce vomiting because of aspiration hazard. Get medical attention.
IF IN EYES: Flush with water for 15 minutes. See physician if irritation persists.
IF ON SKIN: Wash off with soap and warm water. Get medical attention if irritation persists.
IF INHALED: Remove victim to fresh air and call a physician if effects occur.

2. Your application superseded our letter of October 30, 1990. Therefore add a footnote to the label ingredient statement indicating, 'Contains petroleum distillates.'

3. Your current Physical/Chemical Hazard statement is acceptable. Please refer to the Agency's proposed new product chemistry guideline and precautionary language for Pesticide Aerosol Flammability in the Federal Register (Vol. 56, No. 34, Wednesday, February 20, 1991) for solicitation of comments.

BEST AVAILABLE COPY

CONCURRENCES							
SYMBOL	Robert	5-21-91					
SURNAME							
DATE							

4. The claim, "Kills . . . Pre-adult Fleas" is unacceptable. "Pre-adult" is too broad. You must specify the life stage(s) that your product kills.

Submit five copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager 13
Insecticide-Rodenticide Branch
Registration Division (H7505C)

enclosure

BEST AVAILABLE COPY

CSA TOTAL RELEASE FOGGER II

Kills Flies, Cockroaches, Ants, Saw-toothed Grain Beetles, Ticks, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pillbugs, Crickets, Adult and Pre-adult Fleas.

One can treats up to 6,000 cubic feet. Use additional units where free flow mist to infested areas is obstructed.

ACTIVE INGREDIENTS:

Tetranethrin (1-Cyclohexene-1, 2-dicarboximido) methyl 2,2-dioethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.2002
Cyano (3-phenylphenyl) methyl 4 chloro-alpha-(1-methylethyl) benzeneacetate	0.4002

INERT INGREDIENTS:	99.4002
	100.0002

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR OTHER CAUTIONS.

7056-116

SHAKE WELL BEFORE USING

Net Weight 7.5 Ounces

Manufactured by:

CSA LIMITED, INC.
HOUSTON, TX 77269

JUN 19 1991

EPA REG. NO. 7056-116

EPA EST. NO. 7056-TI-1

Rev. 8/90

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cover exposed food, dishes, and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

Prior to spraying, cover asphalt tile, waxed floors, waxed furniture, and fabric which may come in contact with the fog (newspapers can be used).

If flea or tick infestation is suspected, destroy pet's bedding and treat pets with a product registered for animal application.

TO OPERATE VALVE, lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

This product will kill Cockroaches, Ants, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Ticks, Pill Bugs, Crickets, Adult and Pre-adult Fleas.

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, serving, or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds, and cover fish aquariums before spraying.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Get medical attention immediately.
 If Inhaled: Remove to fresh air.
 If On Skin: Wash thoroughly with soap and water.
 If In Eyes: Flush with plenty of water for 15 minutes. See physician if irritation persists.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

BEST AVAILABLE COPY