

BEST AVAILABLE COPY

reg. # 1000-103,
17 2/4

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (78-767)

Enclosure

BEST AVAILABLE COPY

CSA

SURFACE SPRAY

formula two

An Insecticide Offering Good Flushing Activity, Quick Knockdown and Residual KM of Cockroaches for 2 to 3 weeks.
FOR RESIDUAL CONTROL OF ANTS, COCKROACHES (Waterbugs), CLOVER MITES, CRICKETS, CARWASPS, FLEAS (Outdoors),
MOSQUITOES (Outdoors), MOUSE FLIES, HORNETS, MILLIPEDES, SAW-TOOTHED GRASS BEETLES (Exposed stages),
SCORPIONS, SILVERFISH (Firebrats), BOWBUGS (Pinbugs), SPIDERS, BROWN DOG TICKS, WASPS.

ACTIVE INGREDIENTS:	
n-propylparathion methylcarbamate	0.50%w/w
Pyrethrin	0.03%
*Piperonyl Butoxide, Technical	0.50%
INERT INGREDIENTS:	98.97%
	<hr/>
	100.00%w/w

*Equivalent to 0.4% (piperonyl) (n-propyl parathion) ester and 0.1% related compounds
*U.S. Patent No. 2,863,878

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

Can be used in non-food areas of food handling establishments and in food areas as a crack and crevice treatment only.

NET CONTENTS 8 FL. OZ.

Manufactured by:

CSA LIMITED, INC.
P.O. Box 73308
Houston, Texas 77273

ACCEPTED
with COMMENTS
in EPA Letter Dated

APR 05 1985

Under the Federal Insecticide,
Fungicide, and Plant Disease Act
as amended by the pesticide
registered under EPA Reg. No.

7056-123

EPA EST No. 7056-TX-1

EPA REG NO. 7056-XX

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Avoid breathing vapors or contact with skin, eyes or clothing. In case of exposure, wear natural rubber gloves, protective goggles. Do not use as a space spray. Provide area being treated. Do not apply to animals or on food crops. Do not use in animal barns for fly control. In food handling areas, apply to crack and crevice treatment. Do not apply to feedstuffs. In commercial food handling, remove any food or food processing equipment. Do not apply while food processing is underway. Food processing surfaces and utensils should be treated or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until sprayed and cover fish bowls (tanks) before spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting with oat with finger. Do not induce vomiting in an unconscious person.
If in eyes: Flush with plenty of water. Get medical attention if irritation persists.
If on skin: Wash with soap and water. Get medical attention if irritation persists.
Note to Physician: A tropine sulfate is anti-cholinergic and cholinesterase inhibition are present.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other animals. Do not apply directly to water. Do not contaminate water with equipment or disposal of wastes. Apply to areas specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOORS: Pest control in and around homes, apartment buildings, control of ants, cockroaches, millipedes, silverfish, spiders, water leached grain beetles (exposed stages) Apply as a residual spray, on baseboards, window frames, the underside of shelves and other places where insects may hide. Also spray cracks, crevices and other places where insects may hide. For ants, spray trails and places where they come out of hiding. For ants, spray trails and places where they come out of hiding.

Do not spray feedstuffs or house plants. Do not use as a space spray in areas being treated. Do not allow children to contact treated surfaces.

DIRECTIONS FOR USE (Continued)

Pest control in food packing and food processing plants, food storage areas, restaurants, and other food handling establishments (places other than private residences in which exposed food is held, processed, prepared or served). For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs, and to aid in control of non-leathered grain beetles (exposed stores).

NON-FOOD AREAS: Includes garbage room, storerooms, floor drains (in corners), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after coming or boiling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

FOOD AREAS: Limited to crack and crevice treatment only - Apply a small amount of material as a pin thin stream directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, or hollow equipment legs where the insects noted above hide. Do not use this product in conduits, meter housings and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Spraying unloading docks and outside areas where insects aggregate will aid in preventing reinfestations. Good sanitation and proper disposal of wastes is essential in any effective insect control program.

Pest control in animal research facilities: The use of this product in and around research animal quarters for pest control will not induce changes in liver microsomal enzyme activity in these animals.

PESTS OUT-OF-DOORS: DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

OUTDOORS: For residual control of insects around industrial buildings, homes, garbage areas, dumps.

RESIDUAL SPRAY for Ants, Cockroaches, Earwigs, House Flies, Hornets, Millipedes, Mosquitoes, Spiders, Bickets, Clover Mites, Fleas, Scorpions, Sawbugs, Brown Dog Ticks, Wasps and Waterbugs. Apply as a residual spray hitting as many insects as possible or with a paint brush to surfaces of buildings, porches, screens, window frames, patios, and garages where these insects congregate. For control of wasps and hornets, apply after dark when all of the insects have returned to the nest. Repeat as necessary. Do not treat plants (lawns, flowering plants, shrubs, trees, etc.) with this product.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store this water-based formulation at temperatures below 32°F (0°C).

PESTICIDE DISPOSAL: Pesticide spray mixtures or those water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

CONTAINER DISPOSAL: For containers - 1/2 gallon and under: Do not reuse empty containers. Wrap container and place in trash collection.

For containers over one gallon: Triple rinse (or equivalent). Then allow for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

RESTRICTIONS: Since this is a water suspension material, do not apply to rugs, carpets, drapes, wallpaper, or similar materials that may be stained or watermarked.

WARRANTY

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use or the results to be obtained if not used in accordance with the directions of established safe practices. The buyer assumes all responsibility including injury or damage resulting from its misuse or such, or in combination with other materials.

NOT REPRODUCIBLE COPY

01000
1 2 3 4 5