

2/2

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

— DANGER —

Convulsive product. Dangerous if swallowed. Do not breathe dust. This salt may cause an allergic reaction; wear rubber gloves and long-sleeved protective clothing when handling. Do not get in eyes, on skin, or on clothing. Do not contaminate feed and feedstuffs. Wash arms, hands, and face with germicidal soap and water after using and before eating or smoking anything by mouth or smoking. All spilled bait must be cleaned up immediately. Keep away from children, pets, and domestic animals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Bait exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water in lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

ENDANGERED SPECIES RESTRICTIONS

NOTICE: The killing of a member of an endangered species during strychnine baiting operations may result in a fine under the Endangered Species Act. Before baiting, the user is advised to contact the Regional U. S. Fish and Wildlife Service (Endangered Species Specialist) or the local Fish and Game Office for specific information on endangered species. Strychnine baits should not be used in the geographic ranges of the following species except under programs and procedures approved by the U. S. EPA: San Joaquin kit fox, Neotian Lemmings, gopher, Morro Bay kangaroo rat, salt marsh harvest mouse, gray wolf, and grizzly bear.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE:

Store only in original container, in a dry place inaccessible to children and pets, under lock and key in a posted storage area.

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:


Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and / or handling of this material when such use and / or handling is contrary to label instructions.

NOTICE: RESTRICTED USE PESTICIDE

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.

FORT DODGE



GOPHER BAIT

ACCEPTED WITH COMMENTS
In EPA Letter Date:
DEC 11 1990
322-1

ACTIVE INGREDIENT
Strychnine Alkaloid
INERT INGREDIENTS
TOTAL

0.50%
99.50%
100.00%



KEEP OUT OF REACH OF CHILDREN
DANGER - POISON



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. If less than ten (10) minutes have passed since the poison was taken, give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Have patient lie down in quiet, darkened room and keep him warm and quiet. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: - Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: - Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN

A. Administer 100% OXYGEN by positive pressure to provide as much pulmonary gas exchange as possible despite seizures.

B. Administer ANTI-CONVULSANT DRUGS intravenously to control convulsions.

CAUTION: It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.

See side panel for additional precautionary statements.

FORT DODGE CHEMICAL CO.

P. O. Box 2021 • Lompoc, CA 93438 • (805) 736-0065
EPA ESTABLISHMENT NO. 322 CA 01 • EPA REGISTRATION NO. 322.1

Net Wt. 25 LBS.

FOR USE IN SUBSOIL ONLY

DIRECTIONS FOR USE

— POCKET GOPHERS —

USE RESTRICTIONS: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use to control pocket gopher (*Thomomys* spp. and *Citellus* spp.). This product may only be applied by use of a tractor-operated mechanical burrow builder or by use of a manually-operated GOPHER GETTER JR. application device. For subterranean applications only. Not to be used for food or feed uses.

USE SITE: All subsoil terrestrial food crops, terrestrial nonfood crops, and forestry areas.

RATE: One to three lbs. per acre used twice a year, with minimum intervals between applications of four months.


GOPHER GETTER JR.:

LOADING OR UNLOADING EQUIPMENT: Turn hand probe unit upside down to attach or remove bait bottle. Bait bottle screws into dispenser.

LOCATING RUNWAYS: Use probe end of loaded unit to locate a gopher's natural runway as indicated below.


Probe about 6" to 8" from the mound on the side of the horse-shoe-shaped depression and 8" to 10" below soil. Resistance on probe will decrease when runway is entered.

APPLICATION DIRECTIONS: Lift handle to deposit bait in each active runway. Remove probe and cover hole with soil or sod. Do not permit soil to cover bait. Pick up or bury any spilled bait immediately. Depending upon pocket gopher population levels, one pound of bait will treat one to eight acres.



BURROW BUILDER: A burrow builder constructs an artificial underground tunnel and automatically places bait in a single operation. A coupler disc opens the way for a subsoiler shank. At the bottom of the shank is a pointed tube or "torpedo." The torpedo creates the artificial burrow. Bait is dropped in preset quantities through an outlet in the rear underside of the torpedo. Close-set rubber tires behind the subsoiler shank close the cut above the burrow.

Consult manufacturer's instructions for the specific equipment to be used. Adjust the torpedo to the depth of natural pocket gopher runways. Make sure soil is damp enough to hold formed tunnel. Cut artificial burrows at 20- to 25-foot intervals, intercepting the natural gopher runways. Pick up or bury any spilled bait.



Treatment indicated by Lines

CSA, Limited
P.O. Box 690347
Houston, TX 77269-0347

Gentlemen:

Subject: CSA Dog and Cat Repellent Aerosol Spray
EPA Registration No. 7056-135
Your Letter Dated August 7, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comment listed below.

- Move the paragraph, "Do not use . . . apply to food crops," which currently is under "CAUTION," to the "GENERAL" paragraph in the use directions.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Marilyn A. Mautz
Acting Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

61173:I:Cromwell:KENCO:11/27/90:12/27/90:de:VO:EK:CL

CONCURRENCES

SYMBOL								
SURNAME								
DATE								