

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
7056-155

DATE OF ISSUANCE
23 AUG 1988

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT
CSA 0.15% + 1.5% Spray

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

CSA LIMITED, Inc.
P.O. Box 690347
Houston, TX 77269-0347

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A), provided that you:

1. Submit/continue all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment.

1. Add the words "EPA Registration No. 7056-155."
2. Change the statement "do not contaminate water by cleaning of equipment or disposal of wastes" to read "do not contaminate water by cleaning of equipment or disposal of washwaters."
3. According to the application, the product will not be used in containers less than 2 1/2 gallons. Therefore, the following instructions should be on containers over 1 gallon in capacity:

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

J. P. 2

DATE

8/23/88

J

3. For Use in Federally Inspected Meat and Poultry Establishments, you must file a separate application with:

Compound Evaluation Laboratory
Scientific Services, FSQS
Food Ingredient Assessment Division
U.S. Department of Agriculture
Building 306, BARC-East
Beltsville, MD 20705

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

CSA

0.15%+1.5% SPRAY

AN INSECTICIDE FOR CONTROL OF MOUSE FLIES, MOSQUITOES, GNATS (MIGGES), WASPS, SMALL FLYING MOTHS (MILLERS), COCKROACHES (WATERBUGS), ANTS, SILVERFISH, CRICKETS, FLEAS, BEDBUGS, LICE, EARWIGS, CENTIPEDES, SOWBUGS (PILLBUGS), BOXELDER BUGS, HORN FLIES, FACE FLIES, BEER FLIER, STABLE FLIER, HORSE FLIES, SUCKING AND BITING LICE, TICKS, SHEEP KEDS, AND POULTRY MITES.

ACTIVE INGREDIENTS:

Pyrethrins 0.15%w/w
*Piperonyl Butoxide, Technical 1.50%
INERT INGREDIENTS: 98.35%

100.00%w/w

*Equivalent to 1.2% (butylcarbityl) [6-propyl piperonyl] ether and 0.3% related compounds.
**U.S. Patent No. 3,683,078.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que le expliquen la forma de aplicacion y el uso correcto.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

NET CONTENTS: one pint

CSA
Limited, Inc.

P.O. Box 690347/Houston, Texas 77269-0347

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. May cause eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

Do not apply directly to food or foodstuffs. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply when food processing is underway. After space spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, thoroughly with an effective cleaning compound and rinse with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, and cover fish aquariums before space spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a Physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If in eyes: Flush with plenty of water. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not expose this waterbase to temperatures below 32°F (0°C). Do not apply this product in conduits, motor housings, junctions, and switch boxes or other electric equipment because of possible shock hazard. Do not use on surfaces that can be stained or harmed by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store this waterbase formulation at temperatures below 32°F (0°C). For containers one gallon and under, store product in original container in a locked storage area.

PESTICIDE DISPOSAL: For Containers Over One Gallon: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: For Containers One Gallon and Under: Do not reuse empty container. Wrap container and put in trash.

For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or purchase and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

EPA Reg. No. 7056-XX

EPA Est: 7056-XX-1

ACCEPTED

APPROVED FOR SALE

7056-155

United States
Department of Agriculture
Agricultural Marketing Service
Washington, D.C. 20250

7056-155

NOTES: For use in Hotels, Clubs, Restaurants and Bars, etc. Do not use in areas where food is prepared or served. Do not use in areas where food is stored. Do not use in areas where food is processed. Do not use in areas where food is handled. Do not use in areas where food is consumed. Do not use in areas where food is prepared, stored, processed, handled, or consumed.

NOTE TO PEST CONTROL OPERATORS: Do not use in areas where food is prepared or served.

ADDITIONAL INFORMATION: See the label for directions and use instructions. For flying insects, apply to the insects directly. For other insects, apply to the surfaces where they are found. Do not use in areas where food is prepared or served.

Amount of Spray Mixture Required	
Gallons	Liters
1	3.78
2	7.57
5	18.93
10	37.85

NOTE: 1 Pint Equals 0.473 L

SPACE SPRAY: To Control Mosquitoes (MIGGES): Close all windows and doors. Use the rate of 0.5 to 1 ounce per 100 cubic feet. Spray for 15 minutes, then re-spray.

TO CONTROL SHEEP AND GOAT MITES: Spray the animals with a coarse spray nozzle and hose, or use a spray gun.

TO KILL BEDBUGS AND TICKS: Spray the infested areas with a coarse spray nozzle and hose, or use a spray gun. Repeat as necessary.

CONTACT SPRAY: To Control Fleas and Lice: Spray the animals with a coarse spray nozzle and hose, or use a spray gun. Repeat as necessary.

DO NOT TREAT OR APPLY TO PLANTS, TREES, OR SHRUBS.

HOUSE FLIES, MOSQUITOES, AND OTHER INSECTS: Do not use on an animal in a stall or enclosure. Do not use on a horse, dog, or cat. Do not use on a bird. Do not use on a small animal. Do not use on a young animal. Do not use on a pregnant animal. Do not use on a nursing animal. Do not use on a lactating animal. Do not use on a breeding animal. Do not use on a show animal. Do not use on a pet animal. Do not use on a farm animal. Do not use on a wild animal. Do not use on a domestic animal. Do not use on a wild bird. Do not use on a wild mammal. Do not use on a wild reptile. Do not use on a wild amphibian. Do not use on a wild fish. Do not use on a wild invertebrate. Do not use on a wild plant. Do not use on a wild tree. Do not use on a wild shrub. Do not use on a wild herb. Do not use on a wild fruit. Do not use on a wild vegetable. Do not use on a wild grain. Do not use on a wild seed. Do not use on a wild nut. Do not use on a wild berry. Do not use on a wild fruit. Do not use on a wild vegetable. Do not use on a wild grain. Do not use on a wild seed. Do not use on a wild nut. Do not use on a wild berry.

ANIMAL TREATMENT: To Control Fleas and Lice on Horses, Dogs, Hogs, Sheep, and Goats: Spray the animals with a coarse spray nozzle and hose, or use a spray gun. Repeat as necessary. To Control Fleas and Lice on Cattle: Spray the animals with a coarse spray nozzle and hose, or use a spray gun. Repeat as necessary. To Control Fleas and Lice on Pigs: Spray the animals with a coarse spray nozzle and hose, or use a spray gun. Repeat as necessary. To Control Fleas and Lice on Birds: Spray the animals with a coarse spray nozzle and hose, or use a spray gun. Repeat as necessary. To Control Fleas and Lice on Small Animals: Spray the animals with a coarse spray nozzle and hose, or use a spray gun. Repeat as necessary. To Control Fleas and Lice on Farm Animals: Spray the animals with a coarse spray nozzle and hose, or use a spray gun. Repeat as necessary. To Control Fleas and Lice on Wild Animals: Spray the animals with a coarse spray nozzle and hose, or use a spray gun. Repeat as necessary.

Our recommendations for use of this product being applied, is made so as to the user with directions or other instructions included in the product label.