# CSA LIQUID PET SPRAY #2

FOR DOGS HORSES

KILLS: Fleas, lice, and ticks on dogs

CONTROLS. Stable flies, horse flies, deer flies and face flies on horses

Long lasting control Effective for twenty-one day

ACCEPTED

1.8

CONTAINS LANGLIN

Under the Federal Internation, Fundation, and Rodenticide Act, as amended, for the periode refinered under EPA Reg. No. 705/6-157

## ACTIVE INGREDIENTS:

| *Permethrin<br>Pyrethring    |     |    |       |     |    |    |         |    |    |     |     |     |     |   |    |     |   |     |    |    |   |   |         |
|------------------------------|-----|----|-------|-----|----|----|---------|----|----|-----|-----|-----|-----|---|----|-----|---|-----|----|----|---|---|---------|
| **Piperonyl 1<br>N-octyl bio | u   | to | ) X ( | d   | e, | T  | e¢      | hń | 10 | ıì. |     |     |     |   |    |     |   |     |    |    |   |   | 1.500\$ |
| 2,3:4,5-81                   | ,   | (1 | }-I   | ) W | ty | le | -<br>18 | )  | te | tr  | e h | / d | r o | 2 | -f | u r | i | del | hy | de | : | : |         |
| INERT INGRED                 | 1 E | M? | rs    |     |    |    |         |    |    |     |     |     |     |   |    |     |   |     |    |    |   |   | 97.3178 |

\*(2-phenoxyphenyl) methyl ( ) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethyleyclopropanecarboxylate. Cis/Trans ratio: min. 35% ( ) cis and mp. 65% ( ) trans.

\*\*Equivalent to 1.26% of (butylcarbityl) (6-propylpiperonyl) ether and 0.3% of related compounds

KEEP OUT OF REACH OF CHILDREN.
CAUTION

Contents 12 fl. Dr.

Manufactured by:

CSA. Linited Au PRECAUTIONARY STATEMENTS/PRACTICAL TREATHENTS

# HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Hermful if swallowed or inhaled. Avoid breathing mists. Avoid sontast with eyes. In case of contact, immediately flush eyes with planty of water "Get medical" attention if irritation parsists. Wash hands with soap and water after waings.

Do not use this or any other posticide on sick, old, or debilitated pets. Do not use on nursing pupples or feels under three months of age.

#### ENVIRONMENTAL HAZARDS

This products is toxic to fish. Keep out of lakes, rondo, btreamt, todal mershes, and estuaries. Do not contaminate water when disposing of equipment washwaters, weites.

### PHYSICAL/CHEMICAL MAZARDS

Flammable. Keep away from heat and open flama.

#### \*PRACTICAL TREATMENT

If suallowed: Call physician or Poisio: Control Center, Give milk or water, De

not induce vomiting because of aspiration hazard.

If In Eyes: Flush with plenty of vater. Get medical attention.

If On Skin: Wash off with soap and water,

#### DIRECTIONS FOR USE

It is a violation of faderal law to use this product in a manner inconsistent with its labeling.

HORSES: Throughly brush the horse's coat prior to application to recove loose digit and debris. To repel gnats, flies, and mosquitoes, apply a light sist' sufficient to wet the surface of the hair. Cover entire surface of anisal with apply, but avoid getting product into horse's eyes or other sensitive areas such as mouth 'or nose. Brush coat against grain while spraying to ensure adequate penetration of product.

To control STABLE FLIES, HORSE FLIES, DEER FLIES, and FACE FLIES. Apply at the tate of 2 ounces per adult horse, sufficient to wet the hair thoroughly. Repeat treatment as needed.

DOGS To kill FLEAS, LICE, and TICKS. Cover animal's eyes with hand and with a firm fast stroke to get a proper agray mist, agray head, eare, and cheat until damp. With fingertips, rub into face around mouth, nose and eyes. Then agray neck, middle and hind quarters, finishing legs last. For best penetration of agray to the skin, direct agray against the natural lay of the hair. On long-haired animals, rub your hand against the lay of the hair, agraying the ruffled hair directly behind the hand. Hake sure agray theroughly were ticke. Repeat treatment as needed.

PET SLEEPING QUARTERS: Spray around baseboards, windows, door frames, wall cracks and local area of floors. If mosquitoes, ensts or flies are present, spray lightly into the air. Repeat as needed. For best results, the bedding should be sprayed and then replaced with fresh bedding.

STORAGE AND DISPOSAL

STORAGE: Do not store or use near heat or open fleme.

DISPOSAL: Do not reuse empty container. Wrap container in newspaper and put in

EPA REG. NO. 7056-157

EPA EST. NO. 7056-TX-1