

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20480	EPA REGISTRATION NO. 7056-16R	DATE OF ISSUANCE JUN 24 1989
	TERM OF ISSUANCE Until Reregistration	
	NAME OF PESTICIDE PRODUCT CSA House, Garden and Animal Spray	

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
 (Under the Federal Insecticide, Fungicide,  
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[ ]  
 [ ]  
 [ ]  
 [ ]

227 206 115  
 18  
 2 1

**BEST AVAILABLE COPY**

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit (a) all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 7056-168."
  - b. The product as labeled is registered for residential or domestic use. Thus, delete the word "industrial" and the paragraph beginning "Do not use in the edible product area."
  - c. Delete the sentences under Fleas & Ticks referring to use of this product on upholstered furniture and drapes. This is not a registered use pattern.
  - d. In the Statement of Practical Treatment, add "If you are ill, Call a physician or Poison Control Center immediately."

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

*[Handwritten Signature]*

- e. Since your data matrix does not give a dielectrical breakdown voltage, you must add the following to the use directions:

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

3. On the Confidential Statement of Formula and on the data matrix, please provide the flashpoint of the product with the propellant and flame extension. The flashpoint reported exceeds the one expected for this product. Please check and resubmit. Mixtures marketed under pressure, including those containing hydrocarbons, are subject in their entirety to tests indicated in 40 CFR 162.10(h)(2)(iii). (Flashpoints for pressurized liquids are conveniently measured after collecting the expelled liquid from the container in an open cup chilled with dry ice.)

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (N7505C)

Enclosures

**CSA  
HOUSE & GARDEN  
&  
ANIMAL  
SPRAY**

CONTAINS THE SYNTHETIC PYRETHROID...

PERMATHONE

CONTROLS RESIDENTIAL, INDUSTRIAL AND GARDEN INSECTS

FOR USE ON DOGS AND ON PREMISES TO CONTROL FLEAS AND TICKS

AN AQUEOUS, STABLE, MICRO EMULSION

CONTROLS PESTS FOR UP TO FOUR WEEKS

ACTIVE INGREDIENTS:  
Permethrin..... 0.50%  
INERT INGREDIENTS..... 99.50%

100.00%

1-(phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)  
2-dimethylcyclopropanecarboxylate Cis/Trans ratio: Min. 35%  
+/- cis and max. 65% +/- trans.

PERMATHONE - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for additional precautions

NET WEIGHT 6 OZ.

Manufactured by:  
CSA LIMITED, INC.  
HOUSTON, TX 77269

EPA REG. NO. 7056-III

EPA EST. NO. 7056-TX-1

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in the edible product areas of food/food processing plants, restaurants or other areas where food/food is commercially prepared or served. Do not use in serving areas while food is exposed.

**SHAKE WELL BEFORE USING**

Remove protective cap, hold container upright and spray from a distance of 12 to 18 inches.

To treat livestock: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, House Flies, Beet Flies, Face Flies, Manure Flies, Stomach Flies, Blow Flies, House Flies, Manure Flies, and Stomach Flies. Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

For Swine: Do not ship animals for slaughter within 5 days of last treatment.

To control Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control Parasitic Lice: spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For control of Bedbugs and Mites in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

Fleas and Ticks: (Adults and larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

To control Fleas, Ticks and Lice on Dogs: Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Deepen the fur up to the head. Repeat application weekly if necessary to control infestations. NOTE: Not recommended for use on puppies less than four weeks old.

For the Control of Garden Insects: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, Spotted Thrips, Spider, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, anemones, begonias, cannas, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, geraniums, fuchsias, geraniums, geraniums, grape vine, Kente palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, and zineria Jove and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Spotted Thrips, Leaf Miners, Japanese Beetles, Parasitic Lice, Blister Beetles and Army Worms.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 80 F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Store in a cool, dry place. Wrap container in cover to protect from moisture. Do not use in areas where children play.

HAZARDS

Avoid spraying in or near contact with skin. Wash after treatment and contamination of food. This product is not for use on humans. Consult your pharmacist for a product.

Animals: Do not spray. Do not cause exposure.

STATE

IF INHALED: Remove to fresh air. If irritation persists, get medical attention.

IF IN EYES: Flush with water. If irritation persists, get medical attention.

IF ON SKIN: Wash off. Get medical attention.

PRECAUTIONS

Contents under pressure. Do not puncture. Do not use at temperatures above 120°F.

Super absorbs all materials not in direct contact.

Under Function...  
amount...  
purified

**BEST AVAILABLE COPY**