tinda 194/3- 7056-169

INSECT SPRAY FORMULA NUMBER SIX

Pressurated Spray - Residually Kills: Ants, Cockroaches, Ticks, Fleas and other listed insects.

For Use in Homes and Non-Food Areas of: Commercial Buildings, Warehouses, Theaters, Office Buildings, Schools, Motels, Hotels, Restaurants, Food Processing Facilities, and Kennels.

ACTIVE INGREDIENTS:

4-cis, trans Allethrin (ally) honolog of Cineria I)	8.848Z
Other isoners	0.0021
'4-Octyl bicyclokeptene dicarbozimide	6.2512
.game (3-phemozyphemyl)methyl 4-chloro-alpha-	
(1-methylethyl) benzemeacetate	0.2001
THERE EMPLOYERS	99.4991
	100.00I

"Mer" 264, Insecticide Synergiet salicensed under U.S. Patent No. 4,052,968 of Sumitono Chemical Company.

EVERCIDE - Registered Trademark of McLaughlin Goraley King Company.

REEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center.

IF IN EYES: flash with pleaty of water. Get medical attention

if irritation persists.

IF OF SEIR lemore contaminated clothing. Task ship with soap

OR CLOTETEC: and warm water. Out medical attention if irritation

IF INTALED: Remove victin to fresh air and call a physician

if effects occur.

Net Weight 12 Ornces

Laufactured by:

CSA LIBITED, JRC. EOUSTON, 71 77269

IPA RIG. TO. 7056-169

10/10:4

PA DST. - 10. 7056-11-1

ACCEPTED

Proposed 5/3/93

JUN 23 1993

Under the Federal Insecticido. Pungicide, and Rodenticites Ret. an amonded, for the probable 2019629620216 01

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CALLYTON

Euraful if swallence, inhaled, or absorbed through the objective breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes, or clothing. In case of contact, invedintely flash skin and eyes with plenty of mater. Wash theroughly with soap and water after headling. If poisoning occurs, get prompt medical aid.

So not use in food areas of food handling establishments, restaurants or other areas where food is connercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dising rooms but excluding areas where foods may be prepared or held. But for use in BSDA Beat and Positry Plants.

In the home, cover all food handling surfaces and cover or remove all food and cooking mtensils, or wash thoroughly after treatment.

Bon-food areas are areas such as garbage rooms, lavatories, floor drains (to sever entries and vestibules), effices, locker rooms, machine rooms, beiler rooms, garages, mop closets and storage (after camping or bottling).

Remove pets, birds, and cover fish aquaritum before spraying. Bo not allow

children or pets to contact treated surfaces until syray has dried.

Physical or Chemical Hazards

Intremely Planuable. Contests under pressure. Bo not use or store near heat or open flame. Be not practure or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of federal law to use this product is a manner inconsistent with its labeling.

SHARE WELL REPORT USE, REEP CONTAINER UPRIGHT.

General: Use CSA Issect Spray Formula Number Six as a spot or crack and crevice treatment to control controlotes, waterburs, silverfish, ticks, fleas and other insects listed below. Apply this product only as a coarse spray or crack and crevice treatment to localized areas where pests are found or may occur. Spray surfaces entil wet. Rejeat as needed.

FOR SPOT TREATMENT:

To Kill Ants, Cockroaches, Crickets, Silverfish, Spiders, Souburs and Carbet Reetles: Spray areas where these pests are found or may hide, including dark corners or rooms and closets; cracks and crevices in walls; along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators, cabinets and around garbage cans, plumbing and other chility installations. Pests driven out of hiding Places should be sprayed directly. For dats, apply to aut trails, also around doors and windows and wherever else these peats may find entrance. Repeat as necessary.

To Kill Brown Bog Ticks and Fleas: Thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor coverings where these yests may be present. Old bedding should be removed and geplaced with clean, fresh bedding after treatment. In Bat Canan Pats With This

Predect.

To fill Ants. Cockrosches, Crichets, Silverfish, Sombses, Spiders, Brown For Ticks, Fleas, and Carpet Beetles: Apply diluted spray in small amounts directly into cracks and crevices. Equipment capable of delivering a pin stream should be used in printy between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above listed insects bide.

Care should be taken to avoid dopositing the product onto apposed surfaces or introducing the naterial into the air. Avail, applymination, of food or food

processing surfaces. Plies and Bostoitoes: Use only out of terrs as in aid in reducing annoyance from these innects. Spray outside sprinces of window, and door frages on well as other areas where these yests may enter the home. Also spray dark corners and localized renting areas (such as under eaves) or perches, paties and garages where these insects may congregate. Plies and mosquitese choing to rest ob, thestod surface will be killed. Repeat treatment when necessary.

LESOSZIE CIŁ ISASOTZ

Storage: Store in a cool, dry area away from heat or open'fline. Listonal: Replace cap and discord container in trank. Do got inequerate or puncture.