27 7 1036 CSA 2% D-PHENOTHRIN

GENERAL PURPOSE INSECT KILLER

For Housely 'd Use and In Non-Food Areas of Industrial Buildings: Schools, Warehouses, Office Buildings, Theaters, Garages, Hotels, Motels and Kennels.

Kills Cockroaches, Houseflies, Mosquitoes, Ants, Wasps and others listed on back panel.

ACTIVE INGREDIENTS:

'3-Phenoxybenzyl-(1RS,3RS;1RS,3SR)- 2.2dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate......2.00% INERT INGREDIENTS...... 98.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

BEST AVAILABLE COPY

Net Weight 12 Ounces

Manufactured By

CSA LIMITED, INC. HOUSTON, TX 77269

EPA REG. NO. 705-181 CEPEPET. NO. 7056-TX-1

2 APR 1993

Under the Federal Insecticids. Fungicide, and Redonticide Act. as amouded for the per cide tenister x under Eld Heg. No. 7/57 -181

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE, HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURST

FOR SPACE SPRAY:

To Kill Flies. Gusts. Mosquitoes. Small Flying Moths and Wasps: Close all doors and windows and direct spray upward isto center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallon insects. Before spraying cover exposed food and utensils.

FOR SPOT TREATMENT:

To Kill Agts. Cockrosches and Crickets: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspects. I of harboring these posts. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these posts are suspected of hiding. To kill auts, treat doors, around window frames, ant trails and other areas of entry. Repeat as accessary.

To Kill Exposed Forms of Confused Flour Beetles. Rice Weevils, and Saw-toothed Grain Beetles: Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the listed insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necess

To Kill Centipedes, Firebrats, Silverfish, Sow bugs and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of herboring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerators.

To Kill Brown Dog Licks and Fleas: Romove and destroy pet's old bedding. Spray sleeping quarters of pess, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. DO NOT SPRAY ANIMALS. Old bedding should be removed and replaced with clean, fresh bedding after treatment. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area.

FOR CRACK AND CREVICE:

To Kill Ants, Brown Dog Ticks, Carpet Beetles, Cockroaches, Crickets, Fleas, Silverfish, Sow bugs and Spiders: Apply spray in small amounts directly into crack and crevices. Equipment capable of delivering a pin stream should be used in point between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above listed insects hide.

Avoid contamination of food or food processing surfaces.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL Replace cap and discard container in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Do not oreathe vapors or spray mist. Avoid count with skin or eyes. In case of contact, flux with plenty of water. Wash with soap as, water after use. Obtain medical attention if sritation passists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, food storage or surving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Expedit food should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately.

IF IN EYES: Flush with plenty of water, Got medical attention if irritation

persists.

IF ON SKIN OR CLOTHING:

Wash with soap and warm water. Get medical attention if

irritation persists.

IF INHALED: Remove victim to fresh air if effects occur and call a physicia

PYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may caus

2/93