CSA 2% D-PHENOTHRIN

GENERAL PURPOSE INSECT KILLER

For Household Use and In Non-Food Areas of Industrial Buildings: Schools, Warehouses, Office Buildings, Theaters, Garages, Hotels, Motels and Kennels.

Kills Cockroaches, Houseflies, Mosquitoes, A. ... Wasps and others listed on back panel.

dimethyl-3-(2-methylprop-1-enyl)cyclopropane-

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

Net Weight 12 Ounces

Manufactured By

CSA LIMITED, INC. HOUSTON, TX 77269

EPA REG. NO. 7056-181

EPA EST. NO. 7058-TX-1

ACCEPTED

09 DEC 1993

Under the Federal Insecticide. Fungicide, and Redenticide Act as amended, for the pesticide registered under 7056-18

7056-181

DIRECTIONS FOR USE

It is a violation of federal lew to use this product in a manner inconsistent with its labeling.

SHAKE CONTAINER WELL BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

FOR SPACE SPRAY:

To Kill Files, Greek, Mosquitose, Small Fiving Moths and Wester, Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for everage room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Before apraying cover exposed food and utensits.

FOR SPOT TREATMENT:

To Kil Aris. Cockranches and Cricinis: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pasts. Special attention should be paid to cracks, crevices, beseboards, opening around pipe and sinks, behind stores and refrigerators, food storage areas and wherever these pasts are suspected of hiding. To idli ants, trest doors, around window frames, ant trate and other areas of entry. Repeat as necessary.

To Kill Exposed Forms of Confused Flour Beetles. Rice Wesvills, and Saw-toothed Grain Beetles. Find and destroy infested package goods. Remove all other items from panity. Spray the shelves to kill any of the listed insects present. Place cleen paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Centipedes, Firebrets, Silverfish, Sow bugs and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pasts. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerators.

<u>To Kill Brown Dog Ticks and Flees:</u> Remove and destroy pet's old bedding. Spray sleeping quarters of pets, around beseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. DO NOT SPRAY ANIMALS. Old bedding should be removed and replaced with clean, fresh bedding after trestment. Also treat dogs and cats with a registered flee and tick control product before allowing them to enter treated area. FOR CRACK AND CREVICE:

To Kill Anta, Brown Dog Ticks, Carpet Beetles, Cockrosches, Crickets, Fleas Silverish. Sow bute and Spiders: Apply spray in small amounts directly into cracks and cravices. Equipment capable of delivering a pin stream should be used in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above listed insects hide.

Avoid contamination of food or food proceeding surfaces.

STORAGE AND DISPOSAL

STORAGE:

DISPOSAL

Store in a cool dry area away from heat or open flame. Do not store this waterbased formulation at temperatures below 32° F. Replace cap and discard container in accordance to all local, state, and federal regulations. Reduce poliution at source.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with scep and water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensite should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT.

IF SWALLOWED: IF IN EYES:

Call a physician or Porton Control Center immediately. Flush with plenty of welley: , Get medical appropriate if imitation

persists.

IF ON SKIN OR CLOTHING:

Wash with soep and warm water. Get madjual attention if

IF INHALED:

Remove affected person to fresh air if effects occur and call

a physician.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flume. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

This spray with a fresh clean scent.

ACTIVE INGREDIENTS:

*3-Phenoxybenzyl-(1RS,3RS;1RS,3SR)- 2,2-

Proposed 11/15/93