

Disinfecting Solution

Rapid-Acting/Nonrusting/Nonstaining
Pseudomonacidal Bactericidal
Virucidal† Fungicidal


Cidex*

industrial disinfecting
solution concentrate

Active Ingredient
Glutaraldehyde 26%
Inert Ingredients 74%
Totals 100%

NOTE: Activator must be added to
fluid before this product is
effective. See directions.

BEST AVAILABLE COPY



EPA Reg. No. 7078-11
EPA Est. No. 36126-PR-1

Reorder Number
3650

Keep out of reach of children.

DANGER: See back panel for additional precautionary statements.

†See Directions for use.

SURGIKOS

*Trademark

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Intended for use to disinfect mixing and storage tanks, filling equipment and accessory lines in industries such as cosmetic, pharmaceutical, and medical device manufacturers.

DIRECTIONS FOR ACTIVATION AND USE:

Metal, glass, rubber or plastic equipment or lines should be thoroughly cleaned and rinsed by using acceptable standard industry techniques prior to using CIDEX® Industrial Disinfecting Solution. CIDEX Industrial Disinfecting Solution is prepared by mixing, at a 50:1 volume ratio, 50 parts of CIDEX Industrial Disinfecting Solution Concentrate with 1 part of activator. Use activated CIDEX Industrial Disinfecting Solution Concentrate immediately after activation.

DILUTION CHART

Dilution Ratio	Concentrate (oz)	Activator (cc)	Water (gal)	Product (gal)
For bactericidal and fungicidal activity only				
128:1	32	20	31.75	32
	128	80	127.0	128
For virucidal activity				
34:1	32	20	8.5	8.75
	128	80	34.0	35.0

DISINFECTION:

Depending on equipment, CIDEX Industrial Disinfecting Solution may be applied by sponge or spray. All lines must be completely filled. Ensure that all surfaces are thoroughly wet. CIDEX Industrial Disinfecting Solution must remain in contact with equipment for a minimum of 15 minutes. Within 15 minutes contact at 20°C, CIDEX Industrial Disinfecting Solution will destroy vegetative pathogens including *Pseudomonas aeruginosa* and hydrophilic and lipophilic viruses (Poliovirus Type 1; Coxsackievirus B-1; Influenza Type A₂ (Hong Kong); Herpes Simplex) on inanimate surfaces. Drain CIDEX Industrial Disinfecting Solution and thoroughly rinse with water. To assure complete rinsing, the final rinse water may be tested for residual CIDEX Industrial Disinfecting Solution by using the CIDEX Industrial Disinfecting Residual Test Kit.

This is a single-use product only. Do not reuse.

BLACK PLATE

PRECAUTIONARY STATEMENTS

DANGER:

HAZARD TO HUMANS AND DOMESTIC ANIMALS

FOLLOW ALL LABEL DIRECTIONS

Prevent contact with skin or eyes by using eye protection and rubber gloves when handling or pouring.

STATEMENT OF PRACTICAL TREATMENT

EYES — Corrosive, causes eye damage. Do not get in eyes. In case of contact, flush with water immediately and get medical attention.

SKIN — Avoid skin contact, as possibility of sensitization exists. Can cause skin irritation. For skin contact, flush thoroughly with water. Get medical attention if irritation occurs.

FOOD — Avoid contamination of food.

INHALATION — Avoid spillage. Use in a well-ventilated area.

HARMFUL IF SWALLOWED.

CIDEX Industrial Disinfecting Solution has been shown to be an effective disinfectant (virucide, fungicide, bactericide, pseudomonacide) when tested by AOAC and EPA test methods.

STORAGE AND DISPOSAL

KEEP IN A COOL PLACE.


PROHIBITIONS — DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

PESTICIDE DISPOSAL — Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

GENERAL — CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATE PROCEDURES.

CONTENT 128 FL OZ (3.8 LITERS)
MADE IN U.S.A.
CONTROL NUMBER ON BOTTOM
3850 C1-1



DISTRIBUTED BY:

SURGIKOS

a Johnson-Johnson company

SURGIKOS, INC., ARLINGTON, TEXAS 76010
*Trademark © SURGIKOS 1982

71641C SURGIKOS CIDEX

Cidex*

Industrial disinfecting
solution concentrate


damage. In case of contact with eyes
flush with water immediately and get
medical attention. For skin contact,
flush thoroughly with water.

DISPOSAL: Rinse empty container
thoroughly with water prior
to discarding.

NET CONTENTS: 480 grams

ACTIVATOR

For use with
CIDEX Industrial
Disinfecting
Solution Concentrate



DISTRIBUTED BY

SURGIKOS

a Johnson-Johnson company
SURGIKOS, INC., ARLINGTON, TEXAS 76010

*Trademark
SURGIKOS 1982
3650V1-1