



ACCEPTED

AMSCO AGRISOLV[®] #1

USDA REGISTRATION NO. 7098-1

FOR WEED CONTROL IN COTTON AND SOYBEANS

7098-1
S11E

ACTIVE INGREDIENT: 100 PERCENT PETROLEUM DISTILLATE.

NET VOLUME GALLONS: (See attached Bill of Lading.)

COMBUSTIBLE: Avoid storing or using near open flame. (Flash point approximately 104 degrees Fahrenheit Red Label not required.)

AMSCO AGRISOLV #1 is effective in the control of seedlings of such weeds as Johnson Grass, Pig Weed, Annual Morning-Glory, Barnyard Grass, Nut Grass, Foxtail, Brachiaria, Goose Grass and Crabgrass.

Annual broadleaf plants with larger medium seeds such as Cocklebur, Purslane, Milkweed, and Nightshade, may require repeated application.

RECOMMENDED USAGE:

COTTON: When cotton is 7 to 10 days old and at least 3" high, post-emergence directed spray for weed control may be started at the rate of about 5 gallons per acre, not more often than at five day intervals. A total of three such applications should be sufficient, but do not make more than 5 applications. Examine cotton plants carefully several days after application. In the event of scars or other minor damage discontinue spraying.

After true bark (stem cracking) is observed discontinue use completely.

SOYBEANS: A directed spray between the 12th and 14th day of growth. Use only one application, 5 gallons per acre. Use same equipment as for cotton. For more information on both uses see our brochure covering uses in detail.

LIABILITY: Because of soil conditions, methods of application, weed conditions and other factors entirely beyond our control, no responsibility is assumed by AMERICAN MINERAL SPIRITS COMPANY for failure or damage to plants or crops.

CAUTION: Volatile. Avoid prolonged or repeated breathing of vapors or contact with skin. Use only when there is no hazard of drift.

KEEP OUT OF THE REACH OF CHILDREN; harmful if swallowed.

AMERICAN MINERAL SPIRITS COMPANY

A Division of Union Oil Company of California

Headquarters, Palatine, Illinois 60067