MAR . 3 1989

Walton-March, Inc. 1620 Old Deerfield Road P.O. Box 340 Highland Park, IL 60035

Attention: Zoltan Gelb

Gentlemen:

Subject: Surfacide 16

EPA Registration No. 7101-10

Your Submissions Dated April 24, 1986 and July 7, 1988

The amendment referred to above, submitted in connection with the Label Improvement Program Notice for Antimicrobial Products Used as Food Contact Surface Sanitizers, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.

(Box Label Review)

- a. On the front panel, the Signal Word "DANGER" must be placed immediately below the Child Hazard Warning Statement.
- b. Include the reference asterisk (*) for the virucidal claim.
- c. Delete the words "General Classification."
- d. Revise the statement:

Causes severe eye and skin damage.

to read:

Corrosive. Causes severe eye and skin damage.

e. Delete the word "milk."

50272:I:DeLaney:L-2:KENCO:02/09/89:03/27/89:de:JH:CT CONCURRENCES SYMBOL DATE EPA Fem 1320-1 (12-70)

OFFICIAL FILE COPY

q. Revise the referral statement to read:

See side panel for additional precautionary statements. Keep packets in box until ready for use.

- h. Under the heading "Note To Physician," delete the last sentence beginning with "Measures against circulatory shock . . . "
- i. Revise the Pesticide Disposal statement to read:

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

j. Delete the sentence "No potable rinse is required at this level."

(Packet Label Review)

k. Under the Directions for Use heading, place the following Misuse Statement immediately below to read:

> It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- The statement "Keep Out of Reach of Children" must be placed directly above the Signal Word "Danger."
- n. Delete the statement "Only for Sale To, Use, and Storage By Servicepersons"
- 2. The revised Confidential Statement of Formula is acceptable.
- Note that this product file is assigned to Mr. John M. Lee, Product Manager 31.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha DeLaney at (703) 557-6982.

Sincerely yours,

John H. Lee

Product Manager (31)

Antimicrobial Program Branch Registration Division (TS-767C)

The state of the s

Enclosure

SURFACIDE/6

BOX

SIDE PANEL "A"

PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals

GER: Keep Out of Reach of Children Causes severe eye ikin damage. Do not get in eyes, skin or on clothing full it swallowed. Wear goggles or face shield and rubber s when handling Avoid contamination of food Remove rash contaminated clothing before reuse


IEMENT OF PRACTICAL TREATMENT; in case of ict, immediately flush eyes or skin with plenty of water for st 15 minutes. For eyes, call physician, if swallowed drink egg whites, gelatin solution of if these are not available. targe quantities of water Call physician

'E TO PH' SICIAN: Probable mucosal damage may conlicate the use of gastric lavage. Measures against circulatory k, respiratory depression and convulsion may be needed

STORAGE AND DISPOSAL

icide Disposal; Do not contaminate water, food or feed by ge or disposal. Pesticide spray mixture or rinsate that ot be used or chemically reprocessed should be disposed cording to procedures approved by federal state and local willes.

lainer Disposal: Do not reuse empty packet or container container and put in trash collection



DETERGENT/DISINFECTAN

FRONT PANEL

Deodorizer ... Sanitizer ... Virucide ... Fungicide (a pathogenic fungi) ... Mildewstat (on hard inanimate su

ACTIVE INGREDIENTS:

n-Alkyl 160% C., 30% C., 5% C., 5% C., 1 dimethyl benzyl ammonium chlorides 4 50% n-Alkyl 168% C., 32% C. I dimethyl ethylbenzyl ammonium chlorides INERT INGREDIENTS Total

4 50% 91 00%

100 00%

packets in box until i EPA REG. NO. 7101-1 EPA EST. NO. 7101-1L

KEEP OUT OF RE

See side panel for ad

and practical treatm

DAN

(29)

CONTENTS: 25 1

NET WEIGHT: 25 fl. oz. (1 lb 9 oz./739 ml.)



FOR INSTITUTIONAL/INDUSTRIAL USE O ONLY FOR SALE TO, USE, AND STORAGE BY SERV

ACCEPTED with Comments in EPA Letter Dated:

MAR **03** 1989

Under the Pederal Insecticide. Fungicide, and Redenticide Act to amended, for the pesticide registered under FPA Reg. No.



SURFACIDE/6

BOX

BACK PANEL

DIRECTIONS FOR USE General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SURFACIDE/6 is designed for hospitals inursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance in controlling the hazard of cross-contamination.

DISINFECTION: To disinfect hard inanimate surfaces (such as walls, floors, table tops), use tiponce (1 packet) per gallon of water. Apply solution with mop, cloth, sponge or mechanical sprayer. Wet thoroughly, Allow surface to remain wet for 10 minutes, then let air dry.

To disinfect toilet bowls — flush toilet, add 1 ounce (1 packet) directly to bowl water. Swab bowl completely using scrub brush or toilet mop. Make sure to scrub under rim. Let stand for 10 minutes, then flush.

For heavily soiled areas, a pre-cleaning step is required. Prepare fresh solution for each use

MILDEWSTAT: To control mold and mildew on pre-cleaned, hard non-porous surfaces, use 1 ounce (1 packet) per gallon of water. Apply solution with cloth, sponge, mop or mechanical sprayer. Wet thoroughly Let air dry. Prepare fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZATION: To sanitize previously cleaned and rinsed equipment or non-porous food contact surfaces luse 1 ounce (1 packet) per 3.5 gallons of water NO POTABLE RINSE is required at this level. Apply with cloth, sponge, mop or mechanical sprayer. Wet all surfaces thoroughly for a: least 60 seconds. Let air dry. Prepare fresh solution for each use.

SIDE PANEL "B"


Used as directed SURFACIDE/6 meets all requirements for hospital use. Phosphate-tree, it is formulated to disinfect inanimate hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones and bed frame? For larger areas such as operating rooms, patient care facilities and restrooms, it is designed to provide both general cleaning and disinfecting.

SURFACIDE '6 deodorizes garbage storage areas, empty garbage bins and cans, toilet bowls and other areas prone to odors caused by microorganisms.

At 1 ounce (1 packet) per gallon diluted, SURFACIDE/6

- exhibits effective disinfectant activity against Pseudomonas aeruginosa PRD 10. Escherichia coli, Klebsielia pneumoniae, Salmonella schottmuelleri, Salmonella choleraesuis, Streptococcus salvarius, Brevibacterium ammoniagenes, Streptococcus faecalis. Shigella dysenteriae, Enterobacter aerogenes, and Staphylococcus aureus.
- wis fungicidal against Trichophyton mentagrophytes
- is virudidal against influenza AyAsian, Herpes simplex, Adeno virus type 2 and Vaccinia virus

Efficacy tests have demonstrated that SURFACIDE/6 is an effective bactericide, fungicide and virucide in the presence of organic soil (5% blood serum).



MAR 03 1989

BEST AVAILABLE COPY

Under the Federal Inserticide, Fungicide, and Rodenticide Act as amended, for the Pesticide registered under EPA Res. No.

7101-10

- 12

SURFACIDE/6

PACKET

BACK PANEL

ACCEPTED with COMMENTS in EPA Letter Detect

... 03 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

7101-10

FRONT PANEL

DIRECTIONS FOR USE

DISINFECTION: To disinfect hard inanimate surfaces (such as walls, floors, table tops), use 1 ounce (1 packet) per gallon of water. Apply solution with mop. cloth, sponge or mechanical sprayer. Wet thoroughly Allow surface to remain wet for 10 minutes, then let air dry

To disinfect toilet bowls — flush toilet, add 1 ounce (1 packet) directly to bowl water. Swab bowl completely, using scrub brush or toilet mop. Make sure to scrub under rim. Let stand for 10 minutes, then flush.

For heavily soiled areas, a pre-cleaning step is required Prepare a fresh solution for each use

MILDEWSTAT: To control mold and mildew on pre-cleaned hard non-porous surfaces, use 1 ounce (1 packet) per gallon of water Apply solution with cloth, sponge mop or mechanical sprayer. Wet thoroughly Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

CONTAINER DISPOSAL: Do not reuse empty packet. Wrap empty packet and put in trash collection.

DETERGENT/DISINFECTANT

**CITIVE MIGNECISENTE
**ANTH MON C... SON C... SN C.J. SN C.J.

NET #EIGHT: 1 fl. oz. (29.6 ml.)

BEST AVAILABLE COPY

2