



1977


FROM THE

WITH THE

SURFACIDE/60
DETERGENT/DISINFECTANT
Deodorizer Virucide Fungicide
(against pathogenic fungi) Mildewstat
(on hard inanimate surfaces)

ACTIVE INGREDIENTS
n-Alkyl (80% C₁₂, 30% C₁₄, 5% C₁₆) dimethyl
benzyl ammonium chlorides 4.50%
n-Alkyl (88% C₁₂, 32% C₁₄) dimethyl
ethylbenzyl ammonium chlorides 4.50%
INERT INGREDIENTS 91.00%
TOTAL 100.00%

DANGER:
KEEP OUT OF REACH OF CHILDREN
See master carton for practical treatment
and additional precautionary statements
plus complete use dilutions
EPA REG. NO. 7101-12
EPA EST. NO. 7101 IL 01

 **walton-march inc.**
High quality products for the future

FOR INSTITUTIONAL/INDUSTRIAL USE ONLY
ONLY FOR SALE TO USE AND
STORAGE BY SERVICE PERSONS

NET WEIGHT 5 fl. oz. (148 ml)

**DIRECTIONS FOR USE
WITH WALTON-MARCH
5-GALLON DISPENSING SYSTEM**

Pour entire contents of this bottle (5 oz.) into Walton-March 5-gallon dispenser, add water, fill container to capacity (bottom of handle) and agitate solution. Draw off cleaning solution as needed into bucket or mechanical sprayer. Apply solution with mop, cloth, sponge or sprayer.

STORAGE AND DISPOSAL

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Pesticide spray mixture or rinseate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state and local authorities.

Container Disposal: Do not reuse empty 5-oz. bottle. Wrap bottle and put in trash collection.

DISINFECTANT LIQUID

SURF -60

EPA REG. NO. 7101-12
EPA EST. NO. 7101-IL-01

SURFACIDE//60®

DETERGENT/DISINFECTANT

Deodorizer ... Virucide ... Fungicide (against pathogenic fungi) ... Mildewstat (on hard inanimate surfaces)

ACTIVE INGREDIENTS

n-Alkyl 60% C-30 C-6 C-12 C-14 dimethylbenzyl ammonium chlorides 4.50

n-Alkyl 68% C-32 C-14 dimethylbenzyl ammonium chlorides 4.50

INERT INGREDIENTS 91.00

TOTAL 100.00

DANGER

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautionary and first aid statements.

Keep bottles in carton until ready for use.

NET WEIGHT: 60 fl. oz.

(3 lbs. 12 oz. 1776 ml.)

CONTENTS: 12 5-oz. bottles

(148 ml. each)



walton-march inc.

1000 W. PARK STREET, CHICAGO, ILL. 60606

FOR INSTITUTIONAL/INDUSTRIAL USE ONLY.
ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.

▲ THIS END UP ▲

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

DANGER: Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call physician. If swallowed, drink milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Disposal — Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide or buried in a safe place.

Container Disposal — Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers or bury in a safe place.

MASTER COPY

1000-1000

↑ THIS END UP ↑

Used as directed, SURFACIDE 60 meets all requirements for hospital use. Phosphate-free, it is formulated to disinfect inanimate hard surfaces such as walls, floors, sink tops, tables, chairs, telephones and bed frames. For larger areas such as operating rooms, patient care facilities and restrooms, it is designed to provide both general cleaning and disinfecting.

SURFACIDE/60 deodorizes garbage storage areas, empty garbage bins and cans, and other areas prone to odors caused by microorganisms.

At use dilution of 5 ounces (1 bottle) to 5 gallons with water, SURFACIDE/60:

- exhibits effective disinfectant activity against *Pseudomonas aeruginosa* PRD 10, *Escherichia coli*, *Klebsiella pneumoniae*, *Salmonella schottmuelleri*, *Salmonella choleraesuis*, *Streptococcus salivarius*, *Brevibacterium ammoniagenes*, *Streptococcus faecalis*, *Shigella dysenteriae*, *Enterobacter aerogenes* and *Staphylococcus aureus*
- is fungicidal against *Trichophyton mentagrophytes*
- is virucidal against influenza A₂-Asian, Herpes simplex, Adeno virus type 2 and Vaccinia virus

Efficacy tests have demonstrated that SURFACIDE 60 is an effective bactericide, fungicide and virucide in the presence of organic soil (5% blood serum).

1000-1000

WORTHINGTON

Page 1 #4

DIRECTIONS FOR USE

General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SURFACIDE/60 is designed for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance in controlling the hazard of cross-contamination.

DISINFECTION: To disinfect hard inanimate surfaces (such as walls, floors, table tops), use 5 ounces (1 bottle) to 5 gallons of water. Apply solution with mop, cloth, sponge or mechanical sprayer. Wet thoroughly. Allow surface to remain wet for 10 minutes, then let air dry.

For heavily soiled areas, a pre-cleaning step is required. Use fresh solution for each application.

MILDEWSTAT: To control mold and mildew on pre-cleaned hard non-porous surfaces, use 5 ounces (1 bottle) to 5 gallons of water. Apply solution with cloth, sponge, mop or mechanical sprayer. Wet thoroughly. Let air dry. Use fresh solution for each application. Repeat application at weekly intervals or when mildew growth reappears.