

PEST CONTROL OPERATOR USE ONLY

HEPTACHLOR FOR CONTROL OF HOUSEHOLD INSECTS
HEPTACHLOR EMULSIFIABLE (4 lb. per gallon) should be diluted with 72 parts of water for use.

CONTROL OF ROACHES AND WATER BUGS. thoroughly treat infested areas and of adjacent exposed surfaces where they hide. Repeat application when necessary.

CONTROL OF ANTS. thoroughly treat ant trails and areas around door frames where they enter. Also, treat the openings around electrical outlets and baseboards where ants may come through.

CONTROL OF CARPET BEETLES. thoroughly treat infested areas of floors and baseboards, and into cracks and under baseboards where these insects may be found. Repeat application as often as necessary for control.

CONTROL OF FLIES, MOSQUITOES AND WASPS. thoroughly treat surfaces such as doors, around windows and areas frequented by these insects. Also, thoroughly treat screens, window frames, door sills, and porches where these insects tend to alight or congregate.

CONTROL OF BOXELDER BUGS. thoroughly treat around door frames or wherever these pests may enter the house.

CONTROL OF CRICKETS. thoroughly treat baseboards, floors or closets and other hiding places. Repeat application when necessary.

CONTROL OF SPIDERS AND CENTIPEDES. thoroughly treat infested corners and of pipes, storage localities and other infested areas. Repeat application when necessary.

WARNING

Avoid contact with skin, eyes, nose, mouth, and food. Wash hands immediately with soap and water after use.

ANTIDOTE

In case of spillage or contact with skin, wash immediately with soap and water. In case of contact with eyes, wash immediately with water. Call a physician immediately.

CAUTION

KEEP OUT OF REACH OF CHILDREN. KEEP FROM EDIBLE PRODUCTS, AREAS OF FOOD PROCESSING PLANTS, OR OTHER AREAS WHERE FOOD IS COMMERCIALY PROCESSED. DO NOT USE IN SERVING AREAS WHILE FOOD IS BEING SERVED.

USE IN OR AROUND THE HOME

IS TOXIC TO FISH, BIRDS, AND OTHER WILDLIFE. KEEP FROM STREAMS, OR PONDS. DO NOT CONTAMINATE WATER. PROPERLY EQUIPMENT OR DISPOSAL OF WASTES. ALWAYS USE AS SPECIFIED ON THIS LABEL.

CONTAINER DISPOSAL

Empty container. Destroy it by perforating or crushing. Bury or place away from water supplies.

Drum. Return to drum conditioner or destroy by perforating and burying in a safe place away from water supplies.

DO NOT POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

22-7

GUARDIAN ACCEPTED



Net Contents:

11-13-72
UNDER THE FEDERAL INSECTICIDE ACT
FOR THE CONTROL OF TERMITES AND HOUSEHOLD INSECTS
7/22-7

HEPTACHLOR - 4 WE

For The Control Of Termites And Household Insects

Contains 4.05 lbs. Technical Heptachlor per gallon equivalent to 3 lbs. Actual Heptachlor plus 1.05 lbs. related compounds.

PRODUCT NO. 5902

ACTIVE INGREDIENTS:

Heptachlor* 31.4%
Related Compounds 2.2%
Petroleum Distillate (Xylene) 19.4%

INERT INGREDIENTS:


Total 100.0%

*Heptachlorotetrahydro-4, 7-methanoindene.

WARNING

Keep Out Of Reach Of Children

See side panel for other cautions)



1514 Eleventh Street
Portsmouth, Ohio 45662
Phone 614/353-1125

SUBTERRANEAN TERMITES - DIRECTION FOR

Use Heptachlor in a 0.5% water emulsion.

CONTROL IN EXISTING BUILDINGS

BUILDINGS HAVING CRAWL SPACES

(1) Dig a trench adjacent to and around all piers and sides of the foundation walls. Dig the trench to, but not as the trench is refilled, treat the soil at the rate of 4 lbs. per 100 lbs. of soil. A trench 3 feet deep would be 10 linear feet.

(2) Treat voids in hollow-block masonry foundations at the rate of 4 lbs. per 100 lbs. of soil. Apply so that the emulsion will reach the footing. Done by drilling or rod holes avoid going into plumbing.

BUILDINGS HAVING BASEMENTS

(1) Dig a trench along the outside of the foundation walls and interior walls. One method is to dig a trench about a foot apart through the concrete floor adjacent to the foundation walls. The chemical emulsion then should be injected into the floor. Avoid drilling into plumbing or electric conduits. Apply at the rate of at least 4 gallons per 10 linear feet.

(2) It may also be necessary to treat critical areas of the floor such as around sewer pipes, conduits and piers. Dig a trench about a foot apart through the concrete floor adjacent to the foundation walls and interior walls. One method is to dig a trench about a foot apart through the concrete floor adjacent to the foundation walls. The chemical emulsion then should be injected into the floor. Avoid drilling into plumbing or electric conduits. Apply at the rate of at least 4 gallons per 10 linear feet.

SLAB-ON-GROUND CONSTRUCTION

(1) Infestations in this type of construction are difficult to control. The method consists of drilling holes about a foot apart through the slab, and injecting the chemical emulsion into the slab. Avoid drilling into plumbing and electric conduits. Do not drill through the foundation walls from the outside. Just beneath the slab along the inside of the foundation walls and expansion joints. The emulsion should be applied at the rate of 4 gallons per 10 linear feet of foundation or expansion joint.

(2) Dig a trench 1 foot in depth, but not below the top of the foundation walls. Apply the emulsion at the rate of 4 lbs. per 100 lbs. of soil. The chemical should be mixed with soil and replaced in the trench.

(3) Treat voids in hollow block foundations at the rate of 4 lbs. per 100 lbs. of soil. Apply so that the emulsion will reach the footing. Avoid drilling or probing. Avoid drilling into plumbing or electric conduits.

Batch No.

Packed By

household (PCC)

Buildings

FOR PEST CONTROL OPERATOR USE ONLY

ARCHEM'S HEPTACHLOR FOR CONTROL OF HOUSEHOLD INSECTS

ArChem Corp's HEPTACHLOR EMULSIFIABLE (4 lb. per gallon) should be diluted with water, 1 part No. 6902 Emulsifiable Heptachlor to 72 parts of water for a 9.5% emulsion.

FOR THE CONTROL OF ROACHES AND WATER BUGS, thoroughly treat infested cracks and other hiding places and of adjacent exposed surfaces where roaches and water bugs will crawl when they come out of hiding. Repeat application when necessary.

FOR THE CONTROL OF ANTS, thoroughly treat ant trails and areas around floor sills and window frames where they enter. Also, treat the openings around water pipes, heat ducts, electrical outlets and baseboards where ants may come into rooms from wall spaces or partitions. Repeat application when necessary.

FOR THE CONTROL OF CARPET BEETLES, thoroughly treat infested areas of carpets, localized areas of floors and baseboards, and into cracks and under carpets where these pests may be found. Repeat application as often as necessary to maintain effective control.

FOR THE CONTROL OF FLIES, MOSQUITOES AND WASPS, thoroughly treat around selected surfaces such as floors, around windows and areas frequented by these pests. Also, thoroughly treat screens, window frames, door sills and selected areas of porches where these insects tend to alight or congregate. Repeat application when necessary.

FOR THE CONTROL OF BOXELDER BUGS, thoroughly treat around door and window frames or wherever these pests may enter the house.

FOR THE CONTROL OF CRICKETS, thoroughly treat baseboards, floors in closets and storage places and other hiding places. Repeat application when necessary.

FOR THE CONTROL OF SPIDERS AND CENTIPEDES, thoroughly treat infested baseboards and corners and of pipes, storage localities and other infested areas. Repeat application when necessary.

WARNING

CONTAINER DISPOSAL

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

Do not reuse empty drum. Return to drum conditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

EPA Reg. No. 7122-7

Date

GUARDIAN RECEIVED



11-13-72
7122-7

Net
Contents:

HEPTACHLOR - 4 WE

For The Control Of Termites And Household Insects
Contains 4.05 lbs. Technical Heptachlor per gallon equivalent
to 3 lbs. Actual Heptachlor plus .05 lbs. related compounds

PRODUCT NO. 6902

ACTIVE INGREDIENTS:

Heptachlor*	1.4%
Related Compounds	2.2%
Petroleum Distillate Xylene	9.4%

INERT INGREDIENTS:

Total	100.0%
-------	--------

*Heptachlorotetrahydro-4, 7-methanon derivative

See side panel for other cautions)

Ar Chem Corp

1514 Eleventh Street
Portsmouth, Ohio 45662
Phone 614/353-1125

SUBJ
Use I
CONT
BUIL
1) I
ades
as th
or 2
near
(2) I
ame
done
BUIL
back
the
or e
near
2) I
form
boat
cont
ne th
or up
2) I
ct c
room
SLAB
1) I
ons
or m
ne sh
o dr
ast b
nd e
allon
2) I
tsid
m
ong
2) I
ep
m

GUARDIAN



ACCEPTED
11-13-72
7-22-7

Net
Contents:

HEPTACHLOR — 4 WE

For The Control Of Termites And Household Insects

Contains 4.05 lbs. Technical Heptachlor per gallon equivalent
to 3 lbs. Actual Heptachlor plus 1.05 lbs. related compounds

PRODUCT NO. 6902

ACTIVE INGREDIENTS:

Heptachlor*	1.4%
Related Compounds	2.2%
Petroleum Distillate Xylene	9.4%

INERT INGREDIENTS:

Total	100.0%
-------	--------

*Heptachlorotetraydro-4, 7-methanodine

See side panel for other cautions)

Or Chem Corp.

1514 Eleventh Street
Portsmouth, Ohio 45662
Phone 614/353-1125

SUBTERRANEAN TERMITES-DIRECTION FOR PROFESSIONAL USE

Use Heptachlor in a 0.5% water emulsion

CONTROL IN EXISTING BUILDINGS

BUILDINGS HAVING CRAWL SPACES

1. Dig a trench adjacent to and around all piers and pipes and along both sides of the foundation walls. Dig the trench to, but not below, the footing. Then as the trench is refilled, treat the soil at the rate of 1 gallon per 10 linear feet or each foot of depth. A trench 3 feet deep would require 12 gallons per 10 linear feet.

2. Treat voids in hollow block masonry foundations at the rate of 1 gallon per 5 linear feet of wall. Apply so that the emulsion will reach the footing. If this is done by drilling or rod holes **avoid going into plumbing or electrical conduits.**

BUILDINGS HAVING BASEMENTS

1. Dig a trench along the outside of the foundation walls. In brick or hollow block or concrete foundations, dig a trench to, **but not below,** the footing. Then as the trench is refilled, treat the soil at the rate of 1 gallon per 10 linear feet or each foot of depth. A trench 3 feet deep would require 12 gallons per 10 linear feet.

2. It may also be necessary to treat critical areas only under the basement footing such as around sewer pipes, conduits and piers and along the inside of the foundation walls and interior walls. The method consists of drilling holes about a foot apart through the concrete floor adjacent to the areas requiring treatment. The chemical emulsion then should be injected into the soil beneath the floor. **Avoid drilling into plumbing or electric conduits.** The emulsion should be applied at the rate of at least 1 gallon per 10 linear feet of wall.

3. Treat voids in hollow block foundations at the rate of 1 gallon per 5 linear feet of wall so that the emulsion will reach the footing. Do this by drilling or probing. **Take care to avoid drilling into plumbing or electric conduits.**

SLAB-ON-GROUND CONSTRUCTION

1. Treatments in this type of construction are limited to control. One method consists of drilling holes about a foot apart through the concrete slab adjacent to all cracks and expansion joints and directing the emulsion into the soil beneath the slab. **Avoid drilling into plumbing and electric conduits.** Another method is to drill through the foundation walls from the outside and force the chemical just beneath the slab along the inside of the foundation and along all the cracks and expansion joints. The emulsion should be applied at the rate of at least 1 gallon per 10 linear feet of foundation or expansion joint.

2. Dig a trench 1 foot in depth but not below the top of the footing, along the outside of the foundation walls. Apply the emulsion at the rate of 1 gallon per 10 linear feet of trench. The chemical should be mixed with the soil as it is being replaced in the trench.

3. Treat voids in hollow block foundations at the rate of one gallon of emulsion per 5 linear feet of wall so that the emulsion will reach the footing. Do this by drilling or probing. **Avoid drilling into plumbing or electric conduits.**

Batch No.

Packed By