

1990

THIS NO. 5215 CHLORDANE is to be used for Termite control. ~~Do not use on lawns, gardens, or other areas where people or animals may be exposed. Use only in areas where termites are present.~~ **CAUTION: Do not use in dairy barns and poultry houses. This product is toxic to fish and wildlife.**

~~For use on lawns, gardens, and other areas where people or animals may be exposed, use only in areas where termites are present. Do not use in dairy barns and poultry houses. This product is toxic to fish and wildlife.~~

SUBTERRANEAN TERMITES — Directions for Non-Professional Use:
Use 5215-74% Chlordane in a 1% water emulsion. To prepare a 1% water emulsion dilute 5215-74% Chlordane 1 part to 93 parts of water.
- **Buildings Having Basements or Crawl Spaces:** Dig a trench along the outside of the foundation walls. In brick or hollow block or concrete foundations, dig a trench to, but not below, the footing. Then as the trench is refilled, treat the soil at the rate of 4 gallons per 10 linear feet for each foot of depth. A trench 3 feet deep would require 12 gallons per 10 linear feet.
The objective is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.

AR-513

A C
JUL
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, registered under EPA Reg. No.

T
M I
C

Packed By