

For use by pest control operators and government agencies trained in Bird Control. Not for use by or sale to the General Public.

DIRECTIONS

USE: For control of feral of domestic pigeons in municipalities and around farm buildings during the winter months.

Prebaiting: Place untreated grain for several days in areas of pigeon activity prior to placement of this bait. Prebait sites should be located in areas close to buildings to minimize the hazard to beneficial birds and other wildlife. Scatter one to five quarts of untreated grain on the bare ground. Prebaiting should be continued daily until untreated grain is accepted readily.

Baiting: This poisoned grain should not be put out until untreated grain has been entirely consumed or cleaned up. Do not use this product if non-target birds or animals are feeding in the treatment area.

Amount of this bait to be used will be determined by the amount of untreated grain consumed daily. This poisoned grain should be scattered in the same manner and in the same locations as the untreated grain. Pick up and destroy all dead birds daily. Uneaten poisoned grain should be picked up and destroyed when the desired control has been obtained.

GUARDIAN



Net
Contents:

**STRYCHNINE WHOLE GRAIN
POISONED GRAIN
DANGER**

Keep out of reach of children. Convulsive poison. See antidote and other important warnings on right panel.

Active Ingredient:		
Strychnine Alkaloid		.6%
Inert Ingredients:		99.4%
	Total	100.0%
Net Weight (10, 25 lbs.)		



Or Chem Corp.

1514 Eleventh Street
Portsmouth, Ohio 45662
Phone 614/353-1125

**DIRECTIONS
POISON
DANGER**



CONTAINS STRYCHNINE ALKALOID. NEARLY INSTANT DEATH OF BIRDS AND OTHER WILDLIFE. KEEP FROM CHILDREN AND DOMESTIC ANIMALS. SEE ANTIDOTE AND OTHER IMPORTANT WARNINGS ON RIGHT PANEL.

Baits should be placed in areas not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes.

Treated seeds exposed on soil surface may be hazardous to birds and other wildlife.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Dispose of excess treated seeds or wastes by burial.

Apply this product only as specified on this label.

ANTIDOTE: If less than ten minutes have passed since the poison was taken, give a tablespoonful of salt in a glass of warm water. Have victim lie down in a quiet darkened room and keep warm.

CALL A PHYSICIAN IMMEDIATELY!

Do not re-use bag. Dispose of empty bag by deep burial or burning. Stay out of smoke.

EPA Reg. No. 7122-56 Date
AR-206

AC 100-117

13

UNIVERSITY OF MICHIGAN LIBRARY

FOR INFORMATION

UNIVERSITY OF MICHIGAN LIBRARY

For use by pest control operators and government agencies trained in Bird Control. Not for use by or sale to the General Public.

DIRECTIONS

USE: For use by pest control operators and government agencies trained in Bird Control. Not for use by or sale to the General Public.

Prebaiting: For use by pest control operators and government agencies trained in Bird Control. Not for use by or sale to the General Public.

Baiting: For use by pest control operators and government agencies trained in Bird Control. Not for use by or sale to the General Public.

For use by pest control operators and government agencies trained in Bird Control. Not for use by or sale to the General Public.

GUARDIAN



Net
Contents

**STRYCHNINE WHOLE GRAIN
POISONED GRAIN**

Active Ingredient		
Strychnine Alkaloid		6
Inert Ingredients		994
	Total	1000

Net Weight 10.25 lbs.

Or Chem Corp.

514 Eleventh Street
Portsmouth Ohio 45662
Phone 514-253-1125

DIRECTIONS

For use by pest control operators and government agencies trained in Bird Control. Not for use by or sale to the General Public.

ANTIDOTE: For use by pest control operators and government agencies trained in Bird Control. Not for use by or sale to the General Public.

CALL A PHYSICIAN IMMEDIATELY!

EPA Reg. No. 7122-56

FR 206